R3850-1.10-U

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP LENGTH OF STAY BY OPERATION

UNITED STATES WESTERN REGION

1984



Length of Stay by Operation, Western Region, 1984

A Companion Volume To Length of Stay by Diagnosis, Western Region, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
    Source of the Data. 1
    Data Quality. 2
    Coverage 3
    Organization of Length of Stay Tables. 5
        Definition of Multiple Diagnosis Patients 5
        Definition of Operated Patients 6
    Explanation of Statistics. 6
    Defining the Extended Stay Case 7
Length of Stay Tables 15
    Summary of All Patients. 16
    Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1984

	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	**2**		**235**
for: Cystoscopy			636
TUR			**648**
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102^{o}, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



Procedure **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - **transurethral 60.2**
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (6[illegible]

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72650	2.4	8	<1	<1	2	3	4	6	13
20-34	180505	2.6	6	<1	1	2	3	5	6	11
35-49	64615	3.4	10	<1	1	2	4	7	9	15
50-64	49864	4.0	15	<1	1	3	5	8	11	18
65+	46009	4.4	19	<1	1	3	6	10	13	19
2. MULTIPLE DX										
0-19 YRS	70104	5.1	70	<1	1	3	5	10	18	53
20-34	173732	4.4	28	1	1	3	5	8	11	28
35-49	116607	5.8	42	1	1	4	7	11	16	34
50-64	150251	6.9	57	1	1	5	9	14	19	40
65+	278020	8.2	67	1	2	6	10	17	22	43
TOT. SINGLE DX	413643	3.0	10	<1	1	2	4	6	8	15
" MULTIPLE DX	788714	6.5	55	1	1	4	8	13	19	40
TOTAL 0-19 YRS	142754	3.7	40	<1	<1	2	4	7	11	36
20-34	354237	3.4	18	<1	1	2	4	6	8	20
35-49	181222	4.9	32	<1	1	4	6	9	13	29
50-64	200115	6.2	48	1	1	4	8	13	17	36
65+	324029	7.7	62	1	2	6	10	16	21	41
GRAND TOTAL	**1202357**	**5.3**	**42**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	7.8	38	1	1	7	10	17	22	27
20-34	107	7.7	25	1	2	7	9	13	16	29
35-49	126	9.4	29	3	5	8	11	17	22	28
50-64	131	10.9	83	3	4	9	13	21	24	46
65+	160	10.9	68	4	5	9	13	19	24	44
2. MULTIPLE DX										
0-19 YRS	148	16.4	269	1	2	12	21	45	64	99+
20-34	196	17.2	249	3	4	13	23	57	99+	99+
35-49	208	17.6	284	4	6	12	22	46	82	99+
50-64	398	17.0	222	4	6	12	20	36	53	87
65+	605	19.9	236	5	7	15	25	40	53	86
TOT. SINGLE DX	615	9.6	53	2	3	8	11	18	23	33
" MULTIPLE DX	1555	18.2	245	4	5	13	23	41	59	99+
TOTAL 0-19 YRS	239	13.1	198	1	2	9	17	29	53	99+
20-34	303	13.9	191	2	3	10	17	34	64	99+
35-49	334	14.5	203	4	5	11	17	30	58	99+
50-64	529	15.5	194	4	5	11	18	32	46	83
65+	765	18.0	214	4	6	14	22	36	50	80
GRAND TOTAL	2170	15.7	206	3	5	11	19	33	53	99+

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	5.6	7	3	3	5	7	9	12	14
20-34	40	9.6	47	2	3	8	13	19	20	36
35-49	33	9.3	47	4	4	7	11	18	25	34
50-64	38	9.7	76	2	3	7	12	21	23	50
65+	39	10.4	33	4	5	9	12	18	24	28
2. MULTIPLE DX										
0-19 YRS	86	15.5	225	3	4	9	22	43	46	66
20-34	120	16.0	218	3	4	13	22	47	99+	99+
35-49	81	19.4	296	4	6	15	27	48	80	99+
50-64	122	16.7	174	5	6	13	19	29	39	75
65+	192	20.0	262	6	7	15	24	46	54	92
TOT. SINGLE DX	248	8.1	38	3	3	6	10	15	20	34
" MULTIPLE DX	601	17.8	237	4	5	13	23	43	58	99+
TOTAL 0-19 YRS	184	10.2	134	3	3	6	10	25	42	55
20-34	160	14.4	183	3	4	11	19	36	76	99+
35-49	114	16.5	244	4	4	11	21	44	61	99+
50-64	160	15.0	159	3	5	12	18	28	36	68
65+	231	18.4	236	5	6	14	22	42	53	90
GRAND TOTAL	849	15.0	198	3	4	10	19	34	49	99+

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	4.3	4	2	2	4	5	6	9	14
20-34	47	4.5	6	1	2	4	5	8	11	12
35-49	18	4.0	4	1	1	4	5	7	9	10
50-64	15	4.3	2	2	2	4	5	7	8	8
65+	3	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	123	7.7	89	2	3	5	8	14	20	62
20-34	98	8.0	64	2	3	5	9	19	29	73
35-49	45	13.1	207	2	3	9	16	25	46	75
50-64	35	8.4	47	2	3	6	13	22	76	99+
65+	19	6.3	7	3	3	6	8	10	12	12
TOT. SINGLE DX	286	4.3	5	1	2	4	5	7	9	13
" MULTIPLE DX	320	8.5	91	2	3	5	10	19	26	87
TOTAL 0-19 YRS	326	5.6	39	2	2	4	6	10	14	24
20-34	145	6.9	48	2	2	4	8	13	23	46
35-49	63	10.5	166	2	2	5	12	22	37	72
50-64	50	7.2	37	2	3	5	8	18	32	99+
65+	22	6.2	6	3	3	6	8	10	11	12
GRAND TOTAL	606	6.6	55	2	2	4	7	13	20	54

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	4.7	7	1	2	4	6	8	8	17
20-34	20	7.9	32	3	3	7	9	12	21	29
35-49	11	9.4	15	6	6	8	11	15	20	20
50-64	13	7.6	23	2	3	7	9	16	18	19
65+	55	8.9	31	3	4	7	11	15	22	28
2. MULTIPLE DX										
0-19 YRS	121	17.0	435	2	3	8	22	54	76	99+
20-34	42	15.5	249	3	4	11	20	38	66	99+
35-49	28	14.1	176	3	3	11	18	55	99+	99+
50-64	65	15.6	134	4	5	12	18	34	43	54
65+	182	18.4	218	5	6	14	25	34	50	98
TOT. SINGLE DX	150	7.3	25	2	3	6	8	13	18	28
" MULTIPLE DX	438	17.0	266	3	4	12	23	38	56	99+
TOTAL 0-19 YRS	172	13.3	340	2	3	6	12	42	66	98
20-34	62	13.0	191	3	4	9	15	29	45	98
35-49	39	12.8	134	3	4	[illegible]	17	38	76	99+
50-64	78	14.3	124	3	5	11	17	31	39	53
65+	237	16.2	191	4	5	12	22	32	46	95
GRAND TOTAL	588	14.6	222	3	3	9	18	33	53	99+

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.0	9	1	1	3	5	8	11	16
20-34	29	6.7	36	2	2	5	8	14	24	25
35-49	22	6.0	32	1	1	5	7	12	21	25
50-64	14	7.1	71	2	2	4	8	12	30	35
65+	6	5.8	8	2	2	5	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	351	9.4	155	1	2	5	10	23	36	98
20-34	127	15.8	314	2	3	9	21	41	72	99+
35-49	84	12.8	288	1	2	7	13	38	60	97
50-64	72	18.6	351	3	4	10	26	46	59	88
65+	93	17.6	278	2	3	12	21	46	55	70
TOT. SINGLE DX	197	4.9	21	1	1	4	5	10	13	25
" MULTIPLE DX	727	12.9	246	2	2	7	15	34	52	98
TOTAL 0-19 YRS	477	8.0	123	1	2	4	8	17	29	87
20-34	156	14.1	274	2	3	8	18	36	63	99+
35-49	106	11.4	242	1	2	7	11	26	51	95
50-64	86	16.7	322	2	3	9	22	43	58	84
65+	99	16.9	270	2	3	11	21	45	53	69
GRAND TOTAL	**924**	**11.2**	**209**	**1**	**2**	**6**	**13**	**29**	**48**	**94**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	12.6	100	4	5	9	15	29	36	39
20-34	201	7.5	19	3	4	7	9	12	15	22
35-49	379	7.7	16	3	4	7	9	13	15	21
50-64	411	8.5	23	3	4	8	10	14	17	27
65+	290	9.6	15	4	5	9	11	14	17	23
2. MULTIPLE DX										
0-19 YRS	26	21.9	386	3	5	15	29	51	67	77
20-34	221	12.4	107	4	5	9	14	22	33	69
35-49	483	11.7	117	4	4	9	13	22	31	87
50-64	821	11.6	78	4	5	9	13	20	28	59
65+	1031	14.1	117	5	6	11	16	24	34	67
TOT. SINGLE DX	1297	8.4	21	3	4	8	10	14	16	24
" MULTIPLE DX	2582	12.8	109	4	5	10	15	23	31	66
TOTAL 0-19 YRS	42	18.4	293	4	5	12	26	41	57	77
20-34	422	10.1	71	3	4	8	12	19	23	53
35-49	862	9.9	77	3	4	8	11	17	24	47
50-64	1232	10.5	63	4	5	9	12	18	24	49
65+	1321	13.1	99	5	6	10	15	23	30	61
GRAND TOTAL	**3879**	**11.3**	**84**	**4**	**5**	**9**	**13**	**20**	**27**	**53**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	6.9	23	1	1	6	10	14	17	20
20-34	136	4.8	16	1	1	3	6	11	14	19
35-49	163	4.8	16	<1	1	4	6	10	12	21
50-64	76	5.6	25	<1	1	4	7	12	15	26
65+	34	6.9	34	<1	<1	6	11	16	18	19
2. MULTIPLE DX										
0-19 YRS	93	14.3	206	1	3	9	20	35	44	89
20-34	171	11.6	161	1	2	8	14	25	39	96
35-49	215	10.4	112	2	2	7	14	20	27	64
50-64	165	13.1	175	2	3	9	15	27	41	64
65+	157	13.8	175	1	2	10	18	32	39	59
TOT. SINGLE DX	446	5.3	20	1	1	4	7	11	14	21
" MULTIPLE DX	801	12.3	161	1	2	9	15	26	38	75
TOTAL 0-19 YRS	130	12.2	165	1	2	9	16	27	39	80
20-34	307	8.6	109	1	1	5	11	19	28	78
35-49	378	8.0	79	1	1	5	10	17	22	51
50-64	241	10.7	140	1	2	7	13	23	31	63
65+	191	12.6	157	1	1	9	17	28	37	56
GRAND TOTAL	**1247**	**9.8**	**122**	**1**	**2**	**6**	**13**	**21**	**30**	**64**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.0		<1	<1	2	3	3	4	4
20-34	158	2.8	6	<1	<1	2	3	7	9	11
35-49	226	3.1	9	<1	<1	2	4	8	10	12
50-64	223	2.8	8	<1	<1	2	3	7	8	16
65+	97	2.7	7	<1	1	2	3	7	8	15
2. MULTIPLE DX										
0-19 YRS	27	4.7	33	<1	<1	3	5	16	18	21
20-34	147	4.5	23	<1	<1	3	6	10	12	28
35-49	169	6.3	35	<1	1	5	9	12	16	24
50-64	252	6.4	34	1	1	5	9	13	18	31
65+	176	7.1	54	1	1	5	9	14	22	42
TOT. SINGLE DX	725	2.9	8	<1	<1	2	3	7	9	12
" MULTIPLE DX	771	6.1	38	1	1	4	9	13	18	29
TOTAL 0-19 YRS	48	3.5	21	<1	<1	2	3	7	17	21
20-34	305	3.6	16	<1	<1	2	4	9	11	20
35-49	395	4.5	23	<1	<1	2	7	10	12	20
50-64	475	4.7	26	<1	<1	3	7	10	14	25
65+	273	5.6	42	1	1	3	8	12	19	35
GRAND TOTAL	**1496**	**4.5**	**26**	**<1**	**<1**	**2**	**7**	**10**	**14**	**25**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	1.7	2	<1	<1	1	2	3	4	11
20-34	696	1.7	2	<1	<1	1	2	3	4	8
35-49	796	1.7	2	<1	<1	1	2	3	4	8
50-64	718	1.7	1	<1	<1	1	2	3	4	7
65+	435	1.8	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	169	2.7	42	<1	<1	1	2	5	6	26
20-34	503	2.8	25	<1	<1	2	3	5	7	15
35-49	486	2.8	13	<1	1	2	3	5	8	14
50-64	572	2.8	8	<1	<1	2	3	6	8	14
65+	580	3.6	30	<1	1	2	3	7	11	28
TOT. SINGLE DX	2740	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	2310	3.0	21	<1	<1	2	3	6	8	20
TOTAL 0-19 YRS	264	2.3	29	<1	<1	1	2	4	5	15
20-34	1199	2.2	12	<1	<1	1	2	4	6	11
35-49	1282	2.1	7	<1	<1	1	2	4	5	12
50-64	1290	2.2	5	<1	<1	2	2	4	6	12
65+	1015	2.8	19	<1	<1	2	3	5	8	23
GRAND TOTAL	5050	2.3	11	<1	<1	2	2	4	6	14

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	1	3	3	4	5	6	6	6
20-34	34	4.7	12	<1	1	4	5	7	11	20
35-49	22	3.4	4	<1	1	3	5	6	7	8
50-64	14	5.4	9	2	3	4	9	10	11	11
65+	5	5.8	5	3	3	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	3	8.7	82	2	2	5	15	19	19	19
20-34	42	6.3	20	<1	1	5	7	12	16	24
35-49	40	7.1	22	1	3	6	8	13	19	22
50-64	36	8.7	86	2	3	6	8	17	28	52
65+	85	11.3	46	3	4	10	13	22	25	32
TOT. SINGLE DX	79	4.5	9	<1	1	4	6	8	10	17
" MULTIPLE DX	206	9.0	47	2	3	7	11	19	22	32
TOTAL 0-19 YRS	7	6.1	34	2	2	4	6	16	19	19
20-34	76	5.6	18	<1	1	5	6	11	14	23
35-49	62	5.8	19	1	1	5	7	10	17	22
50-64	50	7.8	67	2	3	6	8	12	21	52
65+	90	11.0	46	3	4	10	13	22	25	32
GRAND TOTAL	285	7.7	41	1	2	6	9	15	21	31

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.3	104	3	3	6	18	22	22	22
20-34	26	2.0	4	<1	<1	<1	2	4	6	11
35-49	27	3.0	9	<1	<1	1	5	8	9	13
50-64	27	3.2	9	<1	<1	2	4	8	11	11
65+	9	3.4	12	<1	<1	1	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	5	6.2	20	2	2	4	10	12	12	12
20-34	36	9.6	77	1	2	7	12	21	33	37
35-49	49	9.1	46	<1	2	8	15	20	21	25
50-64	49	10.4	167	1	2	8	12	16	27	77
65+	63	8.9	134	1	1	7	11	18	21	75
TOT. SINGLE DX	92	3.1	12	<1	<1	1	4	8	11	18
" MULTIPLE DX	202	9.4	107	1	2	7	12	18	22	66
TOTAL 0-19 YRS	8	7.8	46	2	2	5	11	19	22	22
20-34	62	6.4	61	<1	<1	4	8	13	25	37
35-49	76	6.9	41	<1	<1	4	10	17	21	24
50-64	76	7.9	122	<1	<1	5	10	15	16	72
65+	72	8.2	123	<1	1	6	10	16	20	72
GRAND TOTAL	294	7.4	86	<1	<1	4	10	15	21	52

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	2	1	1	3	4	5	5	9
20-34	518	2.9	2	1	1	3	4	4	5	8
35-49	583	2.9	1	1	1	3	3	4	5	6
50-64	371	3.1	1	1	1	3	4	4	5	8
65+	137	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	29	4.8	8	2	3	4	6	9	12	13
20-34	295	3.9	21	1	2	3	4	6	7	11
35-49	384	4.0	8	2	2	3	4	6	8	14
50-64	413	4.3	11	2	2	3	5	7	10	20
65+	312	5.3	21	2	2	4	5	9	13	31
TOT. SINGLE DX	1666	3.0	2	1	1	3	4	4	5	7
" MULTIPLE DX	1433	4.3	15	2	2	4	5	7	10	20
TOTAL 0-19 YRS	86	3.5	5	1	1	3	4	6	8	13
20-34	813	3.3	9	1	2	3	4	5	6	9
35-49	967	3.3	4	1	2	3	4	5	6	10
50-64	784	3.7	7	1	2	3	4	5	7	14
65+	449	4.7	16	2	2	4	5	7	11	30
GRAND TOTAL	**3099**	**3.6**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	142	1.5		<1	<1	1	2	3	3	4
20-34	93	2.2	1	1	1	2	3	4	4	5
35-49	79	2.5	1	1	1	2	3	4	5	7
50-64	66	3.3	3	1	1	3	4	5	6	12
65+	26	4.2	7	1	2	4	5	6	8	16
2. MULTIPLE DX										
0-19 YRS	38	2.9	10	<1	1	2	4	6	10	17
20-34	71	5.1	28	1	2	3	6	11	14	34
35-49	117	5.6	35	2	2	4	6	9	13	36
50-64	169	5.8	29	2	2	4	7	11	16	24
65+	163	6.8	41	2	3	5	7	13	17	39
TOT. SINGLE DX	406	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	558	5.8	34	1	2	4	7	11	15	37
TOTAL 0-19 YRS	180	1.8	3	<1	<1	1	2	3	4	10
20-34	164	3.5	15	1	1	3	4	6	10	19
35-49	196	4.4	24	1	1	3	5	8	11	24
50-64	235	5.1	23	1	2	4	6	10	13	22
65+	189	6.4	38	2	2	5	7	12	16	39
GRAND TOTAL	**964**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	7.8	14	3	4	6	11	14	15	15
20-34	48	6.8	5	3	4	7	8	10	11	13
35-49	37	7.5	14	3	4	7	9	11	15	23
50-64	34	7.5	7	4	5	7	9	11	13	14
65+	14	7.4	6	4	5	7	8	10	13	14
2. MULTIPLE DX										
0-19 YRS	11	12.7	247	4	4	8	11	33	57	59
20-34	49	10.2	32	5	5	8	12	18	23	29
35-49	75	10.6	60	4	5	9	11	17	26	51
50-64	66	11.3	83	5	6	8	13	18	31	51
65+	71	12.7	102	2	5	10	14	23	32	92
TOT. SINGLE DX	147	7.3	9	3	4	7	9	11	13	16
" MULTIPLE DX	272	11.3	79	5	5	9	13	20	29	59
TOTAL 0-19 YRS	25	10.0	117	4	4	7	11	15	27	59
20-34	97	8.5	22	4	5	7	10	15	18	28
35-49	112	9.6	47	4	5	8	11	16	22	41
50-64	100	10.0	61	4	5	8	11	15	19	50
65+	85	11.8	90	3	5	9	14	22	31	87
GRAND TOTAL	**419**	**9.9**	**58**	**4**	**5**	**8**	**11**	**16**	**22**	**53**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	1.0		<1	<1	<1	1	1	1	2
20-34	16	1.5	2	<1	<1	<1	1	2	6	7
35-49	23	1.2		<1	<1	<1	1	2	3	3
50-64	32	1.5		<1	<1	1	2	3	3	5
65+	50	1.9	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	18	1.9	3	<1	<1	1	2	5	7	8
20-34	6	5.0	78	1	1	2	2	21	23	23
35-49	15	2.3	4	<1	<1	1	3	5	7	8
50-64	37	3.6	53	<1	<1	2	3	5	14	43
65+	84	3.8	83	<1	<1	2	3	8	9	58
TOT. SINGLE DX	196	1.4	1	<1	<1	<1	1	2	3	7
" MULTIPLE DX	160	3.5	59	<1	<1	2	3	8	9	41
TOTAL 0-19 YRS	93	1.2	1	<1	<1	<1	1	1	2	7
20-34	22	2.5	23	<1	<1	1	2	4	13	23
35-49	38	1.6	2	<1	<1	1	2	3	5	8
50-64	69	2.6	30	<1	<1	1	2	4	5	38
65+	134	3.1	54	<1	<1	2	3	7	8	22
GRAND TOTAL	356	2.3	28	<1	<1	1	2	4	8	18

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	1.4		<1	<1	1	2	2	2	5
20-34	48	2.0	4	<1	<1	1	2	4	4	15
35-49	55	1.2		<1	<1	<1	1	2	2	3
50-64	95	1.3		<1	<1	1	1	2	3	6
65+	148	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	164	2.7	22	<1	1	1	3	5	7	31
20-34	221	2.7	10	<1	<1	2	3	5	7	21
35-49	147	2.5	8	<1	<1	2	3	5	7	12
50-64	176	2.3	13	<1	<1	1	2	4	6	22
65+	307	3.9	70	<1	<1	2	3	8	13	36
TOT. SINGLE DX	475	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1015	3.0	31	<1	<1	2	3	6	9	23
TOTAL 0-19 YRS	293	2.1	13	<1	<1	1	2	4	5	22
20-34	269	2.6	9	<1	<1	2	3	5	7	19
35-49	202	2.1	7	<1	<1	1	2	4	6	10
50-64	271	2.0	9	<1	<1	1	2	3	5	12
65+	455	3.1	49	<1	<1	1	2	6	10	21
GRAND TOTAL	1490	2.5	22	<1	<1	1	2	4	7	18

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	1.2		<1	<1	1	1	2	2	2
20-34	26	1.5		1	1	1	2	2	3	5
35-49	26	1.9	1	<1	1	2	2	3	4	8
50-64	29	1.8		<1	<1	1	2	3	3	4
65+	66	1.6		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	24	1.8	1	<1	1	1	2	4	4	5
20-34	27	2.1	4	<1	<1	1	2	5	7	11
35-49	22	1.9	2	<1	1	1	2	4	6	8
50-64	35	1.7		1	1	2	2	3	3	4
65+	120	2.3	4	1	1	2	2	4	6	12
TOT. SINGLE DX	182	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	228	2.1	3	<1	1	2	2	3	5	11
TOTAL 0-19 YRS	59	1.5	1	<1	<1	1	2	2	3	5
20-34	53	1.8	3	<1	1	1	2	3	5	11
35-49	48	1.9	2	<1	1	2	2	3	4	8
50-64	64	1.7	1	<1	<1	2	2	3	3	4
65+	186	2.1	3	<1	1	2	2	3	4	11
GRAND TOTAL	410	1.9	2	<1	1	2	2	3	4	9

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.9	16	<1	<1	<1	2	10	13	13
20-34	6	4.2	41	<1	<1	1	4	16	17	17
35-49	5	1.8	1	<1	<1	1	2	4	4	4
50-64	10	1.9	4	<1	<1	1	2	5	8	8
65+	6	2.7	10	1	1	2	2	8	9	9
2. MULTIPLE DX										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	11	2.3	2	<1	<1	2	4	5	5	5
35-49	8	4.8	12	<1	<1	4	8	10	10	10
50-64	14	4.1	22	<1	1	2	4	13	15	15
65+	27	5.1	36	<1	1	3	7	14	20	25
TOT. SINGLE DX	37	2.6	13	<1	<1	1	2	8	12	17
" MULTIPLE DX	65	4.1	23	<1	1	2	5	10	14	24
TOTAL 0-19 YRS	15	2.4	11	<1	<1	1	2	7	11	13
20-34	17	2.9	15	<1	<1	1	4	5	13	17
35-49	13	3.6	10	<1	<1	3	5	9	10	10
50-64	24	3.2	16	<1	<1	2	3	9	14	15
65+	33	4.7	32	<1	1	2	6	12	18	25
GRAND TOTAL	102	3.6	20	<1	<1	2	4	9	14	22

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.2	5	1	1	3	3	6	9	11
20-34	104	2.1	1	1	1	2	3	4	4	7
35-49	99	2.2	1	1	1	2	3	4	4	8
50-64	56	2.4	1	1	1	2	3	4	5	5
65+	161	2.3	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	28	2.6	1	1	1	2	4	5	5	5
20-34	44	3.0	8	<1	1	2	3	6	8	18
35-49	72	4.3	22	1	1	3	4	10	13	26
50-64	109	3.0	6	1	1	3	4	5	6	15
65+	513	2.8	2	1	1	3	4	5	5	8
TOT. SINGLE DX	443	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	766	3.0	5	1	1	3	4	5	6	13
TOTAL 0-19 YRS	51	2.9	4	1	1	3	4	5	6	11
20-34	148	2.4	4	1	1	2	3	4	5	9
35-49	171	3.1	12	1	1	2	3	5	9	21
50-64	165	2.8	5	1	1	3	4	5	5	8
65+	674	2.7	2	1	1	2	4	5	5	8
GRAND TOTAL	1209	2.7	4	1	1	2	3	5	5	10

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.0	1	<1	<1	1	3	4	5	6
20-34	186	1.3		<1	<1	<1	<1	2	3	5
35-49	145	1.2		<1	<1	<1	<1	2	2	4
50-64	49	1.5	1	<1	<1	<1	1	3	3	6
65+	47	1.4		<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	68	3.6	5	1	1	3	5	7	8	10
20-34	65	3.4	5	<1	<1	3	5	7	8	11
35-49	47	2.8	5	<1	<1	2	4	5	8	12
50-64	41	2.7	10	<1	<1	2	3	5	6	21
65+	67	3.3	9	<1	1	2	4	7	8	18
TOT. SINGLE DX	509	1.4	1	<1	<1	<1	1	3	4	6
" MULTIPLE DX	288	3.2	7	<1	<1	3	4	7	8	14
TOTAL 0-19 YRS	150	2.8	4	<1	<1	2	4	5	7	9
20-34	251	1.8	3	<1	<1	<1	2	4	5	9
35-49	192	1.6	2	<1	<1	<1	1	3	4	9
50-64	90	2.0	6	<1	<1	1	2	4	5	15
65+	114	2.5	7	<1	<1	2	3	5	7	16
GRAND TOTAL	797	2.1	4	<1	<1	1	3	4	6	10

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	4	5
20-34	26	1.6		<1	1	1	2	3	3	4
35-49	51	2.1	2	1	1	2	2	4	5	9
50-64	75	2.1	2	<1	1	2	2	5	6	8
65+	137	2.2	2	<1	1	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	36	1.7	1	<1	1	1	2	3	5	5
20-34	26	3.4	19	<1	<1	3	3	6	10	24
35-49	29	3.0	4	1	1	3	4	5	8	10
50-64	87	2.9	5	<1	1	3	3	6	7	13
65+	251	3.0	9	1	1	2	3	6	8	16
TOT. SINGLE DX	329	2.0	2	<1	1	2	2	4	5	8
" MULTIPLE DX	429	2.9	8	1	1	2	3	5	7	16
TOTAL 0-19 YRS	76	1.6	1	<1	<1	1	2	3	4	5
20-34	52	2.5	11	<1	1	2	3	4	6	24
35-49	80	2.4	3	1	1	2	3	5	6	10
50-64	162	2.5	4	<1	1	2	3	5	6	10
65+	388	2.7	7	1	1	2	3	5	7	15
GRAND TOTAL	758	2.5	6	<1	1	2	3	5	6	14

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	3.7	13	<1	<1	2	4	10	12	13
20-34	37	2.8	3	<1	1	3	4	4	5	11
35-49	25	1.9	1	<1	1	2	2	4	4	4
50-64	34	2.0	2	<1	<1	1	3	5	5	5
65+	75	2.1	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	46	3.8	15	<1	1	2	5	10	12	20
20-34	48	3.7	9	<1	1	3	4	6	11	15
35-49	25	3.2	45	<1	<1	1	3	4	14	35
50-64	53	3.4	12	<1	1	2	4	7	12	16
65+	182	3.7	17	<1	1	2	4	8	12	22
TOT. SINGLE DX	195	2.4	4	<1	<1	2	3	4	5	12
" MULTIPLE DX	354	3.6	17	<1	1	2	4	8	12	21
TOTAL 0-19 YRS	70	3.8	15	<1	<1	2	5	10	12	19
20-34	85	3.3	7	<1	1	3	4	5	11	14
35-49	50	2.6	23	<1	1	1	3	4	4	35
50-64	87	2.8	9	<1	<1	2	3	6	8	16
65+	257	3.2	14	<1	1	2	4	7	10	21
GRAND TOTAL	549	3.2	13	<1	1	2	4	6	10	19

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.2	2	<1	<1	2	2	4	7	7
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	51	1.5		<1	<1	1	2	2	3	4
50-64	371	1.8		<1	<1	2	2	3	3	4
65+	1661	1.8		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	11	3.8	15	<1	<1	2	4	11	13	13
20-34	12	2.8	3	<1	<1	2	4	6	6	6
35-49	59	2.5	6	<1	1	2	3	4	4	19
50-64	359	2.3	6	<1	1	2	2	3	4	12
65+	1977	2.2	3	<1	1	2	2	3	4	10
TOT. SINGLE DX	2096	1.8	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	2418	2.2	4	<1	1	2	2	3	4	10
TOTAL 0-19 YRS	22	3.0	10	<1	<1	2	3	8	11	13
20-34	14	2.7	3	<1	<1	2	3	6	6	6
35-49	110	2.1	4	<1	<1	2	2	4	4	11
50-64	730	2.1	4	<1	1	2	2	3	4	8
65+	3638	2.0	2	<1	1	2	2	3	3	7
GRAND TOTAL	4514	2.0	3	<1	1	2	2	3	4	7

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	1.5		<1	<1	1	2	2	3	6
20-34	31	1.6		<1	<1	1	2	3	3	3
35-49	257	1.5		<1	<1	1	2	2	3	3
50-64	1234	1.5		<1	<1	1	2	2	2	3
65+	5314	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	41	3.7	91	<1	<1	2	2	4	9	62
20-34	50	3.1	24	<1	<1	2	3	5	9	33
35-49	220	1.8	1	<1	<1	2	2	3	4	6
50-64	1310	1.9	2	<1	<1	2	2	3	4	9
65+	7361	2.0	4	<1	1	2	2	3	3	9
TOT. SINGLE DX	6882	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	8982	2.0	5	<1	1	2	2	3	4	9
TOTAL 0-19 YRS	87	2.5	44	<1	<1	1	2	3	5	44
20-34	81	2.6	16	<1	<1	2	2	4	7	27
35-49	477	1.6	1	<1	<1	1	2	2	3	5
50-64	2544	1.7	2	<1	<1	2	2	2	3	7
65+	12675	1.8	3	<1	<1	2	2	2	3	7
GRAND TOTAL	15864	1.8	3	<1	<1	2	2	2	3	7

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.7		1	1	2	2	2	2	2
35-49	29	1.2		<1	<1	1	1	2	2	2
50-64	122	1.5		<1	<1	1	2	2	3	4
65+	483	1.6		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	10	1.8	2	1	1	1	2	4	6	6
35-49	19	2.0		<1	1	2	2	3	4	4
50-64	120	1.9	2	<1	<1	2	2	3	3	9
65+	534	1.9	4	<1	<1	2	2	3	3	8
TOT. SINGLE DX	641	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	688	1.9	4	<1	<1	2	2	3	3	7
TOTAL 0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	16	1.8	2	1	1	2	2	2	5	6
35-49	48	1.5	1	<1	<1	1	2	2	3	4
50-64	242	1.7	1	<1	<1	2	2	2	3	5
65+	1017	1.7	3	<1	<1	2	2	2	3	5
GRAND TOTAL	1329	1.7	2	<1	<1	2	2	2	3	5

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.6	3	1	1	3	5	6	7	9
20-34	151	3.6	6	1	1	3	4	7	8	14
35-49	163	3.6	4	1	1	3	5	6	8	9
50-64	393	3.6	3	1	2	3	5	6	7	10
65+	337	3.6	2	1	2	3	4	6	6	8
2. MULTIPLE DX										
0-19 YRS	43	4.2	9	1	2	4	5	8	12	99+
20-34	179	4.9	7	1	2	4	6	8	10	14
35-49	225	4.7	5	2	2	4	6	7	9	12
50-64	590	4.4	7	1	2	4	5	7	8	12
65+	897	4.5	6	2	2	4	6	7	9	14
TOT. SINGLE DX	1093	3.6	4	1	2	3	4	6	7	9
" MULTIPLE DX	1934	4.5	7	1	2	4	6	7	9	13
TOTAL 0-19 YRS	92	3.9	6	1	1	3	5	7	8	65
20-34	330	4.3	7	1	2	4	6	7	9	14
35-49	388	4.2	5	1	2	4	6	7	8	11
50-64	983	4.1	6	1	2	4	5	7	8	11
65+	1234	4.3	6	1	2	4	5	7	8	13
GRAND TOTAL	3027	4.2	6	1	2	4	5	7	8	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.8	2	<1	<1	3	4	5	6	6
20-34	20	3.3	3	<1	1	3	4	6	6	7
35-49	17	2.5	3	1	1	2	3	4	7	9
50-64	48	3.1	2	1	2	3	4	5	6	8
65+	74	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	54	5.8	157	<1	1	3	7	9	10	91
20-34	121	3.8	10	1	2	3	4	6	8	17
35-49	107	4.3	24	1	1	3	5	8	11	30
50-64	233	3.7	12	1	1	3	5	7	10	16
65+	381	3.5	7	1	1	3	4	7	9	16
TOT. SINGLE DX	179	2.8	3	1	1	2	4	5	6	9
" MULTIPLE DX	896	3.8	20	1	1	3	4	7	9	16
TOTAL 0-19 YRS	74	4.9	117	<1	1	3	5	8	9	74
20-34	141	3.7	9	1	1	3	4	6	8	13
35-49	124	4.0	22	1	1	3	4	8	10	26
50-64	281	3.6	11	1	1	3	4	7	9	15
65+	455	3.3	7	1	1	2	4	7	9	15
GRAND TOTAL	1075	3.6	18	1	1	3	4	7	9	15

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	613	1.2		<1	<1	<1	1	2	2	2
20-34	94	1.5	1	<1	<1	1	2	2	2	9
35-49	71	1.4		<1	<1	1	2	2	2	6
50-64	32	1.3		<1	<1	1	2	2	2	2
65+	20	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	241	1.2		<1	<1	<1	1	2	2	3
20-34	49	1.3		<1	1	1	2	2	2	99+
35-49	42	1.8	1	<1	<1	2	2	3	4	6
50-64	44	1.9	2	<1	1	2	2	3	4	11
65+	41	2.1	2	<1	1	2	2	3	4	11
TOT. SINGLE DX	830	1.3		<1	<1	1	1	2	2	3
" MULTIPLE DX	417	1.4	1	<1	<1	1	2	2	2	7
TOTAL 0-19 YRS	854	1.2		<1	<1	<1	1	2	2	2
20-34	143	1.4	1	<1	<1	1	2	2	2	18
35-49	113	1.5	1	<1	<1	1	2	2	3	6
50-64	76	1.6	2	<1	<1	1	2	2	3	9
65+	61	1.9	2	<1	<1	2	2	2	3	10
GRAND TOTAL	1247	1.3	1	<1	<1	1	2	2	2	3

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	16.0		16	16	16	16	16	16	16
65+										
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
TOT. SINGLE DX	9	3.0	24	<1	<1	1	2	11	16	16
" MULTIPLE DX	6	1.5	1	1	1	1	2	3	3	3
TOTAL 0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	6.7	66	1	1	3	13	16	16	16
65+										
GRAND TOTAL	15	2.4	15	<1	<1	1	2	3	13	16

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	3.4	5	<1	<1	2	6	6	8	62
20-34	48	2.4	3	1	1	2	3	4	5	11
35-49	48	2.6	3	<1	<1	2	3	5	6	9
50-64	31	2.9	3	1	1	2	4	6	6	8
65+	59	2.3	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	90	4.7	17	<1	1	3	6	11	13	22
20-34	103	3.5	9	1	1	3	4	6	8	18
35-49	60	4.3	30	1	1	3	5	7	9	38
50-64	91	4.4	37	1	1	3	5	8	12	40
65+	196	5.0	58	1	1	3	5	11	14	38
TOT. SINGLE DX	277	2.8	4	<1	1	2	4	6	6	9
" MULTIPLE DX	540	4.5	36	1	1	3	5	9	13	30
TOTAL 0-19 YRS	181	4.0	12	<1	<1	3	6	7	11	23
20-34	151	3.2	8	1	1	2	4	6	7	15
35-49	108	3.6	19	1	1	3	4	7	9	27
50-64	122	4.0	29	1	1	3	4	7	10	30
65+	255	4.4	47	1	1	2	5	9	13	36
GRAND TOTAL	817	3.9	25	1	1	3	5	7	11	24

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	189	1.8	2	<1	<1	1	2	4	6	8
20-34	69	2.7	14	<1	<1	2	3	5	8	24
35-49	52	1.5	1	<1	<1	1	2	2	3	7
50-64	40	1.6	2	<1	<1	1	2	3	4	9
65+	45	2.0	8	<1	<1	1	2	3	9	17
2. MULTIPLE DX										
0-19 YRS	231	3.1	28	<1	1	2	3	5	7	18
20-34	104	3.8	27	<1	<1	2	5	8	13	30
35-49	56	5.3	58	<1	<1	2	5	18	28	29
50-64	47	6.0	129	1	1	2	6	11	31	68
65+	99	6.7	72	1	1	4	7	17	23	46
TOT. SINGLE DX	395	1.9	5	<1	<1	1	2	4	6	10
" MULTIPLE DX	537	4.4	50	<1	1	2	4	8	16	34
TOTAL 0-19 YRS	420	2.5	17	<1	<1	2	3	5	7	14
20-34	173	3.4	23	<1	<1	2	3	7	11	25
35-49	108	3.5	34	<1	<1	1	3	7	19	29
50-64	87	4.0	75	<1	<1	1	4	8	11	55
65+	144	5.2	57	<1	<1	2	6	13	20	35
GRAND TOTAL	**932**	**3.3**	**32**	**<1**	**<1**	**2**	**3**	**7**	**10**	**29**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	37	1.5		<1	<1	1	2	2	3	5
20-34	196	1.5		1	1	1	2	2	3	5
35-49	297	1.4		1	1	1	2	2	3	4
50-64	250	1.4		1	1	1	2	2	3	4
65+	120	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	36	1.3		<1	<1	1	2	2	3	3
20-34	93	1.4		<1	1	1	2	2	3	3
35-49	102	1.9	6	1	1	1	2	3	4	16
50-64	125	1.9	6	1	1	1	2	3	4	15
65+	73	1.7		<1	1	2	2	3	3	4
TOT. SINGLE DX	900	1.4	1	1	1	1	2	2	3	4
" MULTIPLE DX	429	1.7	4	<1	1	1	2	3	3	6
TOTAL 0-19 YRS	73	1.4	1	<1	<1	1	2	2	3	5
20-34	289	1.4	1	1	1	1	2	2	3	4
35-49	399	1.5	2	1	1	1	2	2	3	4
50-64	375	1.6	3	1	1	1	2	2	3	6
65+	193	1.4		1	1	1	2	2	3	4
GRAND TOTAL	**1329**	**1.5**	**2**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
0-19 YRS	387	1.3		<1	<1	1	2	2	2	3
20-34	296	1.4		<1	<1	1	2	2	2	3
35-49	273	1.4		<1	1	1	2	2	2	3
50-64	202	1.4		<1	1	1	2	2	2	3
65+	110	1.4		<1	1	1	2	2	2	4
2. MULTIPLE DX										
0-19 YRS	440	1.5	1	<1	<1	1	2	2	3	7
20-34	269	1.8	33	<1	1	1	2	2	3	4
35-49	217	1.5		<1	1	1	2	2	3	4
50-64	242	1.7		<1	1	1	2	3	3	4
65+	127	1.8		<1	1	2	2	3	3	4
TOT. SINGLE DX	1268	1.4		<1	1	1	2	2	2	3
" MULTIPLE DX	1295	1.6	8	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	827	1.4	1	<1	<1	1	2	2	2	4
20-34	565	1.6	16	<1	1	1	2	2	3	4
35-49	490	1.4		<1	1	1	2	2	3	4
50-64	444	1.6	1	<1	1	1	2	2	3	4
65+	237	1.6	1	<1	1	1	2	3	3	4
GRAND TOTAL	**2563**	**1.5**	**4**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2558	1.1	3	<1	<1	<1	<1	<1	1	2
20-34	44	1.5	2	<1	<1	1	1	2	5	8
35-49	23	1.6	1	<1	<1	1	2	3	5	7
50-64	19	1.7	1	<1	<1	1	2	3	5	6
65+	9	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1582	1.6	6	<1	<1	1	1	2	4	12
20-34	50	2.8	23	<1	<1	1	2	5	12	31
35-49	45	4.5	124	<1	1	2	3	8	11	75
50-64	42	4.2	32	<1	<1	2	4	11	18	27
65+	30	3.3	14	<1	<1	1	6	7	13	17
TOT. SINGLE DX	2653	1.1	4	<1	<1	<1	<1	<1	1	2
" MULTIPLE DX	1749	1.8	11	<1	<1	1	1	3	5	13
TOTAL 0-19 YRS	4140	1.3	5	<1	<1	<1	1	1	2	8
20-34	94	2.2	14	<1	<1	1	2	3	8	24
35-49	68	3.5	84	<1	<1	2	3	7	9	64
50-64	61	3.4	24	<1	<1	1	3	8	13	27
65+	39	2.8	12	<1	<1	1	3	6	10	17
GRAND TOTAL	4402	1.4	7	<1	<1	<1	1	1	3	9

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	1.5	1	<1	1	1	2	2	3	10
20-34	110	1.7	1	<1	1	1	2	3	4	7
35-49	80	1.8	3	1	1	1	2	3	3	14
50-64	73	1.6		<1	1	1	2	3	3	4
65+	33	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	205	2.5	11	1	1	2	2	5	8	22
20-34	186	2.6	19	1	1	2	2	4	7	29
35-49	169	2.2	5	1	1	2	3	4	5	14
50-64	175	2.3	6	1	1	2	3	3	5	13
65+	105	3.1	9	1	1	2	4	7	11	16
TOT. SINGLE DX	412	1.7	2	<1	1	1	2	3	3	9
" MULTIPLE DX	840	2.5	11	1	1	2	3	4	7	18
TOTAL 0-19 YRS	321	2.2	8	1	1	1	2	4	7	17
20-34	296	2.3	13	1	1	1	2	3	6	20
35-49	249	2.1	5	1	1	2	2	3	4	15
50-64	248	2.1	5	1	1	2	2	3	4	12
65+	138	2.9	8	1	1	2	3	6	10	15
GRAND TOTAL	1252	2.2	8	1	1	2	2	4	6	16

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	1.5		<1	<1	1	2	2	2	4
20-34	156	1.9	1	<1	1	1	2	3	5	7
35-49	201	2.1	5	1	1	2	2	4	4	21
50-64	130	1.9	1	1	1	2	2	3	4	5
65+	73	2.1	3	1	1	2	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	151	2.3	15	<1	<1	1	2	4	9	20
20-34	97	2.5	7	<1	1	1	2	7	9	13
35-49	96	2.3	6	1	1	2	2	4	7	15
50-64	125	2.4	11	1	1	2	2	4	6	17
65+	66	5.0	107	1	1	2	4	8	16	69
TOT. SINGLE DX	764	1.9	2	<1	1	2	2	3	4	7
" MULTIPLE DX	535	2.7	23	<1	<1	2	2	5	9	21
TOTAL 0-19 YRS	355	1.8	7	<1	<1	1	2	2	4	12
20-34	253	2.1	4	<1	1	1	2	4	6	10
35-49	297	2.2	6	1	1	2	2	4	5	17
50-64	255	2.1	6	1	1	2	2	3	4	11
65+	139	3.5	54	1	1	2	3	7	9	41
GRAND TOTAL	1299	2.2	11	<1	1	2	2	4	6	12

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.3		1	1	1	1	3	4	92
20-34	134	1.3		<1	1	1	1	2	3	4
35-49	83	1.5		<1	1	1	2	3	3	6
50-64	45	1.3		<1	<1	1	1	2	2	3
65+	8	2.1	5	1	1	1	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	188	1.5		1	1	1	2	2	3	4
20-34	554	1.7	1	1	1	1	2	3	4	6
35-49	389	1.8	8	1	1	1	2	3	3	5
50-64	201	2.1	6	1	1	2	2	4	5	8
65+	68	2.0	2	<1	<1	2	3	3	4	10
TOT. SINGLE DX	327	1.4	1	<1	1	1	1	3	3	6
" MULTIPLE DX	1400	1.8	4	1	1	1	2	3	4	7
TOTAL 0-19 YRS	245	1.4	1	1	1	1	2	2	3	5
20-34	688	1.6	1	<1	1	1	2	3	3	5
35-49	472	1.7	8	1	1	1	2	3	3	5
50-64	246	2.0	6	<1	1	1	2	3	4	8
65+	76	2.0	3	<1	<1	1	3	4	6	9
GRAND TOTAL	**1727**	**1.7**	**4**	**<1**	**1**	**1**	**2**	**3**	**3**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	324	1.4	1	<1	<1	1	2	2	3	4
20-34	647	1.3		<1	<1	1	1	2	3	4
35-49	347	1.4		<1	1	1	2	2	3	4
50-64	171	1.5		<1	1	1	2	3	3	5
65+	49	1.9	4	<1	<1	1	2	3	4	15
2. MULTIPLE DX										
0-19 YRS	732	1.6	1	<1	1	1	2	3	3	6
20-34	1645	1.6	2	<1	1	1	2	3	4	5
35-49	1118	1.8	2	<1	1	1	2	3	4	7
50-64	514	2.0	4	1	1	2	2	3	4	10
65+	251	2.7	5	1	1	2	3	5	7	13
TOT. SINGLE DX	1538	1.4	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	4260	1.8	3	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	1056	1.5	1	<1	1	1	2	3	3	5
20-34	2292	1.6	2	<1	1	1	2	3	3	5
35-49	1465	1.7	2	<1	1	1	2	3	4	7
50-64	685	1.9	4	<1	1	1	2	3	4	10
65+	300	2.6	6	<1	1	2	3	5	7	13
GRAND TOTAL	**5798**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	1.5		<1	<1	1	2	2	3	6
20-34	71	1.6	1	<1	<1	1	2	3	4	6
35-49	76	1.5		<1	<1	1	2	3	3	6
50-64	104	1.6	1	<1	<1	1	2	3	5	7
65+	82	1.4		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	145	1.6	1	<1	<1	1	2	3	4	6
20-34	289	1.8	2	<1	1	1	2	3	4	6
35-49	304	1.8	1	<1	1	1	2	3	4	7
50-64	252	2.4	14	<1	1	2	2	4	7	17
65+	219	3.9	46	<1	1	2	4	8	13	35
TOT. SINGLE DX	388	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1209	2.3	13	<1	1	1	2	4	6	16
TOTAL 0-19 YRS	200	1.6	1	<1	<1	1	2	3	3	6
20-34	360	1.8	2	<1	<1	1	2	3	4	6
35-49	380	1.8	2	<1	<1	1	2	3	4	7
50-64	356	2.2	11	<1	1	1	2	4	6	15
65+	301	3.2	35	<1	<1	2	3	6	9	33
GRAND TOTAL	**1597**	**2.1**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	1.3	1	<1	<1	1	1	2	2	6
20-34	229	1.7	2	<1	<1	1	2	4	5	7
35-49	106	2.8	5	<1	1	2	3	6	7	13
50-64	84	3.1	4	<1	1	3	5	6	7	8
65+	84	3.8	4	1	1	4	5	7	7	9
2. MULTIPLE DX										
0-19 YRS	220	2.3	8	<1	<1	1	2	5	7	18
20-34	302	2.7	10	<1	1	2	3	6	9	17
35-49	185	3.4	15	1	1	2	4	8	10	20
50-64	237	4.3	17	1	1	4	5	7	10	16
65+	338	5.4	44	1	1	4	6	10	13	30
TOT. SINGLE DX	783	2.1	3	<1	<1	1	2	5	6	8
" MULTIPLE DX	1282	3.7	22	1	1	2	5	7	10	20
TOTAL 0-19 YRS	500	1.7	4	<1	<1	1	1	3	5	11
20-34	531	2.3	7	<1	<1	1	2	5	7	13
35-49	291	3.2	12	<1	1	2	4	7	9	17
50-64	321	4.0	14	1	1	3	5	7	9	14
65+	422	5.1	37	1	1	4	6	8	11	26
GRAND TOTAL	**2065**	**3.1**	**16**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.7		1	1	1	2	3	4	4
20-34	150	1.7	1	<1	1	1	2	3	4	7
35-49	146	1.9	2	<1	1	1	2	3	4	12
50-64	90	1.9	1	<1	1	2	2	3	4	5
65+	51	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	48	2.3	4	<1	1	2	2	5	8	11
20-34	231	2.6	11	1	1	2	3	4	7	18
35-49	231	2.6	15	1	1	2	3	5	7	16
50-64	194	3.1	15	1	1	2	3	6	12	16
65+	139	3.5	10	1	1	3	4	7	10	18
TOT. SINGLE DX	467	1.8	2	<1	1	1	2	3	4	7
" MULTIPLE DX	843	2.8	13	1	1	2	3	5	9	16
TOTAL 0-19 YRS	78	2.0	3	1	1	1	2	4	6	10
20-34	381	2.2	8	1	1	2	2	4	6	15
35-49	377	2.4	11	1	1	2	3	4	5	13
50-64	284	2.7	11	1	1	2	3	5	9	15
65+	190	3.1	8	1	1	2	4	5	9	16
GRAND TOTAL	**1310**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**7**	**14**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.1	7	<1	<1	1	2	4	7	17
20-34	99	2.1	3	<1	<1	1	2	5	6	9
35-49	97	2.4	3	<1	<1	2	3	4	7	10
50-64	87	2.9	7	<1	<1	2	4	6	8	15
65+	33	2.7	5	<1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	135	3.9	42	<1	<1	2	4	9	12	39
20-34	261	3.3	16	1	1	2	4	7	9	23
35-49	216	3.3	26	<1	1	2	3	6	10	25
50-64	250	4.0	29	1	1	2	4	9	15	33
65+	181	5.0	56	1	1	3	6	11	17	60
TOT. SINGLE DX	370	2.4	5	<1	<1	1	3	5	8	12
" MULTIPLE DX	1043	3.8	32	<1	1	2	4	8	13	33
TOTAL 0-19 YRS	189	3.4	33	<1	<1	1	3	7	12	35
20-34	360	3.0	13	<1	1	2	4	6	8	19
35-49	313	3.0	20	<1	1	2	3	6	8	25
50-64	337	3.7	24	<1	1	2	4	8	14	32
65+	214	4.6	49	1	1	3	5	10	16	50
GRAND TOTAL	**1413**	**3.5**	**25**	**<1**	**1**	**2**	**4**	**7**	**11**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	1.4		<1	<1	1	2	2	2	4
20-34	60	1.7	2	<1	<1	1	2	3	5	9
35-49	47	2.0	5	<1	<1	1	2	3	5	14
50-64	28	1.6		<1	<1	2	2	2	3	4
65+	25	2.1	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
0-19 YRS	142	3.0	31	<1	<1	2	3	5	11	57
20-34	173	5.9	128	<1	1	2	4	13	24	69
35-49	122	4.9	84	<1	1	2	4	10	19	57
50-64	174	4.1	53	<1	1	2	4	10	17	64
65+	245	4.9	81	1	1	2	4	11	17	63
TOT. SINGLE DX	262	1.7	2	<1	<1	1	2	2	4	9
" MULTIPLE DX	856	4.6	78	<1	1	2	4	10	18	67
TOTAL 0-19 YRS	244	2.3	19	<1	<1	1	2	4	5	30
20-34	233	4.8	99	<1	<1	2	4	9	20	67
35-49	169	4.1	64	<1	<1	2	3	9	15	45
50-64	202	3.8	47	<1	1	2	3	8	16	53
65+	270	4.6	75	1	1	2	3	11	16	62
GRAND TOTAL	**1118**	**3.9**	**62**	**<1**	**<1**	**2**	**3**	**8**	**15**	**55**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	1.1		<1	<1	<1	1	1	2	3
20-34	9	1.4	1	<1	<1	1	1	3	4	4
35-49	8	1.4		<1	<1	1	2	2	2	2
50-64	3	3.7	14	<1	<1	2	6	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	93	1.6	4	<1	<1	1	2	2	4	15
20-34	29	3.2	35	<1	<1	1	2	7	16	30
35-49	10	3.0	8	<1	<1	2	4	7	10	10
50-64	10	2.8	6	1	1	2	3	7	9	9
65+	3	8.3	41	1	1	11	12	13	13	13
TOT. SINGLE DX	132	1.2	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	145	2.2	13	<1	<1	1	2	4	9	21
TOTAL 0-19 YRS	204	1.3	2	<1	<1	<1	1	2	2	5
20-34	38	2.8	27	<1	<1	1	2	4	13	30
35-49	18	2.3	5	<1	<1	1	2	5	8	10
50-64	13	3.0	7	<1	1	2	3	8	9	9
65+	4	6.8	38	1	1	6	12	13	13	13
GRAND TOTAL	**277**	**1.7**	**7**	**<1**	**<1**	**1**	**1**	**2**	**4**	**14**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	1.8	2	<1	<1	<1	2	4	5	9
20-34	23	2.1	2	<1	1	2	3	4	6	8
35-49	55	2.2	1	<1	1	2	3	4	4	5
50-64	51	2.4	1	<1	1	2	3	4	4	5
65+	22	2.9	2	<1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	75	2.0	1	<1	<1	1	2	4	5	6
20-34	56	2.6	5	<1	1	2	3	5	9	12
35-49	60	2.5	9	<1	1	2	3	4	6	21
50-64	99	3.1	9	1	1	2	3	5	8	19
65+	71	3.6	14	1	1	2	4	6	14	22
TOT. SINGLE DX	205	2.2	2	<1	<1	2	3	4	5	7
" MULTIPLE DX	361	2.8	9	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	129	1.9	2	<1	<1	1	2	4	5	7
20-34	79	2.5	5	<1	1	2	3	5	8	11
35-49	115	2.4	5	<1	1	2	3	4	5	13
50-64	150	2.8	7	1	1	2	3	4	6	15
65+	93	3.4	12	1	1	2	4	6	11	20
GRAND TOTAL	**566**	**2.6**	**6**	**<1**	**<1**	**2**	**3**	**5**	**6**	**15**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	2.2	3	<1	<1	2	3	4	6	10
20-34	179	2.3	2	1	1	2	3	4	4	7
35-49	254	2.3	1	1	1	2	3	4	5	6
50-64	260	2.5	2	1	1	2	3	4	5	7
65+	189	2.7	1	1	1	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	42	3.1	11	<1	<1	2	4	6	10	18
20-34	111	2.8	4	1	1	2	4	6	6	10
35-49	146	3.3	11	1	1	3	4	6	8	26
50-64	228	3.4	8	1	1	3	4	6	7	15
65+	305	4.4	22	1	2	3	5	8	11	22
TOT. SINGLE DX	974	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	832	3.7	14	1	1	3	4	6	9	18
TOTAL 0-19 YRS	134	2.5	6	<1	<1	2	3	5	7	14
20-34	290	2.5	3	1	1	2	3	5	6	8
35-49	400	2.7	6	1	1	2	3	5	6	9
50-64	488	2.9	5	1	1	2	3	5	7	12
65+	494	3.8	15	1	1	3	4	6	9	19
GRAND TOTAL	**1806**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	2.9	2	1	1	3	4	5	5	7
20-34	13	3.2	2	1	1	3	4	5	6	6
35-49	8	3.6	18	<1	<1	2	3	11	14	14
50-64	13	2.1	1	1	1	2	2	3	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	262	3.5	2	1	2	3	4	6	6	10
20-34	11	2.1	2	<1	<1	1	3	4	5	5
35-49	18	2.6	2	<1	1	2	3	5	6	7
50-64	27	2.7	2	1	1	2	3	4	5	8
65+	9	4.1	5	1	1	4	6	7	7	7
TOT. SINGLE DX	275	2.9	3	1	1	3	4	5	5	8
" MULTIPLE DX	327	3.3	3	1	1	3	4	6	6	9
TOTAL 0-19 YRS	503	3.2	3	1	1	3	4	5	6	8
20-34	24	2.7	2	<1	1	2	4	5	5	6
35-49	26	2.9	7	<1	<1	2	3	5	8	14
50-64	40	2.5	2	1	1	2	3	4	5	8
65+	9	4.1	5	1	1	4	6	7	7	7
GRAND TOTAL	**602**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	358	2.7	4	<1	<1	2	3	6	7	9
20-34	98	3.0	6	<1	<1	2	4	7	8	12
35-49	103	3.1	10	<1	<1	2	4	8	9	16
50-64	162	3.0	9	<1	<1	2	4	7	10	16
65+	161	2.8	6	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	313	3.6	33	1	1	2	4	6	8	36
20-34	196	4.9	28	<1	1	3	6	12	18	26
35-49	153	4.2	29	<1	1	2	5	11	13	34
50-64	287	7.0	71	<1	1	4	9	17	25	37
65+	409	6.4	60	1	1	4	8	14	19	40
TOT. SINGLE DX	882	2.9	6	<1	<1	2	4	6	8	12
" MULTIPLE DX	1358	5.4	50	1	1	3	6	12	19	35
TOTAL 0-19 YRS	671	3.1	18	<1	<1	2	4	6	7	14
20-34	294	4.3	22	<1	<1	3	5	9	14	25
35-49	256	3.8	22	<1	<1	2	4	9	12	22
50-64	449	5.6	53	<1	1	3	7	14	20	35
65+	570	5.4	48	<1	1	3	7	12	18	30
GRAND TOTAL	**2240**	**4.4**	**35**	**<1**	**1**	**3**	**5**	**9**	**14**	**29**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3483	1.2		<1	1	1	1	2	2	3
20-34	2234	1.4		1	1	1	2	2	3	4
35-49	266	1.5		1	1	1	2	3	3	4
50-64	34	2.1	7	<1	1	1	2	4	10	12
65+	16	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	1113	1.4		<1	1	1	2	2	3	6
20-34	711	1.6		1	1	1	2	3	3	5
35-49	142	2.3	9	1	1	2	2	4	5	18
50-64	35	4.2	20	1	1	3	6	8	15	21
65+	15	4.5	33	1	1	2	4	15	17	18
TOT. SINGLE DX	6033	1.3	1	<1	1	1	1	2	2	4
" MULTIPLE DX	2016	1.6	2	1	1	1	2	3	3	7
TOTAL 0-19 YRS	4596	1.3		<1	1	1	1	2	2	4
20-34	2945	1.4	1	1	1	1	2	2	3	4
35-49	408	1.8	4	1	1	1	2	3	4	8
50-64	69	3.1	15	1	1	1	3	8	12	20
65+	31	3.2	18	1	1	2	3	9	15	18
GRAND TOTAL	8049	1.4	1	<1	1	1	2	2	3	4

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4927	1.2		<1	<1	1	1	2	2	2
20-34	148	1.4		<1	1	1	2	2	2	3
35-49	12	1.5		1	1	1	2	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	7	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4136	1.3		<1	<1	1	1	2	2	3
20-34	95	1.5		1	1	1	2	3	3	3
35-49	5	1.8		1	1	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	5	1.4		<1	<1	1	2	2	2	2
TOT. SINGLE DX	5096	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	4243	1.3		<1	<1	1	1	2	2	3
TOTAL 0-19 YRS	9063	1.2		<1	<1	1	1	2	2	3
20-34	243	1.4		<1	1	1	2	2	3	3
35-49	17	1.6		1	1	2	2	2	3	3
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	12	1.4		<1	<1	1	2	3	3	3
GRAND TOTAL	9339	1.2		<1	<1	1	1	2	2	3

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	1.0		<1	<1	<1	1	1	1	2
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49										
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	602	1.1		<1	<1	1	1	1	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	210	1.0		<1	<1	<1	1	1	1	2
" MULTIPLE DX	611	1.1		<1	<1	1	1	1	2	2
TOTAL 0-19 YRS	805	1.1		<1	<1	<1	1	1	2	2
20-34	9	1.2		<1	<1	1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	821	1.1		<1	<1	<1	1	1	2	2

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	326	2.0	13	<1	<1	1	2	3	4	10
20-34	220	2.2	5	<1	1	2	3	4	5	11
35-49	104	2.2	2	<1	<1	2	3	4	6	9
50-64	92	2.5	10	<1	<1	2	3	4	7	21
65+	57	2.6	6	<1	1	2	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	138	3.0	19	1	1	2	3	5	6	30
20-34	121	3.6	30	1	1	2	4	6	9	29
35-49	93	5.0	74	1	1	2	4	9	17	48
50-64	128	6.6	84	1	1	3	9	14	25	52
65+	155	6.9	78	<1	1	3	10	17	25	65
TOT. SINGLE DX	799	2.2	9	<1	<1	1	2	4	5	10
" MULTIPLE DX	635	5.1	60	1	1	2	5	12	17	49
TOTAL 0-19 YRS	464	2.3	15	<1	<1	1	2	4	5	10
20-34	341	2.7	15	<1	1	2	3	5	6	15
35-49	197	3.5	39	<1	1	2	3	6	9	45
50-64	220	4.9	58	<1	1	2	4	12	15	51
65+	212	5.7	63	<1	1	2	8	15	20	50
GRAND TOTAL	1434	3.5	34	<1	1	2	3	7	12	32

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.6	1	<1	<1	<1	1	4	5	6
20-34	18	2.9	3	1	1	2	3	6	7	7
35-49	18	2.4	2	<1	<1	2	4	5	5	5
50-64	24	3.1	6	<1	1	2	4	6	8	11
65+	34	2.9	4	<1	<1	2	4	5	8	9
2. MULTIPLE DX										
0-19 YRS	81	3.2	13	<1	1	2	4	6	7	24
20-34	20	3.1	7	<1	1	2	4	6	9	12
35-49	26	5.2	32	1	1	4	5	10	20	27
50-64	56	4.2	17	1	1	4	5	7	9	26
65+	135	5.4	86	1	1	3	6	11	14	44
TOT. SINGLE DX	122	2.6	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	318	4.5	47	1	1	3	5	9	12	28
TOTAL 0-19 YRS	109	2.8	11	<1	<1	2	3	5	7	19
20-34	38	3.0	5	1	1	2	4	6	7	12
35-49	44	4.0	22	<1	1	3	5	6	12	27
50-64	80	3.9	14	1	1	3	5	7	9	24
65+	169	4.9	71	1	1	3	5	10	13	32
GRAND TOTAL	440	3.9	36	<1	1	3	5	7	11	27

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	1.2		<1	<1	1	1	1	2	6
20-34	82	1.3		<1	<1	1	1	2	2	7
35-49	132	1.3		<1	<1	1	1	2	2	3
50-64	250	1.5	2	<1	<1	1	2	2	3	9
65+	158	1.4	1	<1	<1	1	2	2	2	9
2. MULTIPLE DX										
0-19 YRS	58	3.1	57	<1	<1	1	2	5	15	96
20-34	35	1.7	2	<1	<1	1	2	3	6	7
35-49	106	2.2	9	<1	<1	1	2	4	5	22
50-64	246	2.8	13	<1	<1	1	2	7	12	24
65+	304	4.0	69	<1	1	2	3	8	18	59
TOT. SINGLE DX	724	1.4	2	<1	<1	1	1	2	2	8
" MULTIPLE DX	749	3.2	39	<1	<1	2	2	6	12	56
TOTAL 0-19 YRS	160	1.9	22	<1	<1	1	1	3	4	52
20-34	117	1.4	1	<1	<1	1	1	2	3	7
35-49	238	1.7	5	<1	<1	1	2	2	4	10
50-64	496	2.1	8	<1	<1	1	2	4	8	19
65+	462	3.1	48	<1	<1	1	2	5	11	53
GRAND TOTAL	1473	2.3	21	<1	<1	1	2	3	7	24

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	8	5.9	11	<1	1	7	8	10	11	11
50-64	19	6.8	33	<1	<1	7	11	14	19	21
65+	13	4.8	28	<1	<1	1	9	13	15	16
2. MULTIPLE DX										
0-19 YRS	27	2.8	10	<1	<1	1	4	6	10	15
20-34	16	4.3	13	1	1	2	8	10	11	12
35-49	8	9.1	97	1	1	6	13	25	30	30
50-64	32	10.3	80	1	1	10	16	24	36	99+
65+	45	11.9	359	<1	1	6	13	27	50	98
TOT. SINGLE DX	53	4.8	25	<1	<1	2	8	11	15	21
" MULTIPLE DX	128	8.4	167	1	1	4	11	19	33	98
TOTAL 0-19 YRS	37	2.4	8	<1	<1	1	2	6	8	15
20-34	19	3.8	13	1	1	2	7	9	11	12
35-49	16	7.5	53	<1	1	7	10	14	25	30
50-64	51	9.0	65	1	1	9	13	20	32	99
65+	58	10.3	292	<1	1	4	11	23	38	96
GRAND TOTAL	181	7.4	128	<1	1	3	10	16	25	91

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	7	12.4	6	9	9	13	15	15	15	15
50-64	23	16.4	114	9	10	12	17	29	40	59
65+	17	12.7	15	9	9	13	14	19	21	22
2. MULTIPLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	13	19.2	118	8	9	17	23	33	45	48
50-64	87	18.5	156	8	9	15	22	30	43	94
65+	92	23.0	288	9	10	16	25	45	62	89
TOT. SINGLE DX	50	13.8	68	7	9	12	15	20	29	59
" MULTIPLE DX	193	20.7	220	9	10	16	23	39	57	89
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	7.3	20	3	3	7	11	12	12	12
35-49	20	16.9	88	8	9	14	18	29	39	48
50-64	110	18.1	148	8	10	14	20	30	41	91
65+	109	21.4	260	9	9	16	23	41	57	87
GRAND TOTAL	243	19.3	196	8	9	15	22	33	51	85

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.3	46	2	2	5	12	15	15	15
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	4	7.5	33	1	1	7	11	15	15	15
2. MULTIPLE DX										
0-19 YRS	12	24.9	396	3	4	20	47	64	93	99+
20-34	11	26.2	772	1	1	19	60	85	98	99+
35-49	7	22.4	938	2	3	9	64	95	99+	99+
50-64	36	20.9	329	2	5	14	30	52	66	99+
65+	46	22.7	338	3	4	18	38	58	99+	99+
TOT. SINGLE DX	13	5.5	22	1	1	5	7	15	15	15
" MULTIPLE DX	112	22.7	403	2	3	18	41	64	99+	99+
TOTAL 0-19 YRS	15	21.4	371	2	3	16	45	55	86	99+
20-34	11	26.2	772	1	1	19	60	85	98	99+
35-49	9	18.2	775	1	1	6	47	91	99+	99+
50-64	40	19.1	324	1	3	14	26	51	63	99+
65+	50	21.5	330	3	4	17	34	57	98	99+
GRAND TOTAL	**125**	**20.9**	**391**	**1**	**3**	**15**	**36**	**59**	**98**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	5.0	77	<1	<1	3	6	8	13	53
20-34	13	2.4	3	<1	<1	2	4	5	6	6
35-49	17	3.6	21	<1	<1	1	4	12	14	15
50-64	21	2.2	3	<1	<1	1	2	6	7	7
65+	20	3.4	21	<1	<1	1	4	8	14	20
2. MULTIPLE DX										
0-19 YRS	125	15.1	328	<1	1	9	19	46	69	99+
20-34	79	17.6	544	1	2	7	26	76	99+	99+
35-49	61	23.7	649	1	2	14	35	82	96	99+
50-64	178	23.1	501	1	2	16	38	59	82	99+
65+	208	27.3	561	1	2	26	48	76	99+	99+
TOT. SINGLE DX	107	3.6	35	<1	<1	2	5	7	11	34
" MULTIPLE DX	651	22.3	525	1	2	15	37	71	92	99+
TOTAL 0-19 YRS	161	12.9	290	<1	<1	6	15	34	63	97
20-34	92	15.4	495	<1	1	6	21	71	97	99+
35-49	78	19.3	580	<1	1	11	30	72	93	99+
50-64	199	20.9	490	1	1	13	33	59	79	99+
65+	228	25.2	560	1	1	22	41	75	99+	99+
GRAND TOTAL	**758**	**19.7**	**498**	**<1**	**1**	**11**	**33**	**68**	**84**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.5		<1	<1	1	2	3	3	3
20-34	32	5.1	21	<1	<1	3	8	11	16	18
35-49	63	3.9	20	<1	<1	2	5	8	13	24
50-64	144	4.0	24	<1	<1	2	5	10	14	25
65+	195	3.9	18	<1	<1	2	5	10	14	19
2. MULTIPLE DX										
0-19 YRS	16	6.1	58	<1	1	3	6	20	26	28
20-34	143	10.3	72	1	2	8	14	22	28	48
35-49	324	9.9	78	1	2	7	13	21	28	44
50-64	919	8.9	85	1	1	7	11	18	24	49
65+	1911	9.8	76	1	2	8	13	20	25	48
TOT. SINGLE DX	445	4.0	21	<1	<1	2	5	10	14	22
" MULTIPLE DX	3313	9.5	79	1	2	7	13	20	26	47
TOTAL 0-19 YRS	27	4.2	40	<1	<1	2	4	7	23	28
20-34	175	9.4	67	1	1	7	12	21	27	44
35-49	387	8.9	74	1	1	6	12	20	25	41
50-64	1063	8.2	80	1	1	6	11	17	24	47
65+	2106	9.2	74	1	1	7	12	19	25	47
GRAND TOTAL	**3758**	**8.9**	**75**	**1**	**1**	**7**	**12**	**19**	**25**	**46**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4	5.5	25	1	1	4	9	12	12	12
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	11.3	110	1	1	11	19	22	22	22
65+	5	8.8	35	2	2	10	12	17	17	17
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	14	8.8	42	1	1	9	12	17	21	22
TOTAL 0-19 YRS	4	5.5	26	1	1	4	9	12	12	12
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	1	15.0		15	15	15	15	15	15	15
50-64	3	11.3	110	1	1	11	19	22	22	22
65+	6	7.7	36	2	2	7	11	16	17	17
GRAND TOTAL	**16**	**7.9**	**42**	**1**	**1**	**7**	**12**	**17**	**20**	**22**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.1	9	1	1	6	8	10	10	10
20-34	38	7.4	18	3	4	7	8	14	17	23
35-49	69	6.5	14	1	2	6	8	11	13	21
50-64	162	6.8	15	<1	1	7	8	11	14	20
65+	147	6.0	17	1	1	6	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	48	9.0	45	2	3	7	11	22	29	99+
20-34	128	11.1	89	4	5	9	13	19	25	56
35-49	237	10.2	103	1	3	7	11	20	30	71
50-64	691	10.7	83	2	3	8	13	21	27	49
65+	1015	11.3	100	1	2	9	14	21	29	57
TOT. SINGLE DX	432	6.5	16	1	1	6	8	11	14	20
" MULTIPLE DX	2119	10.9	94	1	3	9	13	21	28	55
TOTAL 0-19 YRS	64	8.3	38	1	2	7	10	15	25	90
20-34	166	10.3	75	4	4	8	12	18	23	46
35-49	306	9.4	86	1	3	7	11	18	26	64
50-64	853	10.0	73	1	2	8	12	19	25	49
65+	1162	10.6	93	1	2	9	13	20	27	56
GRAND TOTAL	**2551**	**10.2**	**83**	**1**	**2**	**8**	**12**	**20**	**26**	**52**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	20.5	481	5	5	20	36	36	36	36
20-34	9	9.6	6	6	6	9	11	14	14	14
35-49	29	9.1	9	5	5	9	11	14	15	16
50-64	86	9.2	7	5	6	9	11	13	15	16
65+	63	9.9	8	6	7	9	11	14	15	20
2. MULTIPLE DX										
0-19 YRS	11	10.4	21	5	6	9	14	17	19	19
20-34	23	15.0	332	5	6	10	14	22	48	96
35-49	105	12.6	101	5	6	9	14	23	35	81
50-64	434	13.3	88	6	7	10	15	23	31	63
65+	486	14.3	63	7	8	12	16	24	30	50
TOT. SINGLE DX	189	9.6	12	5	6	9	11	14	15	19
" MULTIPLE DX	1059	13.7	83	6	7	11	16	23	31	64
TOTAL 0-19 YRS	13	11.9	73	5	5	9	15	22	33	36
20-34	32	13.4	244	6	6	10	13	18	22	96
35-49	134	11.8	84	5	6	9	13	22	29	71
50-64	520	12.6	77	6	7	10	14	21	29	60
65+	549	13.8	59	7	8	12	16	23	29	49
GRAND TOTAL	**1248**	**13.1**	**74**	**6**	**7**	**11**	**15**	**22**	**29**	**59**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	1.7	4	<1	<1	1	2	3	5	13
20-34	22	4.8	25	<1	<1	3	7	12	16	20
35-49	47	4.2	18	<1	<1	2	5	12	15	16
50-64	71	4.0	13	<1	1	2	6	9	12	16
65+	93	5.1	36	<1	<1	2	8	13	17	30
2. MULTIPLE DX										
0-19 YRS	186	8.0	157	<1	1	4	9	19	31	82
20-34	139	10.3	78	1	2	7	14	21	30	38
35-49	254	9.2	67	1	2	7	12	20	27	41
50-64	644	9.9	107	1	2	7	12	21	29	58
65+	1189	11.6	108	1	2	9	15	23	30	56
TOT. SINGLE DX	401	3.4	18	<1	<1	2	4	9	13	20
" MULTIPLE DX	2412	10.6	107	1	2	8	14	22	29	56
TOTAL 0-19 YRS	354	5.0	95	<1	<1	2	5	12	21	68
20-34	161	9.5	75	1	1	7	13	20	29	38
35-49	301	8.4	63	1	1	6	11	18	26	40
50-64	715	9.3	102	1	2	7	12	20	28	57
65+	1282	11.2	106	1	2	9	15	23	30	55
GRAND TOTAL	**2813**	**9.5**	**101**	**1**	**1**	**7**	**13**	**21**	**28**	**55**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.6	8	1	1	3	4	8	11	11
20-34	37	4.6	19	1	2	4	5	7	13	26
35-49	13	4.8	11	1	2	5	6	9	13	14
50-64	8	8.0	171	1	1	4	6	30	40	40
65+	7	6.6	45	1	1	2	11	17	18	18
2. MULTIPLE DX										
0-19 YRS	27	8.4	40	2	3	8	11	19	22	23
20-34	31	7.3	19	2	2	6	9	12	16	22
35-49	45	6.6	18	1	2	6	9	13	14	20
50-64	67	13.2	101	2	3	11	20	28	30	45
65+	68	11.7	121	2	3	10	16	25	27	96
TOT. SINGLE DX	75	5.0	34	1	1	4	5	11	14	36
" MULTIPLE DX	238	10.2	80	2	2	8	14	22	27	50
TOTAL 0-19 YRS	37	7.1	36	1	2	4	9	17	21	23
20-34	68	5.8	21	1	2	4	7	11	14	25
35-49	58	6.2	17	1	2	5	8	13	14	20
50-64	75	12.6	109	1	2	9	19	28	31	44
65+	75	11.2	116	1	2	9	16	23	27	95
GRAND TOTAL	**313**	**9.0**	**74**	**1**	**2**	**6**	**12**	**20**	**26**	**42**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	4.8	16	1	2	4	6	7	11	26
20-34	357	4.6	9	1	2	4	6	8	9	15
35-49	117	5.3	24	1	2	4	6	10	14	28
50-64	74	6.1	17	2	2	5	8	13	14	20
65+	60	7.3	59	1	2	4	9	15	27	38
2. MULTIPLE DX										
0-19 YRS	223	11.3	148	2	3	8	13	24	38	77
20-34	424	7.9	57	2	3	6	9	15	19	48
35-49	391	9.0	68	2	3	7	11	19	25	46
50-64	634	10.1	84	2	3	8	12	19	27	48
65+	936	11.3	99	3	4	8	14	23	29	60
TOT. SINGLE DX	693	5.1	18	1	2	4	6	9	13	23
" MULTIPLE DX	2608	10.1	90	2	3	7	12	20	27	56
TOTAL 0-19 YRS	308	9.5	121	2	2	6	11	19	28	73
20-34	781	6.4	37	2	2	5	7	12	15	33
35-49	508	8.2	61	2	2	6	10	17	23	41
50-64	708	9.7	79	2	3	7	12	19	25	46
65+	996	11.0	98	3	3	8	14	22	29	60
GRAND TOTAL	3301	9.1	79	2	3	6	11	18	25	50

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	5.1	8	1	1	5	6	8	10	17
20-34	90	5.1	12	<1	1	5	8	10	11	13
35-49	75	4.3	11	<1	1	3	6	9	11	14
50-64	80	4.3	12	1	1	3	6	9	11	17
65+	69	4.3	14	1	1	3	5	10	11	22
2. MULTIPLE DX										
0-19 YRS	69	11.5	271	2	2	6	11	27	39	90
20-34	157	10.3	96	1	2	7	14	21	29	47
35-49	195	9.4	90	1	2	7	12	19	31	58
50-64	417	9.1	93	1	2	7	12	19	26	71
65+	633	10.6	79	1	2	8	15	22	27	42
TOT. SINGLE DX	410	4.7	12	1	1	4	6	9	11	14
" MULTIPLE DX	1471	10.0	96	1	2	7	13	21	29	53
TOTAL 0-19 YRS	165	7.8	127	1	2	5	7	12	22	79
20-34	247	8.4	72	1	1	6	11	16	23	45
35-49	270	8.0	74	1	1	6	10	15	27	52
50-64	497	8.4	83	1	1	6	11	17	23	65
65+	702	10.0	77	1	2	8	14	22	27	41
GRAND TOTAL	1881	8.9	82	1	1	6	11	19	26	48

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	7.4	6	4	5	7	8	10	12	16
20-34	36	7.5	7	2	3	8	9	11	11	15
35-49	36	9.1	13	3	6	8	10	15	16	20
50-64	51	9.8	8	7	7	10	11	13	16	22
65+	33	11.2	12	6	7	10	13	16	17	22
2. MULTIPLE DX										
0-19 YRS	380	12.1	100	5	6	9	14	22	30	86
20-34	129	14.3	129	6	6	10	15	27	37	63
35-49	248	13.6	107	6	7	11	14	22	30	68
50-64	631	14.2	66	7	8	12	16	23	28	48
65+	759	16.9	108	8	9	14	19	29	39	72
TOT. SINGLE DX	318	8.4	10	4	5	8	10	12	15	20
" MULTIPLE DX	2147	14.7	99	6	7	12	17	25	34	63
TOTAL 0-19 YRS	542	10.7	77	4	5	8	11	19	27	69
20-34	165	12.8	110	5	6	9	14	25	35	59
35-49	284	13.0	98	6	7	10	14	21	29	66
50-64	682	13.9	63	7	8	12	16	23	28	47
65+	792	16.7	106	8	9	14	19	28	38	70
GRAND TOTAL	2465	13.9	92	6	7	11	16	24	31	61

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	8.3	3	6	6	8	9	10	10	10
35-49	63	8.3	6	5	6	8	9	13	14	15
50-64	203	9.0	10	5	6	8	10	14	15	22
65+	143	9.5	10	6	6	9	10	14	16	21
2. MULTIPLE DX										
0-19 YRS	3	9.7	4	8	8	9	11	12	12	12
20-34	22	9.7	8	6	7	9	11	14	15	17
35-49	913	10.3	24	6	7	9	11	15	18	27
50-64	3764	11.5	33	7	7	10	13	17	22	34
65+	3267	13.6	54	7	8	12	15	21	27	46
TOT. SINGLE DX	413	9.1	10	5	6	8	10	13	15	21
" MULTIPLE DX	7969	12.2	43	7	7	10	14	19	24	39
TOTAL 0-19 YRS	3	9.7	4	8	8	9	11	12	12	12
20-34	26	9.5	7	6	6	9	11	13	15	17
35-49	976	10.2	23	6	6	9	11	15	18	26
50-64	3967	11.3	32	6	7	10	13	17	22	34
65+	3410	13.4	54	7	8	11	15	21	27	45
GRAND TOTAL	8382	12.0	41	7	7	10	14	19	24	38

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	1.3		<1	<1	1	2	2	2	3
20-34	139	2.6	6	<1	1	2	2	6	9	12
35-49	801	2.4	4	1	1	2	2	5	8	12
50-64	1649	2.3	5	<1	1	2	2	4	8	12
65+	749	2.2	4	1	1	2	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	693	2.7	34	<1	1	2	2	4	9	33
20-34	368	3.9	26	1	1	2	4	9	13	34
35-49	3280	3.5	13	1	1	2	4	8	11	17
50-64	9171	3.8	17	1	1	2	5	9	12	20
65+	7109	4.7	29	1	1	2	6	11	14	25
TOT. SINGLE DX	3682	2.2	5	<1	1	2	2	4	7	12
" MULTIPLE DX	20621	4.0	22	1	1	2	5	9	12	22
TOTAL 0-19 YRS	1037	2.3	24	<1	<1	1	2	3	6	24
20-34	507	3.6	21	1	1	2	4	9	12	19
35-49	4081	3.3	12	1	1	2	4	8	10	16
50-64	10820	3.5	16	1	1	2	4	8	11	19
65+	7858	4.4	28	1	1	2	6	10	14	25
GRAND TOTAL	**24303**	**3.7**	**20**	**1**	**1**	**2**	**4**	**9**	**12**	**20**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	3.2	3	2	2	3	4	5	7	10
20-34	17	2.4	2	<1	<1	2	3	5	6	6
35-49	23	3.7	9	<1	1	3	5	8	11	12
50-64	96	3.9	10	1	1	3	5	8	11	17
65+	496	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	52	6.0	29	1	1	4	7	13	20	25
20-34	55	8.5	98	1	2	6	10	19	28	54
35-49	134	7.7	60	1	2	5	10	16	22	43
50-64	877	8.0	46	1	2	6	11	16	21	30
65+	4748	8.0	48	1	2	6	10	16	21	35
TOT. SINGLE DX	652	3.3	6	1	1	3	4	6	8	12
" MULTIPLE DX	5866	7.9	49	1	2	6	10	16	21	35
TOTAL 0-19 YRS	72	5.2	24	1	1	4	6	11	15	24
20-34	72	7.0	82	1	1	4	9	13	21	52
35-49	157	7.1	55	1	2	5	9	14	19	43
50-64	973	7.6	45	1	2	6	10	16	21	29
65+	5244	7.5	46	1	2	5	10	15	20	34
GRAND TOTAL	**6518**	**7.5**	**47**	**1**	**2**	**5**	**10**	**15**	**20**	**34**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.2	8	1	2	5	7	9	11	11
20-34	11	5.3	3	1	2	6	6	7	7	7
35-49	116	3.7	6	1	2	3	4	7	9	13
50-64	229	3.6	6	1	2	3	4	7	9	13
65+	95	3.7	7	1	1	3	4	8	10	12
2. MULTIPLE DX										
0-19 YRS	42	12.0	269	1	1	7	12	26	51	88
20-34	100	7.8	66	1	2	5	8	15	22	47
35-49	682	5.3	28	2	2	3	6	11	14	23
50-64	1659	5.6	28	2	2	4	7	11	14	27
65+	1068	7.1	52	2	2	5	9	14	19	39
TOT. SINGLE DX	471	3.8	7	1	2	3	4	7	9	12
" MULTIPLE DX	3551	6.1	41	2	2	4	8	12	16	32
TOTAL 0-19 YRS	62	9.8	194	1	2	7	10	18	35	84
20-34	111	7.5	61	1	2	6	8	15	18	47
35-49	798	5.0	25	1	2	3	6	10	14	22
50-64	1888	5.4	26	2	2	3	7	11	14	26
65+	1163	6.8	50	2	2	4	9	13	18	39
GRAND TOTAL	**4022**	**5.9**	**37**	**2**	**2**	**4**	**7**	**12**	**15**	**30**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	2.0	3	<1	<1	1	2	4	5	12
20-34	81	2.8	6	<1	<1	2	3	6	10	11
35-49	78	3.1	15	<1	<1	1	4	7	13	19
50-64	109	2.4	10	<1	<1	1	2	6	10	18
65+	98	2.9	11	<1	<1	1	3	6	11	18
2. MULTIPLE DX										
0-19 YRS	371	5.2	46	<1	1	3	6	12	16	37
20-34	197	8.3	70	<1	1	6	10	17	23	46
35-49	325	7.8	66	1	1	6	10	18	23	46
50-64	800	8.3	67	1	1	6	11	18	23	41
65+	2070	9.5	64	1	2	8	12	19	24	41
TOT. SINGLE DX	534	2.5	9	<1	<1	1	3	5	9	17
" MULTIPLE DX	3763	8.6	65	1	2	7	11	18	23	42
TOTAL 0-19 YRS	539	4.2	35	<1	<1	2	5	10	14	30
20-34	278	6.7	58	<1	1	5	8	15	19	44
35-49	403	6.9	60	<1	1	5	9	16	21	39
50-64	909	7.6	64	1	1	5	10	17	22	40
65+	2168	9.2	64	1	2	7	12	18	23	41
GRAND TOTAL	**4297**	**7.8**	**62**	**1**	**1**	**6**	**10**	**17**	**22**	**40**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	2.3	2	<1	<1	2	3	4	5	6
20-34	390	2.6	2	1	1	2	3	4	5	7
35-49	600	2.7	2	1	1	3	3	4	5	8
50-64	384	3.1	4	1	1	3	4	5	6	12
65+	117	3.6	7	1	1	3	4	5	7	15
2. MULTIPLE DX										
0-19 YRS	5	2.8	1	1	1	3	4	4	4	4
20-34	97	3.2	8	1	1	3	4	5	7	18
35-49	243	3.6	10	1	1	3	4	6	8	14
50-64	263	5.0	33	1	2	3	5	9	12	35
65+	180	5.7	28	1	2	4	6	11	16	26
TOT. SINGLE DX	1511	2.8	3	1	1	3	4	5	5	8
" MULTIPLE DX	788	4.5	23	1	1	3	5	8	11	28
TOTAL 0-19 YRS	25	2.4	2	<1	<1	2	3	4	5	6
20-34	487	2.7	4	1	1	2	3	4	5	8
35-49	843	3.0	5	1	1	3	4	5	6	10
50-64	647	3.9	17	1	1	3	4	6	9	21
65+	297	4.8	21	1	2	4	5	8	14	26
GRAND TOTAL	**2299**	**3.4**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**17**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.5	4	1	2	6	7	8	9	9
20-34	16	3.8	12	<1	1	3	5	7	13	15
35-49	74	4.8	9	<1	1	4	7	9	10	13
50-64	206	7.0	22	1	2	7	9	11	13	18
65+	221	7.9	23	2	3	7	10	13	16	24
2. MULTIPLE DX										
0-19 YRS	98	12.3	156	3	4	9	13	21	47	68
20-34	182	10.7	112	1	2	8	13	20	32	56
35-49	452	10.1	117	1	2	8	11	18	27	59
50-64	1585	11.5	97	3	4	9	13	20	29	54
65+	2457	13.9	128	4	5	11	16	26	35	65
TOT. SINGLE DX	533	6.9	21	1	2	7	9	12	14	20
" MULTIPLE DX	4774	12.6	119	3	4	10	15	23	33	62
TOTAL 0-19 YRS	114	11.3	141	2	4	8	11	19	42	67
20-34	198	10.2	107	1	2	8	13	19	30	56
35-49	526	9.4	105	1	2	7	10	16	25	57
50-64	1791	11.0	91	3	4	9	12	19	28	52
65+	2678	13.4	122	4	5	10	16	25	35	64
GRAND TOTAL	**5307**	**12.1**	**112**	**3**	**4**	**9**	**14**	**22**	**31**	**60**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	4	11.8	27	4	4	14	15	15	15	15
TOT. SINGLE DX										
" MULTIPLE DX	9	13.3	22	4	6	13	16	19	20	20
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	2	12.5	1	12	12	12	13	13	13	13
50-64	2	14.0	32	10	10	14	18	18	18	18
65+	4	11.8	28	4	4	14	15	15	15	15
GRAND TOTAL	**9**	**13.3**	**22**	**4**	**6**	**13**	**16**	**19**	**20**	**20**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	5	3.2	12	<1	<1	1	5	9	9	9
35-49	6	4.5	8	1	1	4	7	9	9	9
50-64	4	2.8	1	1	1	3	4	4	4	4
65+	4	7.8	57	2	2	6	13	18	18	18
2. MULTIPLE DX										
0-19 YRS	55	5.2	30	1	1	3	5	12	17	29
20-34	431	4.8	20	1	1	3	6	10	15	22
35-49	481	5.2	21	1	1	4	7	11	15	22
50-64	922	5.8	32	1	1	4	7	11	15	31
65+	1000	7.2	71	1	2	5	8	14	20	48
TOT. SINGLE DX	21	4.7	18	<1	1	3	7	9	13	18
" MULTIPLE DX	2889	6.0	43	1	1	4	7	12	17	34
TOTAL 0-19 YRS	57	5.2	29	1	1	3	6	12	17	29
20-34	436	4.8	20	1	1	3	6	10	15	21
35-49	487	5.2	21	1	1	4	7	11	14	22
50-64	926	5.8	32	1	1	4	7	11	15	31
65+	1004	7.2	72	1	2	5	8	14	20	48
GRAND TOTAL	**2910**	**6.0**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	5.2	18	1	1	5	6	9	11	25
20-34	189	5.2	43	<1	1	3	6	13	15	39
35-49	212	5.0	25	1	1	3	6	11	16	25
50-64	595	5.5	29	1	1	4	7	10	12	29
65+	933	5.8	20	1	2	5	7	11	13	18
2. MULTIPLE DX										
0-19 YRS	2952	15.3	295	1	2	9	20	44	65	99+
20-34	774	8.1	108	1	1	5	10	18	29	71
35-49	1095	8.5	94	1	1	6	11	19	26	64
50-64	3961	8.8	86	1	2	6	10	17	27	53
65+	7945	9.7	76	2	3	7	12	19	26	49
TOT. SINGLE DX	2180	5.5	25	1	1	4	7	10	13	24
" MULTIPLE DX	16727	10.3	126	1	2	7	12	22	33	73
TOTAL 0-19 YRS	3203	14.5	281	1	2	8	19	42	63	99+
20-34	963	7.6	97	1	1	4	9	17	25	57
35-49	1307	7.9	85	1	1	5	10	18	24	55
50-64	4556	8.4	81	1	2	6	10	16	25	51
65+	8878	9.3	72	2	3	7	12	18	25	46
GRAND TOTAL	**18907**	**9.8**	**116**	**1**	**2**	**7**	**12**	**21**	**31**	**68**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	2.2	4	<1	<1	1	2	5	7	11
20-34	219	2.7	8	<1	<1	1	3	7	10	13
35-49	201	2.6	7	<1	<1	1	3	6	9	13
50-64	204	3.0	7	<1	<1	2	4	7	8	13
65+	178	3.8	10	<1	<1	3	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	130	4.3	16	<1	1	4	6	9	10	22
20-34	213	6.5	58	<1	1	4	8	14	21	38
35-49	282	6.3	59	<1	1	3	7	16	23	39
50-64	473	6.0	45	<1	1	4	7	13	18	31
65+	704	7.9	74	1	1	5	10	16	23	42
TOT. SINGLE DX	1040	2.8	8	<1	<1	2	3	7	9	13
" MULTIPLE DX	1802	6.7	60	<1	1	4	8	15	21	39
TOTAL 0-19 YRS	368	3.0	10	<1	<1	2	4	7	9	13
20-34	432	4.6	37	<1	<1	2	6	10	15	35
35-49	483	4.7	41	<1	<1	2	6	11	18	29
50-64	677	5.1	36	<1	1	3	6	11	15	28
65+	882	7.0	64	<1	1	5	9	15	22	40
GRAND TOTAL	**2842**	**5.3**	**44**	**<1**	**<1**	**3**	**7**	**12**	**17**	**32**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.3	8	<1	1	4	6	8	10	10
20-34	20	3.7	5	<1	<1	3	5	7	8	10
35-49	44	4.0	10	<1	1	3	6	8	12	15
50-64	65	4.6	14	1	1	4	6	8	10	23
65+	71	4.9	7	1	1	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	19	6.4	26	<1	1	6	8	12	18	23
20-34	70	7.3	26	1	3	6	8	12	14	30
35-49	91	5.6	20	2	2	4	8	10	13	27
50-64	208	7.4	40	1	2	6	9	15	24	34
65+	287	8.9	70	2	3	6	10	19	24	59
TOT. SINGLE DX	213	4.5	10	1	1	4	6	8	10	16
" MULTIPLE DX	675	7.8	50	2	2	6	9	14	22	36
TOTAL 0-19 YRS	32	5.6	20	<1	1	5	7	10	12	23
20-34	90	6.5	24	1	2	6	8	11	14	28
35-49	135	5.1	18	1	1	4	7	10	13	23
50-64	273	6.7	36	1	2	5	8	14	21	33
65+	358	8.1	61	2	3	6	9	16	22	52
GRAND TOTAL	**888**	**7.0**	**42**	**1**	**2**	**5**	**8**	**13**	**21**	**34**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	30.0		30	30	30	30	30	30	30
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	7.0	18	3	3	6	10	13	13	13
TOT. SINGLE DX	2	6.5	5	5	5	6	8	8	8	8
" MULTIPLE DX	9	12.2	114	2	2	9	17	30	30	30
TOTAL 0-19 YRS	2	30.0		30	30	30	30	30	30	30
20-34	3	8.3	9	5	5	9	10	11	11	11
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	7.0	19	3	3	6	10	13	13	13
GRAND TOTAL	**11**	**11.2**	**97**	**2**	**3**	**8**	**12**	**30**	**30**	**30**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	39.3	1509	6	6	30	69	82	82	82
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	43.5	312	13	18	44	56	66	67	67
20-34	3	34.3	32	28	28	36	38	39	39	39
35-49										
50-64										
65+										
TOT. SINGLE DX	4	30.8	1301	5	5	18	56	82	82	82
" MULTIPLE DX	11	41.0	244	14	22	39	48	65	67	67
TOTAL 0-19 YRS	9	39.2	438	5	8	44	53	66	67	67
20-34	6	36.8	624	6	8	33	39	78	82	82
35-49										
50-64										
65+										
GRAND TOTAL	15	38.3	475	5	6	37	48	67	78	82

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	5.2	16	1	1	5	6	8	10	27
20-34	165	6.0	29	1	2	5	7	9	11	29
35-49	119	6.1	23	1	2	5	7	11	13	28
50-64	103	6.7	41	1	2	5	8	14	22	34
65+	126	5.8	20	1	2	5	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	447	9.4	121	1	2	6	10	21	32	68
20-34	557	9.8	93	2	3	7	11	19	28	60
35-49	474	11.1	114	2	3	8	12	26	35	58
50-64	939	10.7	105	2	3	8	13	22	33	57
65+	2458	10.8	101	2	3	8	13	21	30	55
TOT. SINGLE DX	740	5.8	25	1	2	5	7	10	13	28
" MULTIPLE DX	4875	10.5	104	2	3	8	12	22	31	57
TOTAL 0-19 YRS	674	8.0	90	1	2	5	8	17	26	48
20-34	722	8.9	81	2	3	6	10	17	24	58
35-49	593	10.1	101	2	2	7	11	23	33	56
50-64	1042	10.3	100	2	3	7	12	22	31	54
65+	2584	10.5	98	2	3	8	13	21	29	54
GRAND TOTAL	5615	9.9	96	2	2	7	12	20	29	55

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	7.4	101	<1	1	4	7	21	34	47
20-34	41	7.2	77	<1	1	4	8	25	27	32
35-49	48	7.1	91	1	1	3	8	18	30	48
50-64	41	4.9	52	<1	<1	3	6	10	17	42
65+	25	6.3	58	<1	1	3	6	18	26	29
2. MULTIPLE DX										
0-19 YRS	279	12.2	212	1	2	7	16	33	46	99+
20-34	292	11.4	124	1	2	8	14	26	36	52
35-49	427	12.2	187	1	2	7	15	31	44	70
50-64	742	11.6	165	1	2	7	15	27	35	82
65+	910	14.3	180	1	3	10	19	32	44	68
TOT. SINGLE DX	210	6.7	79	<1	1	3	7	19	29	44
" MULTIPLE DX	2650	12.6	176	1	2	8	16	29	42	78
TOTAL 0-19 YRS	334	11.4	197	1	2	7	14	32	44	99+
20-34	333	10.9	120	1	2	7	14	26	33	52
35-49	475	11.7	180	1	1	7	15	30	43	69
50-64	783	11.2	162	1	1	7	15	27	35	81
65+	935	14.1	179	1	2	10	19	31	44	68
GRAND TOTAL	2860	12.2	171	1	2	8	16	29	40	74

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.4	7	<1	<1	1	2	6	8	15
20-34	39	3.9	14	1	1	2	6	10	12	14
35-49	60	3.9	17	<1	1	2	5	8	13	22
50-64	70	4.8	29	<1	1	3	7	10	12	34
65+	111	4.5	17	1	1	3	6	10	13	20
2. MULTIPLE DX										
0-19 YRS	142	6.8	191	<1	1	2	7	14	29	95
20-34	175	7.1	62	1	2	5	8	14	26	50
35-49	289	7.9	74	1	1	5	10	17	22	51
50-64	631	7.8	63	1	1	6	10	17	24	37
65+	1329	9.0	81	1	2	6	11	19	24	45
TOT. SINGLE DX	342	4.0	18	<1	1	2	6	9	12	17
" MULTIPLE DX	2566	8.3	81	1	1	6	10	18	24	46
TOTAL 0-19 YRS	204	5.5	139	<1	<1	2	5	12	18	94
20-34	214	6.5	55	1	1	4	8	13	23	48
35-49	349	7.2	67	1	1	5	9	17	21	45
50-64	701	7.5	60	1	1	5	9	16	23	37
65+	1440	8.6	78	1	2	6	11	18	24	45
GRAND TOTAL	2908	7.8	76	1	1	5	10	17	23	45

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	368	3.1	2	1	2	3	4	5	6	9
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	153	5.3	61	2	2	4	5	7	10	58
20-34	11	13.5	175	4	4	7	17	31	48	50
35-49	9	16.4	91	4	4	18	22	29	32	32
50-64	18	21.8	381	6	7	15	28	48	71	82
65+	32	15.6	77	7	8	12	19	26	35	46
TOT. SINGLE DX	373	3.1	3	1	2	3	4	5	6	12
" MULTIPLE DX	223	9.0	125	2	2	5	10	21	29	62
TOTAL 0-19 YRS	521	3.8	21	1	2	3	4	6	7	18
20-34	14	11.4	152	2	4	6	16	21	44	50
35-49	9	16.4	91	4	4	18	22	29	32	32
50-64	19	21.3	366	6	7	12	27	46	69	82
65+	33	15.5	75	7	8	13	19	26	35	46
GRAND TOTAL	596	5.3	57	[illegible]	2	3	5	10	18	42

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.9	6	1	1	3	6	8	8	8
20-34	1	54.0		54	54	54	54	54	54	54
35-49	5	6.0	30	1	1	4	9	15	15	15
50-64	8	11.5	247	2	2	5	13	39	48	48
65+	7	8.3	88	1	1	6	10	24	28	28
2. MULTIPLE DX										
0-19 YRS	60	17.7	304	2	3	12	31	63	99+	99+
20-34	25	18.0	321	3	4	12	37	93	99+	99+
35-49	45	20.4	396	1	3	14	29	65	97	99+
50-64	104	19.4	321	4	5	15	24	59	90	99+
65+	444	19.5	259	3	5	15	26	41	53	84
TOT. SINGLE DX	28	9.3	175	1	1	5	8	25	49	54
" MULTIPLE DX	678	19.4	283	3	4	14	27	46	69	99+
TOTAL 0-19 YRS	67	16.3	291	1	2	11	29	57	98	99+
20-34	26	19.4	358	4	5	12	39	91	99+	99+
35-49	50	18.9	377	1	2	13	27	54	94	99+
50-64	112	18.8	318	3	4	14	24	53	88	99+
65+	451	19.4	258	3	5	14	26	41	53	84
GRAND TOTAL	706	19.0	282	2	4	14	26	46	66	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	9.1	47	<1	<1	9	14	19	20	20
20-34	45	4.8	9	1	1	4	6	9	11	14
35-49	81	4.1	5	1	2	4	6	7	9	11
50-64	91	4.9	23	1	2	4	6	8	12	30
65+	105	5.2	12	1	2	4	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	22	4.5	21	<1	1	4	4	7	14	24
20-34	178	7.3	86	1	2	4	8	15	22	60
35-49	348	6.4	28	1	2	5	8	13	16	27
50-64	799	7.1	51	2	2	5	8	13	18	39
65+	2258	8.6	59	2	3	7	10	16	22	41
TOT. SINGLE DX	329	4.9	14	1	2	4	6	9	12	19
" MULTIPLE DX	3605	7.9	57	2	3	6	9	15	21	40
TOTAL 0-19 YRS	29	5.6	31	<1	1	4	6	13	20	24
20-34	223	6.8	72	1	2	4	7	13	19	60
35-49	429	5.9	25	1	2	4	7	11	15	23
50-64	890	6.9	49	2	2	5	8	12	17	39
65+	2363	8.4	58	2	3	6	10	16	21	41
GRAND TOTAL	3934	7.7	54	2	2	6	9	14	20	39

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	30	8.0	11	2	4	8	9	12	15	18
35-49	71	9.2	10	5	6	9	11	13	18	19
50-64	75	10.0	14	6	6	9	11	14	16	25
65+	56	12.0	51	6	7	10	14	16	19	55
2. MULTIPLE DX										
0-19 YRS	6	10.3	25	4	4	10	13	17	18	18
20-34	66	14.5	221	6	6	10	15	22	38	92
35-49	186	13.4	76	6	7	11	15	22	28	52
50-64	367	15.4	126	7	7	12	17	26	36	75
65+	593	17.3	137	7	8	14	20	30	43	73
TOT. SINGLE DX	234	9.9	23	5	6	9	11	14	18	24
" MULTIPLE DX	1218	16.0	131	7	8	13	18	27	39	73
TOTAL 0-19 YRS	8	8.9	25	4	4	7	12	16	18	18
20-34	96	12.5	164	4	6	9	14	18	24	89
35-49	257	12.3	61	6	7	10	14	19	24	51
50-64	442	14.5	111	6	7	12	16	25	33	73
65+	649	16.9	132	7	8	14	19	29	42	72
GRAND TOTAL	**1452**	**15.0**	**118**	**7**	**7**	**12**	**17**	**25**	**35**	**71**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	15.0	18	12	12	15	18	18	18	18
35-49	2	17.5	61	12	12	17	23	23	23	23
50-64	6	25.3	358	10	10	16	49	50	50	50
65+	5	14.2	31	10	10	13	16	24	24	24
2. MULTIPLE DX										
0-19 YRS										
20-34	2	23.0	392	9	9	23	37	37	37	37
35-49	17	15.9	65	8	8	14	18	30	36	38
50-64	74	18.9	142	9	10	15	22	30	46	72
65+	90	20.8	190	10	11	16	24	35	46	84
TOT. SINGLE DX	15	19.2	171	10	10	13	22	49	50	50
" MULTIPLE DX	183	19.6	161	9	10	15	22	34	45	79
TOTAL 0-19 YRS										
20-34	4	19.0	158	9	9	15	27	37	37	37
35-49	19	16.1	62	8	8	14	19	28	35	38
50-64	80	19.4	157	9	10	15	22	36	49	71
65+	95	20.4	184	10	11	16	24	34	45	84
GRAND TOTAL	**198**	**19.6**	**160**	**9**	**10**	**15**	**22**	**34**	**46**	**79**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	44	8.3	11	5	6	8	9	11	15	22
35-49	65	8.4	9	5	5	8	9	13	15	18
50-64	36	8.6	10	5	6	8	9	13	17	18
65+	13	10.2	19	5	6	10	12	16	21	22
2. MULTIPLE DX										
0-19 YRS	3	13.7	96	8	8	8	21	25	25	25
20-34	42	9.2	11	4	5	9	11	13	17	19
35-49	96	11.6	78	6	6	9	13	17	26	57
50-64	151	14.5	94	6	7	11	16	26	35	54
65+	198	15.8	95	7	7	12	19	30	36	55
TOT. SINGLE DX	159	8.6	11	5	6	8	9	13	16	21
" MULTIPLE DX	490	14.0	89	6	7	11	16	26	34	55
TOTAL 0-19 YRS	4	13.3	65	8	8	10	18	25	25	25
20-34	86	8.7	12	5	6	8	10	13	16	21
35-49	161	10.3	52	5	6	8	11	15	19	55
50-64	187	13.3	83	6	6	10	16	22	32	53
65+	211	15.5	93	7	7	12	19	29	36	54
GRAND TOTAL	**649**	**12.7**	**75**	**6**	**6**	**10**	**14**	**22**	**30**	**52**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	6.3	11	2	2	6	9	10	13	14
20-34	170	6.1	4	3	4	6	7	9	10	11
35-49	199	6.6	7	3	4	6	8	10	11	18
50-64	113	7.7	10	4	5	7	9	11	16	20
65+	70	10.2	36	2	5	8	12	16	17	36
2. MULTIPLE DX										
0-19 YRS	159	13.9	177	4	5	10	15	26	43	92
20-34	348	8.7	49	4	5	7	9	13	18	36
35-49	686	9.2	60	4	5	7	9	15	23	49
50-64	528	13.1	134	5	6	9	14	25	33	67
65+	706	16.5	141	6	7	13	19	32	40	65
TOT. SINGLE DX	595	7.1	12	3	4	7	8	11	13	19
" MULTIPLE DX	2427	12.4	116	5	5	9	14	24	34	64
TOTAL 0-19 YRS	202	12.3	152	3	4	9	13	23	40	82
20-34	518	7.9	36	4	4	7	8	11	16	35
35-49	885	8.6	50	4	5	7	9	13	20	39
50-64	641	12.1	116	5	5	9	13	22	30	65
65+	776	15.9	135	6	7	12	18	31	39	63
GRAND TOTAL	**3022**	**11.4**	**100**	**4**	**5**	**8**	**12**	**21**	**31**	**58**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	5.2	21	1	1	4	6	9	16	23
20-34	125	5.3	15	1	2	4	6	10	12	22
35-49	126	4.6	21	<1	1	3	6	9	12	25
50-64	170	3.9	10	<1	<1	3	6	9	10	15
65+	170	3.6	11	<1	<1	2	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	128	7.5	87	1	1	5	8	16	27	77
20-34	349	7.0	37	1	2	5	8	13	21	38
35-49	448	6.6	45	1	2	5	8	12	16	32
50-64	826	7.0	53	1	2	5	9	14	18	38
65+	2300	7.9	50	1	2	6	10	16	21	36
TOT. SINGLE DX	651	4.3	15	<1	<1	3	6	9	11	22
" MULTIPLE DX	4051	7.5	51	1	2	6	9	15	20	36
TOTAL 0-19 YRS	188	6.7	67	1	1	4	8	14	23	61
20-34	474	6.5	32	1	2	5	8	12	18	36
35-49	574	6.1	41	1	1	5	8	12	16	30
50-64	996	6.5	47	1	1	5	8	12	17	36
65+	2470	7.6	49	1	1	6	10	15	20	35
GRAND TOTAL	**4702**	**7.1**	**47**	**1**	**1**	**5**	**9**	**14**	**19**	**35**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	9.4	38	2	3	9	11	13	23	31
20-34	25	7.6	8	3	5	7	9	11	14	15
35-49	30	8.0	6	5	6	7	9	12	13	15
50-64	30	11.6	35	6	6	10	16	20	25	27
65+	40	11.6	32	5	6	10	15	19	24	28
2. MULTIPLE DX										
0-19 YRS	80	16.4	351	5	5	10	19	65	96	99+
20-34	132	12.1	69	5	6	9	14	24	31	63
35-49	169	14.4	116	5	7	10	17	26	37	63
50-64	258	18.0	197	7	7	13	22	43	56	99+
65+	576	17.9	160	7	8	14	21	35	47	83
TOT. SINGLE DX	144	9.9	27	5	5	8	11	17	20	28
" MULTIPLE DX	1215	16.7	168	6	7	12	20	35	49	99+
TOTAL 0-19 YRS	99	15.1	298	4	5	10	16	43	89	99+
20-34	157	11.4	62	4	5	9	13	22	29	54
35-49	199	13.4	105	5	6	10	15	25	32	61
50-64	288	17.3	184	6	7	12	21	40	54	99+
65+	616	17.5	154	7	8	13	21	34	45	83
GRAND TOTAL	**1359**	**16.0**	**157**	**6**	**7**	**12**	**19**	**32**	**46**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	10.6	211	4	4	7	10	13	30	83
20-34	88	10.0	41	5	5	8	10	14	27	35
35-49	168	9.7	13	5	6	9	11	14	16	26
50-64	340	9.5	8	6	7	9	11	13	15	21
65+	421	10.1	12	6	7	9	11	14	17	22
2. MULTIPLE DX										
0-19 YRS	86	19.7	499	5	6	10	19	66	81	99+
20-34	235	13.4	103	6	6	10	15	24	36	58
35-49	578	12.6	76	6	7	10	14	21	29	51
50-64	1572	12.7	64	6	7	10	14	20	26	52
65+	3945	14.9	83	7	8	12	17	25	32	56
TOT. SINGLE DX	1047	9.9	19	6	6	9	11	14	17	26
" MULTIPLE DX	6416	14.1	86	7	7	11	16	23	32	57
TOTAL 0-19 YRS	116	17.3	438	4	5	9	16	57	78	99+
20-34	323	12.5	89	5	6	9	13	24	33	57
35-49	746	12.0	64	6	7	10	13	19	26	44
50-64	1912	12.1	56	6	7	10	13	19	25	45
65+	4366	14.4	79	7	8	12	16	24	32	55
GRAND TOTAL	**7463**	**13.5**	**79**	**7**	**7**	**11**	**15**	**22**	**30**	**56**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.8	6	2	3	5	8	9	10	10
20-34	3	12.3	102	6	6	7	20	24	24	24
35-49	10	9.5	24	4	5	7	15	17	18	18
50-64	13	7.0	2	4	5	7	8	9	10	10
65+	20	9.1	6	5	5	9	11	12	14	15
2. MULTIPLE DX										
0-19 YRS	23	11.5	62	4	5	9	14	26	29	34
20-34	33	12.4	73	5	5	10	13	23	32	46
35-49	43	12.8	78	5	6	11	15	20	44	99+
50-64	91	15.3	106	5	6	13	19	28	43	79
65+	190	16.4	134	7	8	13	19	33	39	76
TOT. SINGLE DX	57	8.2	14	4	5	8	10	13	16	24
" MULTIPLE DX	380	15.1	114	6	7	12	18	29	39	77
TOTAL 0-19 YRS	34	9.7	51	3	4	8	11	19	26	34
20-34	36	12.4	73	5	5	10	13	24	31	46
35-49	53	12.2	70	5	6	10	15	20	36	98
50-64	104	14.2	100	5	6	11	18	27	41	73
65+	210	15.7	127	6	7	12	18	32	37	72
GRAND TOTAL	**437**	**14.2**	**106**	**5**	**6**	**11**	**17**	**27**	**37**	**66**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	5.6	8	2	3	5	7	9	11	15
20-34	104	6.7	8	2	4	7	8	10	10	18
35-49	109	7.5	8	2	4	8	9	11	12	17
50-64	95	7.8	11	3	4	7	10	12	13	20
65+	96	8.2	11	3	4	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	215	9.9	100	3	4	7	10	19	29	64
20-34	248	10.0	65	4	5	8	10	16	30	42
35-49	289	11.6	72	4	5	9	13	23	32	59
50-64	464	12.8	113	4	5	10	14	23	35	73
65+	823	12.5	63	5	6	10	15	21	28	46
TOT. SINGLE DX	522	7.1	11	2	3	7	9	11	12	18
" MULTIPLE DX	2039	11.9	81	4	5	9	13	21	30	55
TOTAL 0-19 YRS	333	8.4	72	2	3	6	9	13	22	61
20-34	352	9.0	51	4	4	7	10	13	22	42
35-49	398	10.5	58	4	5	9	12	18	29	53
50-64	559	11.9	100	4	5	9	13	22	30	69
65+	919	12.0	60	4	6	10	14	20	28	44
GRAND TOTAL	2561	10.9	70	3	4	9	12	19	27	52

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.1	29	4	4	8	12	18	21	21
20-34	6	8.5	5	7	7	8	8	13	13	13
35-49	8	7.0	8	3	3	7	9	11	11	11
50-64	10	10.2	27	1	3	9	16	17	17	17
65+	16	11.0	26	6	6	9	15	19	20	20
2. MULTIPLE DX										
0-19 YRS	33	16.9	224	3	5	12	21	52	61	99+
20-34	32	17.4	167	4	6	12	26	44	51	99+
35-49	69	15.8	89	6	7	14	20	28	37	92
50-64	152	18.4	256	5	7	14	21	45	53	98
65+	404	19.6	184	7	8	16	24	36	46	84
TOT. SINGLE DX	49	9.5	22	4	5	8	12	17	19	21
" MULTIPLE DX	690	18.7	192	6	7	15	23	36	50	96
TOTAL 0-19 YRS	42	15.2	191	3	5	11	19	42	59	99+
20-34	38	16.0	152	4	6	11	24	38	51	99+
35-49	77	14.9	88	5	6	13	19	27	36	89
50-64	162	17.9	246	5	6	13	20	41	53	96
65+	420	19.3	181	6	8	15	23	36	45	84
GRAND TOTAL	739	18.1	186	5	7	14	22	36	48	93

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5420	3.4	4	2	2	3	4	6	7	10
20-34	4207	3.5	3	2	2	3	4	5	7	10
35-49	1417	3.9	3	2	2	3	5	7	8	11
50-64	588	5.1	7	2	3	4	6	8	10	14
65+	216	6.3	9	3	3	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	1712	5.5	18	2	2	4	7	10	13	22
20-34	1564	5.2	14	2	2	4	6	9	12	18
35-49	760	6.7	30	2	3	5	8	12	14	30
50-64	526	7.7	25	3	3	7	9	13	17	29
65+	463	9.3	30	3	4	8	11	16	19	32
TOT. SINGLE DX	11848	3.6	4	2	2	3	4	6	8	11
" MULTIPLE DX	5025	6.2	22	2	2	5	8	11	14	24
TOTAL 0-19 YRS	7132	3.9	8	2	2	3	4	7	9	14
20-34	5771	3.9	7	2	2	3	4	7	8	13
35-49	2177	4.9	15	2	2	4	6	8	11	17
50-64	1114	6.3	18	2	3	5	8	11	14	23
65+	679	8.4	26	3	4	7	10	14	18	27
GRAND TOTAL	16873	4.4	11	2	2	3	5	8	10	17

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	3.2	1	2	2	3	4	5	5	6
20-34	41	3.8	1	2	2	4	4	6	7	7
35-49	10	5.3	3	3	3	5	6	8	8	8
50-64	6	5.3	10	1	1	5	7	10	10	10
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	25	4.6	8	1	2	4	6	8	12	14
20-34	32	4.1	5	2	2	4	5	7	10	12
35-49	10	5.0	5	2	2	5	6	8	10	10
50-64	6	23.7	1108	6	6	10	18	84	91	91
65+	5	13.0	23	8	8	12	18	18	18	18
TOT. SINGLE DX	113	3.7	3	2	2	4	4	6	7	9
" MULTIPLE DX	78	6.5	108	2	2	4	6	11	16	71
TOTAL 0-19 YRS	80	3.7	4	2	2	3	4	6	7	13
20-34	73	3.9	3	2	2	4	5	6	7	12
35-49	20	5.2	4	2	3	5	6	8	9	10
50-64	12	14.5	600	1	2	7	11	40	84	91
65+	6	11.8	27	6	6	10	18	18	18	18
GRAND TOTAL	191	4.9	47	2	2	4	5	7	10	18

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.4	4	2	2	4	6	8	9	9
20-34	16	7.6	9	3	3	7	9	13	14	14
35-49	5	7.8	5	5	5	8	9	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	9.0	3	7	7	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	12	10.8	28	4	5	9	14	18	22	23
20-34	14	8.5	26	1	4	7	11	13	21	23
35-49	7	12.7	43	9	9	10	13	24	27	27
50-64	6	11.2	13	7	7	11	13	17	17	17
65+	10	13.1	21	7	7	11	16	20	21	21
TOT. SINGLE DX	36	6.6	10	2	3	6	9	11	12	14
" MULTIPLE DX	49	10.9	28	5	5	10	13	18	23	27
TOTAL 0-19 YRS	23	7.7	27	2	3	6	10	15	18	23
20-34	30	8.0	17	3	4	7	10	12	14	23
35-49	12	10.7	32	5	6	9	11	18	26	27
50-64	7	9.9	23	2	3	9	13	16	17	17
65+	13	12.2	20	7	7	11	16	19	21	21
GRAND TOTAL	85	9.1	25	3	3	9	11	16	19	26

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.3	3	<1	<1	2	3	5	7	9
20-34	48	2.3	3	<1	<1	2	3	5	6	9
35-49	40	2.7	4	1	1	2	4	6	7	9
50-64	74	2.8	6	<1	<1	2	4	6	8	14
65+	138	3.3	4	1	1	3	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	41	5.5	33	<1	<1	3	8	16	19	22
20-34	64	4.6	24	<1	1	3	5	9	10	29
35-49	105	6.8	48	1	1	5	8	16	24	32
50-64	194	5.9	57	1	1	4	7	12	18	36
65+	538	7.3	52	1	2	5	9	15	20	39
TOT. SINGLE DX	352	2.9	5	<1	1	2	4	6	7	9
" MULTIPLE DX	942	6.7	51	1	1	4	8	15	19	34
TOTAL 0-19 YRS	93	3.7	19	<1	<1	2	4	9	15	21
20-34	112	3.6	17	<1	<1	2	4	8	9	27
35-49	145	5.7	40	1	1	4	7	11	19	31
50-64	268	5.0	45	1	1	3	6	9	15	30
65+	676	6.5	45	1	2	4	8	14	18	36
GRAND TOTAL	1294	5.6	41	1	1	4	7	12	17	31

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.4	6	<1	1	2	3	4	8	13
20-34	162	2.4	2	1	1	2	3	5	6	8
35-49	150	2.4	2	1	1	2	3	5	6	8
50-64	57	2.9	4	1	1	3	4	4	6	14
65+	24	3.8	8	<1	1	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	22	3.5	17	<1	<1	2	4	9	14	19
20-34	111	3.1	5	1	1	2	4	6	9	11
35-49	131	4.0	14	1	1	3	5	8	13	21
50-64	119	6.0	60	1	1	3	7	13	20	47
65+	97	8.1	54	1	2	6	10	17	26	34
TOT. SINGLE DX	423	2.5	4	1	1	2	3	5	6	10
" MULTIPLE DX	480	5.1	35	1	1	3	6	11	16	30
TOTAL 0-19 YRS	52	2.9	11	<1	1	2	3	6	10	19
20-34	273	2.7	4	1	1	2	3	5	7	10
35-49	281	3.1	9	1	1	2	4	6	8	17
50-64	176	5.0	45	1	1	3	5	12	15	38
65+	121	7.2	49	1	2	5	9	16	25	33
GRAND TOTAL	903	3.9	22	1	1	3	4	8	12	25

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	10.2	7	8	8	9	11	15	17	17
20-34	10	10.8	24	6	6	9	14	18	22	22
35-49	30	9.9	19	2	6	9	12	16	18	22
50-64	98	10.9	14	6	7	11	12	15	16	26
65+	116	12.1	28	6	8	11	13	17	21	36
2. MULTIPLE DX										
0-19 YRS	35	12.0	46	7	7	10	14	20	25	40
20-34	33	15.5	149	7	8	10	15	31	45	60
35-49	110	14.1	86	7	8	11	15	24	35	54
50-64	320	14.0	51	7	8	12	16	22	28	40
65+	762	15.1	66	7	8	13	17	25	32	48
TOT. SINGLE DX	267	11.3	22	6	7	11	13	16	19	26
" MULTIPLE DX	1260	14.7	66	7	8	12	16	24	31	47
TOTAL 0-19 YRS	48	11.5	36	7	7	10	12	17	22	40
20-34	43	14.4	123	6	8	10	15	26	43	60
35-49	140	13.2	75	6	7	11	14	22	32	53
50-64	418	13.3	45	7	8	12	15	21	27	39
65+	878	14.7	62	7	8	12	16	24	31	46
GRAND TOTAL	1527	14.1	60	7	8	12	16	23	29	46

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.9	4	<1	<1	2	4	6	7	11
20-34	386	3.7	8	<1	1	3	5	7	8	14
35-49	429	3.6	5	<1	1	3	4	6	8	12
50-64	396	3.9	6	<1	1	4	5	7	9	13
65+	295	4.2	16	<1	<1	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	216	5.0	58	1	1	4	6	9	11	35
20-34	1397	5.2	28	1	1	4	6	10	14	25
35-49	1937	5.5	23	1	2	4	7	10	14	24
50-64	2813	6.1	27	1	2	5	7	11	15	29
65+	5295	7.5	46	2	2	6	9	14	19	36
TOT. SINGLE DX	1612	3.8	9	<1	1	3	5	7	9	13
" MULTIPLE DX	11658	6.5	37	1	2	5	8	12	17	32
TOTAL 0-19 YRS	322	4.3	42	<1	1	3	5	7	10	30
20-34	1783	4.9	25	1	1	4	6	9	13	24
35-49	2366	5.1	21	1	2	4	6	10	13	23
50-64	3209	5.8	25	1	2	4	7	11	14	28
65+	5590	7.3	45	2	2	6	9	14	18	36
GRAND TOTAL	13270	6.2	34	1	2	5	7	12	16	30

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.7	1	<1	<1	<1	2	3	4	7
20-34	203	2.0	1	<1	1	2	3	3	4	5
35-49	278	2.2	1	<1	1	2	3	4	4	7
50-64	141	2.3	1	1	1	2	3	4	5	6
65+	59	2.2	1	<1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	11	2.1	4	<1	<1	1	2	5	8	8
20-34	170	3.0	4	1	1	3	4	5	7	11
35-49	287	3.1	5	1	1	3	4	5	6	15
50-64	219	3.5	7	1	1	3	4	6	8	13
65+	118	4.1	21	1	1	3	5	6	10	31
TOT. SINGLE DX	705	2.1	1	<1	1	2	3	4	4	6
" MULTIPLE DX	805	3.3	8	1	1	3	4	6	7	15
TOTAL 0-19 YRS	35	1.8	3	<1	<1	<1	2	3	6	8
20-34	373	2.5	3	1	1	2	3	4	5	10
35-49	565	2.6	4	<1	1	2	3	5	6	10
50-64	360	3.0	5	1	1	3	4	5	6	11
65+	177	3.4	16	1	1	3	4	6	7	26
GRAND TOTAL	1510	2.8	5	<1	1	2	3	5	6	11

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	1.7		<1	<1	1	2	3	4	4
20-34	166	1.8	1	<1	<1	1	2	3	4	6
35-49	93	2.0	1	<1	1	2	3	3	4	6
50-64	44	2.1	1	<1	1	2	3	3	4	5
65+	31	2.3	2	<1	1	2	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	11	2.3	2	<1	<1	2	4	4	4	4
20-34	135	3.0	6	<1	1	2	4	5	6	17
35-49	218	3.2	4	1	1	3	4	5	6	13
50-64	144	3.5	7	1	1	3	4	6	8	16
65+	109	5.6	77	1	1	4	6	10	16	50
TOT. SINGLE DX	352	1.9	1	<1	<1	2	2	4	4	6
" MULTIPLE DX	617	3.6	19	1	1	3	4	6	8	19
TOTAL 0-19 YRS	29	1.9	1	<1	<1	1	3	4	4	4
20-34	301	2.3	4	<1	<1	2	3	4	5	10
35-49	311	2.8	4	1	1	2	4	5	6	11
50-64	188	3.2	6	1	1	3	4	6	7	14
65+	140	4.9	63	1	1	3	5	8	12	32
GRAND TOTAL	969	3.0	13	<1	1	2	4	5	7	16

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.8	3	<1	<1	2	4	6	6	6
20-34	151	3.4	2	1	1	3	4	6	7	8
35-49	242	3.5	2	1	2	3	4	6	7	8
50-64	172	3.7	3	1	2	3	4	6	6	12
65+	52	3.5	2	1	1	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	20	4.4	6	<1	1	4	5	8	10	11
20-34	675	3.9	6	1	2	4	5	6	7	12
35-49	1370	4.0	6	2	2	4	5	6	7	13
50-64	1039	4.2	6	1	2	4	5	7	8	14
65+	577	4.8	9	2	2	4	6	8	11	17
TOT. SINGLE DX	623	3.5	3	1	2	3	4	6	7	8
" MULTIPLE DX	3681	4.2	7	1	2	4	5	7	8	14
TOTAL 0-19 YRS	26	4.0	6	<1	1	4	5	6	10	11
20-34	826	3.8	6	1	2	4	5	6	7	11
35-49	1612	3.9	6	2	2	4	5	6	7	12
50-64	1211	4.1	6	1	2	4	5	6	8	13
65+	629	4.7	9	2	2	4	6	8	10	17
GRAND TOTAL	4304	4.1	6	1	2	4	5	6	8	13

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.4	2	<1	<1	2	3	4	7	7
20-34	173	2.4	2	1	1	2	3	5	6	9
35-49	163	3.0	18	<1	1	2	4	5	7	14
50-64	79	3.6	27	1	1	2	4	6	8	34
65+	43	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	58	3.8	8	<1	1	3	5	7	10	17
20-34	165	4.3	62	1	1	3	4	8	9	32
35-49	181	3.9	30	1	1	3	4	7	8	38
50-64	170	4.4	16	1	1	3	5	8	11	17
65+	212	6.1	43	1	2	4	7	11	16	30
TOT. SINGLE DX	497	2.8	12	<1	1	2	3	5	7	11
" MULTIPLE DX	786	4.7	37	1	1	3	5	9	12	30
TOTAL 0-19 YRS	97	3.2	7	<1	1	3	4	7	7	14
20-34	338	3.3	33	1	1	2	3	6	8	27
35-49	344	3.5	25	1	1	2	4	6	8	33
50-64	249	4.1	20	1	1	3	5	7	10	32
65+	255	5.6	38	1	1	4	7	11	14	30
GRAND TOTAL	1283	4.0	28	1	1	3	5	7	10	28

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.2	32	2	2	4	8	16	16	16
20-34	8	6.9	13	1	2	7	9	12	13	13
35-49	5	6.8	18	3	3	6	9	14	14	14
50-64	6	9.5	17	5	5	8	11	16	17	17
65+	5	11.4	85	1	1	14	18	23	23	23
2. MULTIPLE DX										
0-19 YRS	6	8.8	47	2	2	7	9	21	22	22
20-34	28	11.8	155	1	4	8	13	20	39	64
35-49	22	16.3	161	5	5	10	24	37	44	46
50-64	39	13.8	93	1	3	11	19	28	32	41
65+	59	19.1	193	4	6	15	25	37	50	67
TOT. SINGLE DX	29	8.1	30	1	2	7	11	16	17	23
" MULTIPLE DX	154	15.6	158	2	5	11	21	32	42	64
TOTAL 0-19 YRS	11	7.6	39	2	2	6	9	18	22	22
20-34	36	10.7	127	1	4	8	12	19	31	64
35-49	27	14.6	147	4	5	10	21	34	43	46
50-64	45	13.2	85	2	4	10	17	27	31	41
65+	64	18.5	188	3	5	15	24	35	50	66
GRAND TOTAL	183	14.4	145	2	4	10	20	31	40	61

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	3.4	11	1	1	2	5	9	12	13
20-34	141	3.1	21	<1	1	1	3	7	10	20
35-49	158	2.5	8	<1	1	1	2	8	9	14
50-64	154	2.1	5	<1	<1	1	2	6	7	9
65+	95	4.2	32	<1	1	2	4	11	17	29
2. MULTIPLE DX										
0-19 YRS	106	11.2	214	1	1	7	12	25	38	80
20-34	288	8.7	104	1	1	6	10	22	29	53
35-49	431	6.8	68	1	1	4	9	15	23	41
50-64	689	7.9	64	1	1	6	11	18	23	38
65+	854	9.4	82	1	1	7	12	20	26	47
TOT. SINGLE DX	585	2.9	15	<1	1	1	3	7	10	18
" MULTIPLE DX	2368	8.5	85	1	1	6	11	19	25	48
TOTAL 0-19 YRS	143	9.1	173	1	1	6	10	21	31	75
20-34	429	6.9	84	1	1	4	8	16	24	48
35-49	589	5.6	56	1	1	2	8	13	19	40
50-64	843	6.8	59	1	1	4	9	17	21	37
65+	949	8.9	80	1	1	7	11	19	25	47
GRAND TOTAL	2953	7.4	76	1	1	5	10	17	24	46

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	5.0	2	3	3	5	6	7	8	9
20-34	2496	5.2	2	3	3	5	6	7	8	11
35-49	2175	5.4	3	3	4	5	6	8	9	12
50-64	1859	5.8	3	3	4	5	7	8	9	13
65+	900	6.9	7	4	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	214	7.2	27	3	4	6	8	11	19	27
20-34	2330	6.5	14	3	4	6	7	10	12	20
35-49	3045	7.1	19	4	4	6	8	11	14	26
50-64	4113	8.0	31	4	4	7	9	12	16	29
65+	5249	10.6	44	5	5	9	12	18	23	39
TOT. SINGLE DX	7653	5.6	4	3	4	5	6	8	9	12
" MULTIPLE DX	14951	8.5	34	4	4	7	10	14	18	33
TOTAL 0-19 YRS	437	6.1	16	3	3	5	7	8	11	25
20-34	4826	5.8	9	3	4	5	7	8	10	16
35-49	5220	6.4	14	3	4	6	7	9	12	22
50-64	5972	7.4	24	4	4	6	8	11	14	24
65+	6149	10.1	41	5	5	8	12	17	22	37
GRAND TOTAL	22604	7.5	26	3	4	6	8	12	16	28

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	12.4	45	2	3	11	18	21	23	23
20-34	33	6.1	20	1	2	5	8	10	15	23
35-49	45	5.3	20	<1	1	4	7	11	13	22
50-64	52	6.8	20	1	1	7	10	13	15	16
65+	84	7.3	29	1	1	7	11	14	17	25
2. MULTIPLE DX										
0-19 YRS	36	24.2	515	3	6	16	28	58	73	95
20-34	96	10.1	61	1	2	8	13	22	27	34
35-49	111	11.8	66	1	3	10	15	23	27	39
50-64	283	14.4	151	2	3	11	17	27	38	69
65+	760	14.5	87	3	5	13	18	26	32	48
TOT. SINGLE DX	224	6.8	26	1	1	6	10	14	16	23
" MULTIPLE DX	1286	14.2	114	2	4	12	18	26	33	57
TOTAL 0-19 YRS	46	21.6	434	2	5	16	22	57	71	95
20-34	129	9.1	54	1	2	8	11	20	24	33
35-49	156	9.9	62	1	1	9	13	20	26	36
50-64	335	13.2	139	2	2	10	16	24	36	65
65+	844	13.8	87	2	4	12	17	25	31	48
GRAND TOTAL	1510	13.1	108	2	3	11	16	24	31	55

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0	22	2	2	3	8	12	12	12
20-34	56	4.8	15	<1	1	4	8	10	11	19
35-49	84	5.2	25	<1	<1	3	8	11	14	26
50-64	85	6.7	47	<1	1	4	9	16	21	34
65+	68	6.0	88	<1	<1	2	8	14	24	48
2. MULTIPLE DX										
0-19 YRS	25	11.9	112	1	1	8	20	26	32	43
20-34	152	11.9	180	1	1	8	14	28	42	68
35-49	234	12.1	178	1	1	8	15	31	43	97
50-64	375	11.9	139	1	2	8	15	29	37	59
65+	563	12.6	194	1	2	8	16	29	41	77
TOT. SINGLE DX	297	5.7	44	<1	1	3	8	12	17	36
" MULTIPLE DX	1349	12.2	173	1	2	8	15	29	40	76
TOTAL 0-19 YRS	29	10.9	105	1	1	8	16	26	29	43
20-34	208	10.0	145	1	1	6	11	21	33	65
35-49	318	10.3	147	1	1	7	13	27	38	82
50-64	460	10.9	127	1	1	8	14	26	35	58
65+	631	11.8	187	1	2	8	15	28	39	77
GRAND TOTAL	1646	11.0	156	1	1	7	14	27	37	72

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.0	6	<1	<1	2	4	5	7	16
20-34	260	4.4	16	<1	1	4	5	8	10	23
35-49	230	3.6	9	<1	<1	3	5	7	9	15
50-64	245	3.7	12	<1	<1	3	5	7	9	17
65+	298	4.0	15	<1	<1	3	5	9	13	20
2. MULTIPLE DX										
0-19 YRS	113	5.0	24	<1	1	3	6	11	16	25
20-34	553	5.9	33	1	2	4	7	10	17	28
35-49	743	5.7	25	1	2	4	7	11	15	27
50-64	1285	6.1	38	1	2	4	7	12	16	33
65+	3587	7.1	43	1	2	5	9	13	18	34
TOT. SINGLE DX	1117	3.9	13	<1	<1	3	5	8	10	19
" MULTIPLE DX	6281	6.6	39	1	2	5	8	13	17	32
TOTAL 0-19 YRS	197	4.1	18	<1	1	3	5	8	14	22
20-34	813	5.4	28	1	2	4	6	10	15	28
35-49	973	5.2	22	1	1	4	6	10	14	26
50-64	1530	5.8	35	1	1	4	7	11	16	32
65+	3885	6.9	42	1	2	5	8	13	18	34
GRAND TOTAL	7398	6.2	36	1	2	5	7	12	17	31

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1452	1.4		<1	<1	1	2	2	3	4
20-34	2178	2.0	1	1	1	2	3	3	4	5
35-49	1934	2.1	1	1	1	2	3	4	4	5
50-64	2579	2.3	1	1	1	2	3	4	4	6
65+	2232	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	821	1.8	14	<1	<1	1	2	3	4	10
20-34	726	2.5	3	1	1	2	3	4	6	9
35-49	983	2.7	3	1	1	2	3	5	5	10
50-64	2082	3.0	5	1	1	3	4	5	6	11
65+	3645	3.9	11	1	1	3	5	7	10	17
TOT. SINGLE DX	10375	2.1	2	<1	1	2	3	4	4	6
" MULTIPLE DX	8257	3.2	9	1	1	3	4	6	8	14
TOTAL 0-19 YRS	2273	1.5	6	<1	<1	1	2	2	3	6
20-34	2904	2.1	2	1	1	2	3	4	4	7
35-49	2917	2.3	2	1	1	2	3	4	5	7
50-64	4661	2.6	3	1	1	2	3	4	5	9
65+	5877	3.4	8	1	1	3	4	6	8	15
GRAND TOTAL	18632	2.6	5	<1	1	2	3	4	6	10

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	1.2		<1	<1	<1	1	2	3	5
20-34	216	2.4	1	1	1	2	3	4	5	5
35-49	290	2.5	1	1	1	2	3	4	4	5
50-64	432	2.8	1	1	1	3	4	4	5	6
65+	283	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	350	3.2	103	<1	<1	1	2	3	10	99
20-34	95	2.6	1	1	1	2	4	4	5	6
35-49	195	3.3	6	1	1	3	4	5	7	15
50-64	442	3.5	4	1	1	3	4	6	7	12
65+	584	4.6	22	1	2	4	5	8	10	19
TOT. SINGLE DX	1594	2.3	2	<1	<1	2	3	4	5	6
" MULTIPLE DX	1666	3.7	32	<1	1	3	4	6	8	28
TOTAL 0-19 YRS	723	2.2	51	<1	<1	1	1	2	3	69
20-34	311	2.5	1	1	1	2	3	4	5	5
35-49	485	2.8	3	1	1	3	4	4	5	10
50-64	874	3.1	3	1	1	3	4	5	6	10
65+	867	4.0	16	1	1	3	5	7	8	16
GRAND TOTAL	**3260**	**3.0**	**18**	**<1**	**<1**	**2**	**4**	**5**	**6**	**14**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.9	1	<1	<1	1	3	4	4	4
20-34	69	2.2	1	1	1	2	3	4	5	7
35-49	78	2.3	1	1	1	2	3	4	5	6
50-64	103	2.6	2	1	1	2	3	5	6	7
65+	106	3.7	7	1	1	3	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	20	2.5	2	1	1	2	3	4	6	7
35-49	51	3.2	3	1	1	3	4	6	7	10
50-64	80	4.4	12	1	1	3	5	9	13	17
65+	264	6.0	32	1	2	4	7	12	17	30
TOT. SINGLE DX	367	2.8	4	1	1	2	3	5	6	9
" MULTIPLE DX	416	5.2	25	1	1	4	6	10	14	30
TOTAL 0-19 YRS	12	1.8	1	<1	<1	1	3	4	4	4
20-34	89	2.3	2	1	1	2	3	4	5	7
35-49	129	2.7	3	1	1	3	3	5	5	8
50-64	183	3.4	7	1	1	3	4	6	8	16
65+	370	5.3	26	1	1	4	6	10	14	30
GRAND TOTAL	**783**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	1.2		<1	<1	<1	1	2	2	3
20-34	128	1.9	1	<1	<1	1	2	3	4	6
35-49	220	2.0	1	<1	1	2	2	4	4	8
50-64	161	2.1	1	<1	1	2	3	4	5	6
65+	87	3.2	7	<1	1	2	4	6	7	16
2. MULTIPLE DX										
0-19 YRS	53	4.2	53	<1	<1	1	4	9	24	36
20-34	77	3.0	3	1	1	3	4	5	7	8
35-49	181	3.1	4	1	1	3	4	6	7	10
50-64	253	4.0	14	1	1	3	5	7	12	21
65+	210	5.5	32	1	1	4	6	12	19	28
TOT. SINGLE DX	787	1.9	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	774	4.1	19	1	1	3	5	7	11	25
TOTAL 0-19 YRS	244	1.8	13	<1	<1	1	1	2	4	26
20-34	205	2.3	2	<1	1	2	3	4	5	7
35-49	401	2.5	3	<1	1	2	3	5	6	9
50-64	414	3.3	10	1	1	2	4	6	8	20
65+	297	4.8	26	1	1	3	6	9	15	25
GRAND TOTAL	**1561**	**3.0**	**12**	**<1**	**<1**	**2**	**3**	**6**	**8**	**20**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	1.6	2	<1	<1	1	2	3	4	9
20-34	242	2.5	3	<1	1	2	3	5	6	9
35-49	451	3.3	3	1	1	3	4	6	7	10
50-64	472	3.8	4	1	1	3	5	7	8	11
65+	361	4.3	5	1	2	4	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	38	3.2	4	<1	<1	3	4	7	7	9
20-34	192	4.3	9	2	2	3	5	7	10	16
35-49	499	4.9	11	1	2	4	6	8	10	19
50-64	809	6.0	29	1	2	5	7	10	14	28
65+	1072	6.8	30	2	3	6	8	11	15	28
TOT. SINGLE DX	1598	3.5	5	1	1	3	5	6	8	11
" MULTIPLE DX	2610	5.9	25	2	2	5	7	10	13	24
TOTAL 0-19 YRS	110	2.2	3	<1	<1	1	3	5	7	9
20-34	434	3.3	7	<1	1	3	4	6	8	14
35-49	950	4.1	8	1	1	3	5	7	9	16
50-64	1281	5.2	22	1	2	4	6	8	11	21
65+	1433	6.2	25	2	2	5	8	10	13	23
GRAND TOTAL	**4208**	**5.0**	**19**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.4	6	1	1	5	6	7	9	9
20-34	13	6.1	7	3	3	5	8	10	11	11
35-49	15	5.5	5	1	2	6	7	7	9	10
50-64	29	5.3	9	1	1	5	8	10	10	11
65+	21	7.3	11	2	4	7	10	12	14	14
2. MULTIPLE DX										
0-19 YRS	22	12.3	103	3	4	8	17	24	35	46
20-34	39	7.5	14	3	4	7	9	12	16	20
35-49	91	8.5	59	4	4	7	9	11	17	53
50-64	153	9.2	26	5	5	8	10	14	20	31
65+	166	12.7	95	4	5	10	14	22	27	70
TOT. SINGLE DX	89	5.8	9	1	2	6	7	10	11	14
" MULTIPLE DX	471	10.3	63	4	5	8	11	18	23	42
TOTAL 0-19 YRS	33	9.6	84	1	2	6	12	22	26	46
20-34	52	7.1	13	3	4	6	9	11	13	20
35-49	106	8.0	53	3	4	7	8	11	14	50
50-64	182	8.6	26	3	4	8	10	13	18	30
65+	187	12.1	89	4	5	10	14	22	25	62
GRAND TOTAL	560	9.6	57	3	4	8	11	16	22	39

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	3.4	11	<1	<1	2	5	7	9	17
20-34	171	3.6	12	<1	1	2	5	7	10	21
35-49	151	4.3	38	<1	1	3	5	8	10	16
50-64	121	5.1	19	<1	1	4	7	9	15	21
65+	88	5.9	27	<1	1	4	8	13	15	27
2. MULTIPLE DX										
0-19 YRS	145	6.5	41	<1	1	5	9	14	20	30
20-34	335	6.3	45	1	1	5	8	12	16	34
35-49	504	9.1	73	1	2	7	11	19	26	47
50-64	871	9.6	74	1	2	8	12	19	25	47
65+	1100	10.8	89	1	2	8	14	22	29	50
TOT. SINGLE DX	645	4.3	22	<1	1	3	6	9	12	22
" MULTIPLE DX	2955	9.4	77	1	2	7	12	19	26	46
TOTAL 0-19 YRS	259	5.1	30	<1	<1	3	7	11	15	29
20-34	506	5.4	36	<1	1	4	6	10	14	32
35-49	655	8.0	69	1	1	6	10	16	25	43
50-64	992	9.1	70	1	2	7	11	18	23	44
65+	1188	10.4	86	1	2	8	13	21	28	49
GRAND TOTAL	3600	8.5	71	1	1	6	11	18	24	45

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	4.4	7	2	2	4	6	8	10	14
20-34	366	4.7	8	1	2	4	6	8	10	18
35-49	142	5.9	18	1	2	5	8	9	12	27
50-64	82	7.3	18	1	3	6	9	12	15	25
65+	57	9.2	31	2	4	8	11	15	19	33
2. MULTIPLE DX										
0-19 YRS	255	8.6	116	2	3	6	9	15	25	74
20-34	792	7.6	72	2	3	5	8	13	21	58
35-49	397	10.3	85	3	4	8	12	19	28	56
50-64	439	13.4	152	4	5	9	16	26	35	77
65+	637	15.9	150	5	6	12	20	30	41	71
TOT. SINGLE DX	799	5.4	14	1	2	5	7	10	12	20
" MULTIPLE DX	2520	11.2	123	3	3	8	13	23	31	67
TOTAL 0-19 YRS	407	7.1	80	2	2	5	7	12	18	52
20-34	1158	6.7	54	2	3	5	7	12	17	36
35-49	539	9.2	71	2	3	7	10	17	24	51
50-64	521	12.4	137	4	4	9	14	23	32	73
65+	694	15.3	144	5	6	11	19	29	39	70
GRAND TOTAL	3319	9.8	103	2	3	7	11	20	27	61

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	252	2.2	2	<1	<1	1	3	4	5	9
20-34	1128	1.9	2	<1	<1	1	2	4	5	8
35-49	183	1.7	2	<1	<1	1	2	4	5	8
50-64	25	1.8	2	<1	<1	1	2	4	6	8
65+	13	2.5	8	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-19 YRS	287	3.2	7	<1	1	2	4	7	8	13
20-34	1576	2.6	6	<1	<1	1	3	6	8	13
35-49	283	2.6	6	<1	<1	1	3	6	9	13
50-64	52	6.2	66	<1	1	3	9	18	19	44
65+	44	7.7	110	1	1	3	10	19	30	53
TOT. SINGLE DX	1601	1.9	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	2242	2.9	11	<1	<1	2	4	6	9	15
TOTAL 0-19 YRS	539	2.7	6	<1	<1	2	4	6	7	12
20-34	2704	2.3	5	<1	<1	1	3	5	7	12
35-49	466	2.3	5	<1	<1	1	3	5	7	11
50-64	77	4.8	50	<1	<1	2	5	13	18	40
65+	57	6.5	92	<1	1	2	7	15	28	52
GRAND TOTAL	3843	2.5	8	<1	<1	1	3	5	7	13

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	5.7	8	1	2	5	7	10	12	14
20-34	309	5.1	12	<1	1	4	7	9	12	18
35-49	227	6.4	12	1	2	6	8	11	13	18
50-64	157	8.5	34	3	4	7	10	13	17	36
65+	140	8.9	19	3	4	8	11	14	17	24
2. MULTIPLE DX										
0-19 YRS	205	9.7	127	1	2	7	12	19	28	61
20-34	1044	6.0	35	1	1	5	7	10	14	35
35-49	616	9.3	83	1	2	7	11	18	28	49
50-64	609	12.3	97	3	4	9	15	23	29	53
65+	963	15.0	127	5	6	12	17	27	35	72
TOT. SINGLE DX	931	6.6	19	1	2	6	9	12	14	21
" MULTIPLE DX	3437	10.4	99	1	3	8	13	21	29	53
TOTAL 0-19 YRS	303	8.4	93	1	2	6	10	15	24	52
20-34	1353	5.8	31	1	1	5	7	10	14	33
35-49	843	8.5	66	1	2	6	10	16	23	44
50-64	766	11.5	86	3	4	9	13	22	28	51
65+	1103	14.2	118	4	6	11	16	25	34	69
GRAND TOTAL	4368	9.6	84	1	2	7	12	19	26	48

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.0	11	2	3	7	8	12	14	16
20-34	40	7.3	5	5	5	7	8	10	11	18
35-49	44	7.4	4	5	5	7	8	10	12	15
50-64	67	8.3	7	5	6	8	9	12	14	16
65+	41	8.1	4	5	5	8	9	11	13	14
2. MULTIPLE DX										
0-19 YRS	96	8.7	28	3	4	7	10	17	19	27
20-34	125	11.5	130	5	5	8	11	20	31	72
35-49	165	10.8	58	5	6	8	12	20	28	58
50-64	312	11.8	53	5	6	9	13	20	27	39
65+	418	14.0	85	6	7	11	17	26	31	56
TOT. SINGLE DX	215	7.7	6	5	5	7	9	11	13	16
" MULTIPLE DX	1116	12.2	75	5	6	9	14	22	28	54
TOTAL 0-19 YRS	119	8.4	25	3	3	7	10	16	18	26
20-34	165	10.4	103	5	5	7	11	18	24	69
35-49	209	10.1	49	5	5	8	11	17	23	50
50-64	379	11.2	47	5	6	9	13	19	25	39
65+	459	13.5	81	6	7	10	16	25	30	55
GRAND TOTAL	1331	11.5	67	5	6	9	13	20	27	46

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	4.0	13	1	1	3	5	8	11	21
20-34	239	5.5	19	1	2	5	7	10	15	23
35-49	275	5.4	13	1	1	5	8	9	11	19
50-64	201	5.3	13	1	1	5	7	10	12	17
65+	116	5.4	15	1	1	5	8	9	10	20
2. MULTIPLE DX										
0-19 YRS	292	9.6	94	1	2	7	13	21	28	47
20-34	540	10.0	77	1	2	8	13	21	26	44
35-49	567	9.9	82	1	2	8	12	21	26	47
50-64	602	9.5	77	1	2	7	12	20	25	45
65+	582	10.4	86	1	2	8	13	21	27	46
TOT. SINGLE DX	992	5.2	16	1	1	5	7	9	11	20
" MULTIPLE DX	2583	9.9	83	1	2	8	13	21	26	46
TOTAL 0-19 YRS	453	7.6	73	1	1	5	10	19	23	45
20-34	779	8.6	64	1	2	7	11	18	23	38
35-49	842	8.4	64	1	2	7	10	18	23	41
50-64	803	8.5	65	1	2	7	11	17	23	44
65+	698	9.6	78	1	2	8	12	20	26	43
GRAND TOTAL	3575	8.6	68	1	2	7	11	19	23	42

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	14	<1	1	4	7	12	12	12
20-34	179	5.6	7	1	2	5	7	9	11	14
35-49	212	6.2	9	2	2	6	8	10	13	14
50-64	180	6.5	8	2	3	6	8	10	12	16
65+	62	7.4	13	<1	2	7	9	12	13	18
2. MULTIPLE DX										
0-19 YRS	23	5.5	14	1	1	5	8	11	12	14
20-34	167	7.2	15	1	2	7	10	13	15	18
35-49	213	7.6	18	1	3	7	9	12	15	23
50-64	298	9.0	38	2	3	8	11	15	18	32
65+	324	10.3	59	2	3	9	13	19	24	37
TOT. SINGLE DX	647	6.2	10	1	2	6	8	10	12	15
" MULTIPLE DX	1025	8.8	38	2	3	8	11	15	19	30
TOTAL 0-19 YRS	37	5.2	14	1	1	4	7	11	12	14
20-34	346	6.4	12	1	2	6	8	11	13	17
35-49	425	6.9	14	1	2	6	9	11	13	21
50-64	478	8.0	29	2	3	7	10	13	16	27
65+	386	9.9	53	2	2	8	12	18	23	35
GRAND TOTAL	**1672**	**7.8**	**29**	**2**	**2**	**7**	**10**	**13**	**17**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	5.7	4	3	3	5	7	8	10	12
20-34	24	7.6	10	2	4	8	9	11	14	15
35-49	7	6.7	20	2	2	6	9	14	15	15
50-64	6	8.3	7	6	6	7	10	13	13	13
65+	3	10.7	30	5	5	11	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	216	8.1	16	3	4	7	10	13	15	23
20-34	50	9.9	39	3	4	8	12	16	27	35
35-49	33	14.5	232	6	7	10	14	26	50	78
50-64	55	14.0	103	3	5	11	17	28	34	59
65+	84	14.4	125	4	6	12	17	25	31	72
TOT. SINGLE DX	235	6.0	6	3	3	6	7	9	11	15
" MULTIPLE DX	438	10.8	75	3	4	9	12	18	27	47
TOTAL 0-19 YRS	411	7.0	12	3	4	6	8	11	13	19
20-34	74	9.2	31	3	4	8	10	15	18	34
35-49	40	13.2	203	2	5	9	13	19	49	78
50-64	61	13.5	97	4	5	10	16	27	32	57
65+	87	14.3	122	5	6	12	17	24	31	70
GRAND TOTAL	**673**	**9.1**	**56**	**3**	**4**	**7**	**10**	**15**	**20**	**39**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	3.2	5	<1	<1	3	5	6	8	9
20-34	334	3.3	5	1	1	3	5	6	8	10
35-49	436	3.1	4	1	1	3	4	6	7	10
50-64	301	3.7	7	1	1	3	5	7	10	13
65+	117	3.4	5	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	47	7.3	27	1	2	6	10	14	20	22
20-34	190	5.0	20	1	1	4	6	9	10	27
35-49	278	4.5	17	1	1	3	6	9	11	23
50-64	313	5.1	16	1	2	4	7	9	12	21
65+	309	6.4	36	1	2	5	8	12	16	35
TOT. SINGLE DX	1224	3.3	5	1	1	3	4	6	8	11
" MULTIPLE DX	1137	5.4	24	1	1	4	7	10	12	27
TOTAL 0-19 YRS	83	5.5	22	<1	1	4	7	11	16	22
20-34	524	3.9	11	1	1	3	5	8	9	13
35-49	714	3.6	10	1	1	3	5	7	9	13
50-64	614	4.4	13	1	1	3	6	9	11	17
65+	426	5.6	29	1	1	4	7	11	14	31
GRAND TOTAL	**2361**	**4.3**	**15**	**1**	**1**	**3**	**6**	**8**	**10**	**19**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	2.0	5	<1	<1	1	2	4	7	15
20-34	224	2.6	4	<1	<1	2	3	6	7	10
35-49	255	3.2	7	<1	<1	2	4	7	8	12
50-64	281	2.8	6	<1	<1	2	4	6	7	14
65+	271	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	351	3.4	55	<1	<1	1	3	6	9	49
20-34	467	5.1	38	<1	1	3	6	11	15	34
35-49	550	5.9	67	<1	1	4	7	12	20	55
50-64	882	6.4	77	<1	1	4	8	13	19	57
65+	2000	7.7	65	1	1	6	10	16	22	44
TOT. SINGLE DX	1218	2.7	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	4250	6.5	66	<1	1	4	8	14	20	45
TOTAL 0-19 YRS	538	2.9	39	<1	<1	1	3	6	8	25
20-34	691	4.3	29	<1	<1	3	5	9	13	32
35-49	805	5.1	50	<1	<1	3	6	10	14	37
50-64	1163	5.5	63	<1	<1	3	7	12	17	39
65+	2271	7.1	61	1	1	5	9	15	21	42
GRAND TOTAL	**5468**	**5.7**	**55**	**<1**	**<1**	**3**	**7**	**12**	**17**	**38**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	6	<1	<1	2	5	7	8	8
20-34	23	2.3	20	<1	<1	1	2	3	10	23
35-49	95	2.3	1	<1	1	2	3	4	5	6
50-64	474	2.4	3	<1	1	2	3	4	5	8
65+	871	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	12	3.3	6	1	1	3	5	6	9	9
20-34	80	3.4	14	<1	<1	2	4	7	10	23
35-49	188	3.5	16	<1	1	2	4	7	9	21
50-64	714	3.7	14	1	1	3	4	7	10	21
65+	2793	4.9	25	1	1	4	6	9	13	28
TOT. SINGLE DX	1472	2.5	4	<1	1	2	3	5	6	9
" MULTIPLE DX	3787	4.6	23	1	1	3	5	9	13	26
TOTAL 0-19 YRS	21	3.1	6	<1	<1	2	5	6	8	9
20-34	103	3.2	16	<1	<1	2	3	7	10	25
35-49	283	3.1	12	<1	1	2	4	6	8	14
50-64	1188	3.2	10	<1	1	2	4	6	8	18
65+	3664	4.3	21	1	1	3	5	8	11	26
GRAND TOTAL	5259	4.0	18	1	1	3	5	8	11	23

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.2	9	<1	1	3	6	9	11	12
20-34	61	4.0	9	<1	1	3	5	8	10	15
35-49	99	4.7	11	<1	1	4	7	9	12	14
50-64	135	5.0	17	<1	1	3	7	11	14	18
65+	193	4.9	23	<1	1	3	6	10	12	30
2. MULTIPLE DX										
0-19 YRS	156	6.3	45	1	1	4	7	14	20	56
20-34	155	8.1	96	1	1	5	10	16	23	43
35-49	232	7.6	77	1	2	6	10	14	17	71
50-64	466	8.2	81	1	2	6	10	17	23	46
65+	1178	8.8	88	1	2	6	11	18	24	56
TOT. SINGLE DX	532	4.7	17	<1	1	3	7	10	12	17
" MULTIPLE DX	2187	8.3	84	1	2	6	11	17	23	54
TOTAL 0-19 YRS	200	5.8	38	1	1	4	7	12	19	43
20-34	216	7.0	75	1	1	4	9	15	19	42
35-49	331	6.7	60	1	1	5	9	13	16	41
50-64	601	7.5	69	1	1	5	10	16	21	42
65+	1371	8.3	81	1	1	6	11	17	23	54
GRAND TOTAL	2719	7.6	73	1	1	5	10	16	21	46

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	1.1		<1	<1	<1	1	2	2	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	5	2.2	2	<1	<1	1	4	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	5	2.6	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	33	1.4		<1	<1	1	1	3	4	4
20-34	6	2.2	1	<1	<1	2	3	4	4	4
35-49	8	2.8	4	<1	<1	2	4	6	7	7
50-64	7	3.3	7	1	1	3	4	8	9	9
65+	9	3.4	2	2	2	3	5	5	5	5
TOT. SINGLE DX	66	1.3	1	<1	<1	<1	1	2	3	6
" MULTIPLE DX	63	2.1	3	<1	<1	1	3	4	5	9
TOTAL 0-19 YRS	83	1.2		<1	<1	<1	1	2	3	4
20-34	9	1.8	1	<1	<1	1	2	4	4	4
35-49	13	2.5	4	<1	<1	2	4	5	7	7
50-64	10	2.7	6	<1	<1	2	3	6	9	9
65+	14	3.1	3	<1	1	3	5	5	6	6
GRAND TOTAL	129	1.7	2	<1	<1	1	2	4	5	7

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	310	3.4	8	<1	<1	2	5	7	8	13
20-34	92	2.8	6	<1	<1	2	4	6	9	12
35-49	48	3.3	7	<1	<1	3	5	6	10	12
50-64	62	3.1	21	<1	<1	2	3	5	7	32
65+	53	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
0-19 YRS	195	4.3	16	<1	<1	3	6	10	12	21
20-34	54	4.6	29	<1	<1	3	5	12	14	32
35-49	83	4.0	13	<1	1	3	5	8	12	20
50-64	77	4.0	11	<1	1	3	5	8	11	19
65+	178	5.7	32	<1	1	4	8	11	20	27
TOT. SINGLE DX	565	3.2	9	<1	<1	2	5	7	8	13
" MULTIPLE DX	587	4.7	22	<1	<1	3	6	10	14	25
TOTAL 0-19 YRS	505	3.8	12	<1	<1	2	5	8	11	15
20-34	146	3.5	16	<1	<1	2	5	7	11	20
35-49	131	3.8	12	<1	<1	3	5	8	11	19
50-64	139	3.6	16	<1	<1	3	4	7	9	22
65+	231	5.0	27	<1	1	3	6	10	17	26
GRAND TOTAL	1152	3.9	16	<1	<1	3	5	8	11	21

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.3	1	<1	<1	<1	1	2	3	8
20-34	45	2.0	6	<1	<1	1	2	4	6	15
35-49	43	2.0	3	<1	<1	1	2	5	8	8
50-64	37	1.8	1	<1	<1	1	2	4	5	6
65+	23	2.1	1	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	121	1.8	6	<1	<1	<1	1	3	6	15
20-34	86	4.2	11	<1	1	3	6	9	11	16
35-49	91	4.4	15	<1	1	3	6	10	12	18
50-64	121	5.9	82	1	1	3	7	12	16	55
65+	451	7.8	55	1	2	6	10	16	23	37
TOT. SINGLE DX	207	1.8	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	870	6.0	48	<1	<1	4	8	14	18	35
TOTAL 0-19 YRS	180	1.6	5	<1	<1	<1	1	3	5	10
20-34	131	3.4	11	<1	<1	2	5	8	10	15
35-49	134	3.6	13	<1	<1	2	4	9	11	17
50-64	158	4.9	66	<1	<1	2	6	10	15	49
65+	474	7.5	54	1	1	5	10	16	22	37
GRAND TOTAL	1077	5.2	42	<1	<1	3	7	12	16	33

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	1.5	1	<1	<1	1	2	3	4	7
20-34	78	2.1	5	<1	1	1	2	5	7	14
35-49	65	2.4	5	<1	1	1	3	6	7	11
50-64	44	2.2	4	1	1	2	3	4	6	13
65+	70	2.7	5	<1	1	2	3	5	6	14
2. MULTIPLE DX										
0-19 YRS	82	2.8	93	<1	<1	1	2	3	5	63
20-34	100	3.1	11	<1	1	2	3	7	10	18
35-49	98	3.6	9	1	1	2	4	9	10	14
50-64	151	4.3	15	1	1	3	5	9	13	22
65+	345	5.2	28	1	1	3	6	10	17	26
TOT. SINGLE DX	314	2.2	5	<1	1	1	2	5	6	12
" MULTIPLE DX	776	4.3	29	1	1	3	5	9	13	24
TOTAL 0-19 YRS	139	2.2	56	<1	<1	1	2	3	4	19
20-34	178	2.7	9	<1	1	2	3	6	9	15
35-49	163	3.1	8	1	1	2	4	7	10	13
50-64	195	3.8	14	1	1	3	5	8	12	20
65+	415	4.8	26	1	1	3	5	9	15	25
GRAND TOTAL	1090	3.7	23	<1	1	2	4	8	11	22

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	43	4.8	2	1	2	5	6	7	7	8
35-49	160	5.6	2	3	3	5	7	8	9	10
50-64	164	5.9	3	3	4	6	7	8	9	10
65+	70	6.3	3	4	4	6	7	9	9	12
2. MULTIPLE DX										
0-19 YRS	6	4.7	6	3	3	3	8	8	8	8
20-34	74	5.6	3	3	4	5	6	7	9	13
35-49	353	6.4	14	4	4	6	7	9	10	16
50-64	390	6.8	7	4	4	6	8	10	11	16
65+	279	7.9	18	4	4	7	9	11	17	22
TOT. SINGLE DX	439	5.7	3	3	4	6	7	8	9	10
" MULTIPLE DX	1102	6.9	13	4	4	6	8	10	11	19
TOTAL 0-19 YRS	8	4.9	7	3	3	3	8	8	8	8
20-34	117	5.3	3	2	3	5	6	7	8	12
35-49	513	6.2	11	3	4	6	7	8	10	13
50-64	554	6.5	7	3	4	6	7	9	11	15
65+	349	7.5	16	4	4	7	9	11	15	20
GRAND TOTAL	1541	6.5	10	3	4	6	7	9	11	18

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	2	2	2	5	5	5	5	5
20-34	16	5.6	5	3	3	5	6	7	11	13
35-49	84	5.1	4	3	3	5	6	8	8	15
50-64	112	5.4	6	3	3	5	6	8	10	51
65+	58	5.8	4	3	4	6	7	8	9	15
2. MULTIPLE DX										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	40	5.7	7	2	3	5	7	9	10	17
35-49	148	5.7	5	3	3	5	7	9	10	12
50-64	253	5.9	8	3	3	5	7	8	10	18
65+	202	6.9	11	3	4	6	8	10	14	21
TOT. SINGLE DX	274	5.4	6	3	3	5	6	8	9	16
" MULTIPLE DX	647	6.2	9	3	3	6	7	9	11	18
TOTAL 0-19 YRS	8	5.1	3	2	3	5	6	7	8	8
20-34	56	5.7	7	3	3	5	7	8	11	17
35-49	232	5.5	6	3	3	5	6	8	10	13
50-64	365	5.8	8	3	3	5	7	8	10	21
65+	260	6.7	10	3	4	6	8	9	12	18
GRAND TOTAL	921	5.9	8	3	3	5	7	9	10	18

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.8	3	<1	<1	2	4	6	6	6
20-34	12	4.4	6	1	1	5	6	8	9	9
35-49	21	3.4	7	<1	1	3	5	7	9	11
50-64	15	3.6	5	1	1	3	6	7	8	8
65+	5	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	5.0	31	1	1	3	5	16	18	18
20-34	22	5.8	32	2	2	4	6	16	20	24
35-49	23	5.7	31	<1	1	5	7	9	17	28
50-64	52	5.3	22	<1	1	4	8	11	13	25
65+	53	7.9	41	1	2	6	12	15	18	35
TOT. SINGLE DX	58	3.6	6	1	1	3	5	7	8	11
" MULTIPLE DX	162	6.2	33	1	1	4	8	14	17	28
TOTAL 0-19 YRS	17	4.4	23	<1	1	2	5	13	17	18
20-34	34	5.3	23	1	2	4	6	10	17	24
35-49	44	4.6	21	<1	1	4	6	8	11	28
50-64	67	4.9	19	1	1	4	7	11	12	23
65+	58	7.4	40	1	2	5	11	15	18	34
GRAND TOTAL	220	5.5	27	1	1	4	7	12	15	26

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	7	4.3	4	1	1	4	6	7	7	7
35-49	13	4.4	4	<1	1	5	6	7	8	8
50-64	4	5.8	8	2	2	6	8	9	9	9
65+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	8	8.4	44	3	3	6	9	20	24	24
20-34	21	8.6	23	1	2	8	11	16	17	17
35-49	20	6.7	17	2	3	6	8	9	16	22
50-64	31	10.8	133	1	2	9	13	15	33	63
65+	49	11.3	120	2	2	8	13	26	38	52
TOT. SINGLE DX	29	4.4	5	1	1	5	6	8	8	9
" MULTIPLE DX	129	9.9	88	2	2	7	12	19	27	54
TOTAL 0-19 YRS	10	7.6	40	1	2	6	8	17	24	24
20-34	28	7.5	22	1	2	7	10	15	17	17
35-49	33	5.8	14	1	2	6	7	8	10	22
50-64	35	10.2	122	1	2	8	12	15	29	63
65+	52	10.9	117	2	2	7	13	26	37	52
GRAND TOTAL	158	8.9	77	1	2	7	10	17	25	51

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	1	12.0		12	12	12	12	12	12	12
35-49	36	4.2	4	2	2	4	5	6	7	15
50-64	937	4.2	2	2	2	4	5	6	6	8
65+	1818	4.6	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	16	5.8	6	3	3	5	7	10	11	11
20-34	18	9.7	79	2	3	6	15	30	69	99+
35-49	98	5.3	15	2	2	5	6	8	11	28
50-64	2753	5.2	15	2	3	4	6	7	10	20
65+	10330	6.5	26	3	3	5	7	11	15	28
TOT. SINGLE DX	2795	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	13215	6.2	25	3	3	5	7	10	14	27
TOTAL 0-19 YRS	19	5.5	7	2	3	4	7	10	11	11
20-34	19	9.8	76	2	3	6	14	29	66	99+
35-49	134	5.0	13	2	2	4	5	7	10	26
50-64	3690	4.9	12	2	3	4	5	7	9	18
65+	12148	6.2	24	3	3	5	7	10	14	26
GRAND TOTAL	16010	5.9	21	2	3	5	6	9	13	25

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	8	10.6	26	4	5	9	14	18	20	20
50-64	110	8.6	12	4	5	8	10	13	16	22
65+	168	8.9	10	5	5	8	11	13	15	19
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	11.0	14	8	8	9	13	17	18	18
50-64	261	10.2	32	5	6	9	12	15	20	36
65+	845	11.0	34	6	6	10	12	17	22	31
TOT. SINGLE DX	290	8.8	12	4	5	8	10	13	15	20
" MULTIPLE DX	1115	10.8	34	5	6	9	12	16	21	32
TOTAL 0-19 YRS	3	6.3	56	2	2	2	12	15	15	15
20-34	3	6.0	37	2	2	3	10	13	13	13
35-49	15	10.8	19	4	6	9	14	18	19	20
50-64	371	9.8	27	5	6	9	11	15	18	27
65+	1013	10.7	31	5	6	9	12	16	19	31
GRAND TOTAL	1405	10.4	30	5	6	9	12	16	19	30

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.0	48	<1	<1	1	10	13	13	13
35-49	33	1.5		<1	<1	1	2	2	3	4
50-64	255	1.5		<1	<1	1	2	2	3	5
65+	333	1.9	1	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	4	3.3	15	<1	<1	1	5	9	9	9
35-49	26	3.8	17	<1	<1	2	5	10	13	19
50-64	297	3.9	63	<1	<1	2	3	7	11	55
65+	823	4.4	34	<1	1	2	5	10	15	27
TOT. SINGLE DX	625	1.7	1	<1	<1	1	2	3	3	7
" MULTIPLE DX	1152	4.2	41	<1	1	2	4	9	13	31
TOTAL 0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	7	4.0	24	<1	<1	1	7	12	13	13
35-49	59	2.5	9	<1	<1	2	2	5	9	18
50-64	552	2.8	36	<1	<1	2	2	4	7	42
65+	1156	3.7	26	<1	<1	2	4	8	12	25
GRAND TOTAL	1777	3.3	29	<1	<1	2	3	7	11	26

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	1.7	2	<1	<1	1	2	3	6	9
20-34	50	2.1	1	<1	1	2	3	4	5	7
35-49	34	2.1	2	<1	<1	1	3	4	6	6
50-64	55	1.9	1	<1	1	2	2	3	4	9
65+	49	2.4	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	55	3.5	30	<1	<1	2	3	7	18	29
20-34	34	3.8	5	1	1	3	5	7	10	11
35-49	55	6.0	31	1	1	4	8	15	21	22
50-64	48	6.1	52	1	1	3	6	16	26	31
65+	91	6.7	86	1	1	4	7	15	22	54
TOT. SINGLE DX	264	2.0	3	<1	<1	1	2	4	5	9
" MULTIPLE DX	283	5.5	51	<1	1	3	6	13	21	31
TOTAL 0-19 YRS	131	2.4	15	<1	<1	1	2	5	7	25
20-34	84	2.8	4	1	1	2	4	5	7	11
35-49	89	4.5	24	<1	1	3	6	9	16	22
50-64	103	3.9	30	<1	1	2	4	9	15	30
65+	140	5.2	62	1	1	3	5	12	19	36
GRAND TOTAL	547	3.8	30	<1	1	2	4	8	13	29

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	1.7	1	<1	1	1	2	3	4	5
20-34	193	2.4	14	1	1	2	2	4	5	12
35-49	82	2.4	5	1	1	2	3	4	5	16
50-64	63	2.1	2	1	1	2	3	4	5	8
65+	108	2.5	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	139	2.1	2	<1	<1	2	2	4	6	9
20-34	111	4.1	25	1	1	2	5	9	12	29
35-49	80	4.3	30	1	1	3	5	9	13	32
50-64	152	5.2	74	1	1	3	6	11	14	38
65+	593	5.1	31	1	1	3	6	11	15	29
TOT. SINGLE DX	583	2.2	7	1	1	2	3	4	5	10
" MULTIPLE DX	1075	4.6	34	1	1	3	5	10	14	28
TOTAL 0-19 YRS	276	1.9	2	<1	<1	1	2	3	4	8
20-34	304	3.0	19	1	1	2	3	5	9	23
35-49	162	3.3	19	1	1	2	4	6	10	24
50-64	215	4.3	55	1	1	2	5	9	12	27
65+	701	4.7	28	1	1	3	6	11	14	28
GRAND TOTAL	1658	3.7	26	1	1	2	4	8	12	27

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	670	1.4		<1	<1	1	2	2	3	5
20-34	88	1.6	1	<1	1	1	2	3	3	6
35-49	6	1.5		<1	<1	1	2	2	2	2
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	440	1.8	10	<1	<1	1	2	3	4	7
20-34	23	1.5		<1	1	1	2	3	4	4
35-49	12	2.6	2	<1	<1	2	4	5	5	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	74.0		74	74	74	74	74	74	74
TOT. SINGLE DX	772	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	478	2.0	21	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	1110	1.6	5	<1	<1	1	2	2	3	6
20-34	111	1.5	1	<1	1	1	2	3	3	6
35-49	18	2.2	2	<1	<1	2	3	5	5	5
50-64	9	2.4	3	<1	<1	2	3	5	6	6
65+	2	39.5	2381	5	5	39	74	74	74	74
GRAND TOTAL	1250	1.6	8	<1	<1	1	2	3	3	6

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	1.3		<1	<1	1	1	2	2	4
20-34	78	1.9	2	<1	<1	1	2	4	5	9
35-49	27	1.6		<1	<1	1	2	3	3	3
50-64	10	1.6		<1	<1	1	2	3	3	3
65+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	50	1.9	3	<1	<1	2	2	3	3	12
20-34	40	2.8	12	<1	<1	2	3	5	7	22
35-49	14	3.1	15	<1	<1	2	4	6	14	16
50-64	11	4.8	26	1	1	3	5	14	17	17
65+	19	4.6	13	1	1	4	6	11	13	13
TOT. SINGLE DX	246	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	134	2.9	11	<1	1	2	3	5	11	18
TOTAL 0-19 YRS	177	1.4	1	<1	<1	1	2	2	3	6
20-34	118	2.2	6	<1	<1	2	2	4	6	13
35-49	41	2.1	6	<1	<1	1	2	4	5	16
50-64	21	3.3	16	<1	1	2	3	8	14	17
65+	23	4.3	11	1	2	3	5	10	13	13
GRAND TOTAL	380	2.0	5	<1	<1	1	2	4	5	13

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	34	1.1		<1	<1	<1	<1	1	2	2
35-49	23	1.3		<1	<1	<1	2	2	2	2
50-64	4	2.0	2	1	1	2	3	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	13	2.6	24	<1	<1	1	2	6	17	19
35-49	16	1.6	2	<1	<1	<1	1	3	6	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	63	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	33	2.2	11	<1	<1	1	2	5	7	19
TOTAL 0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	47	1.5	7	<1	<1	<1	1	2	2	19
35-49	39	1.4	1	<1	<1	<1	2	2	3	7
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	2	5.0		5	5	5	5	5	5	5
GRAND TOTAL	96	1.6	4	<1	<1	<1	1	2	4	13

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	1.3		<1	<1	1	1	2	3	3
20-34	283	1.7	2	<1	<1	1	2	3	3	10
35-49	256	1.6		<1	<1	1	2	3	3	6
50-64	196	1.8	1	1	1	2	2	3	4	6
65+	108	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	160	1.8	17	<1	<1	1	2	3	3	4
20-34	184	2.4	12	<1	1	2	3	4	5	24
35-49	172	2.3	11	<1	1	1	3	4	6	16
50-64	206	3.0	6	1	1	2	3	5	7	16
65+	172	3.1	4	1	1	3	4	6	8	10
TOT. SINGLE DX	1085	1.6	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	894	2.5	10	<1	1	2	3	4	6	16
TOTAL 0-19 YRS	402	1.5	7	<1	<1	1	2	2	3	4
20-34	467	2.0	6	<1	<1	1	2	3	4	14
35-49	428	1.9	5	<1	<1	1	2	3	4	9
50-64	402	2.4	4	1	1	2	3	4	5	14
65+	280	2.6	3	1	1	2	3	5	6	10
GRAND TOTAL	1979	2.0	6	<1	<1	1	2	3	4	10

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	1.1		<1	<1	<1	1	1	2	2
20-34	32	1.2		<1	<1	1	1	2	2	4
35-49	35	1.3		<1	<1	<1	1	2	2	3
50-64	23	1.3		<1	<1	<1	1	2	3	3
65+	18	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	71	3.1	43	<1	<1	1	2	7	19	36
20-34	20	1.7	3	<1	<1	1	1	3	6	9
35-49	38	1.9	4	<1	<1	1	2	4	7	10
50-64	61	3.6	31	<1	<1	2	4	8	13	34
65+	80	3.5	15	<1	<1	2	4	10	13	76
TOT. SINGLE DX	485	1.2		<1	<1	<1	1	2	2	3
" MULTIPLE DX	369	2.9	20	<1	<1	1	2	7	11	30
TOTAL 0-19 YRS	407	1.5	9	<1	<1	<1	1	2	2	18
20-34	86	1.3	1	<1	<1	1	1	2	3	7
35-49	117	1.6	2	<1	<1	1	2	3	4	9
50-64	110	2.7	19	<1	<1	1	2	5	8	27
65+	134	3.1	13	<1	<1	2	3	7	12	34
GRAND TOTAL	854	1.9	10	<1	<1	1	2	3	6	18

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	1.9	3	<1	<1	1	2	4	7	8
20-34	42	2.1	2	<1	<1	2	2	5	5	6
35-49	39	2.3	1	<1	<1	2	3	4	5	6
50-64	130	3.1	4	1	1	3	4	5	6	12
65+	94	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	62	4.2	47	<1	<1	2	4	6	16	40
20-34	60	4.4	20	<1	1	3	5	9	15	22
35-49	146	4.7	39	1	2	3	5	7	12	29
50-64	352	3.6	14	1	1	3	4	6	8	17
65+	298	3.7	7	1	1	3	4	6	9	16
TOT. SINGLE DX	356	2.6	3	<1	<1	2	3	5	6	9
" MULTIPLE DX	918	3.9	19	1	1	3	4	6	9	20
TOTAL 0-19 YRS	113	3.2	29	<1	<1	2	3	5	8	37
20-34	102	3.4	14	<1	<1	2	4	6	11	21
35-49	185	4.1	32	1	1	3	4	7	11	25
50-64	482	3.5	12	1	1	3	4	6	8	15
65+	392	3.5	7	1	1	3	4	6	8	15
GRAND TOTAL	1274	3.5	15	1	1	3	4	6	8	18

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	3.9	1	2	2	4	5	6	6	8
20-34	643	4.0	1	2	2	4	5	6	6	8
35-49	82	4.4	2	1	2	4	5	6	7	10
50-64	19	6.4	2	4	4	6	7	8	10	11
65+	6	5.2	7	1	1	6	6	9	9	9
2. MULTIPLE DX										
0-19 YRS	220	4.7	6	2	3	4	5	7	9	14
20-34	1351	4.5	4	2	3	4	5	6	7	11
35-49	254	5.0	5	2	3	5	6	8	9	16
50-64	46	8.6	30	3	4	7	10	15	20	32
65+	62	13.0	150	4	5	9	13	27	42	67
TOT. SINGLE DX	927	4.1	2	2	2	4	5	6	6	8
" MULTIPLE DX	1933	4.9	12	2	3	4	5	7	9	18
TOTAL 0-19 YRS	397	4.4	5	2	3	4	5	6	8	13
20-34	1994	4.3	4	2	3	4	5	6	7	10
35-49	336	4.8	5	2	3	5	6	7	9	13
50-64	65	7.9	23	3	4	7	9	13	17	30
65+	68	12.3	143	3	5	9	12	26	38	66
GRAND TOTAL	2860	4.7	9	2	3	4	5	7	8	14

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	4.7	2	2	3	4	5	7	8	11
20-34	587	4.5	2	3	3	4	5	6	7	10
35-49	208	4.6	2	2	3	4	5	7	7	9
50-64	34	5.9	6	4	4	5	6	8	9	18
65+	12	6.3	2	4	4	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	129	5.3	12	3	3	5	6	8	9	17
20-34	1518	5.0	4	3	3	5	6	7	8	13
35-49	673	5.5	6	3	3	5	6	8	10	16
50-64	90	9.2	78	4	5	7	9	15	27	57
65+	115	11.1	94	5	5	7	13	20	27	59
TOT. SINGLE DX	952	4.6	3	3	3	4	5	6	7	10
" MULTIPLE DX	2525	5.6	14	3	3	5	6	8	10	19
TOTAL 0-19 YRS	240	5.0	8	3	3	5	6	7	8	11
20-34	2105	4.9	4	3	3	5	5	7	8	12
35-49	881	5.3	6	3	3	5	6	8	9	15
50-64	124	8.3	61	4	5	6	8	14	18	45
65+	127	10.6	88	5	5	7	12	18	26	57
GRAND TOTAL	3477	5.3	11	3	3	5	6	7	9	16

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	5	1	1	5	6	6	6	6
20-34	66	4.9	2	3	3	5	6	7	8	10
35-49	111	5.2	2	3	3	5	6	7	9	10
50-64	53	6.3	6	4	4	6	7	10	11	16
65+	30	6.9	10	3	4	6	7	10	12	20
2. MULTIPLE DX										
0-19 YRS	6	4.8	2	3	3	5	6	7	7	7
20-34	398	5.5	5	3	4	5	6	8	9	15
35-49	725	5.8	8	3	4	5	6	8	11	17
50-64	262	7.8	22	3	4	6	9	14	19	27
65+	196	10.8	55	5	5	8	12	19	24	40
TOT. SINGLE DX	264	5.5	5	3	3	5	6	8	9	13
" MULTIPLE DX	1587	6.7	19	3	4	6	7	11	14	25
TOTAL 0-19 YRS	10	4.6	3	1	2	5	6	7	7	7
20-34	464	5.5	5	3	4	5	6	8	9	14
35-49	836	5.7	8	3	4	5	6	8	10	16
50-64	315	7.5	20	3	4	6	9	13	17	26
65+	226	10.3	52	5	5	8	12	18	23	39
GRAND TOTAL	1851	6.5	17	3	4	5	7	10	14	24

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.8	2	<1	1	3	4	5	5	9
20-34	190	2.6	2	<1	<1	2	4	5	6	8
35-49	35	2.1	1	<1	<1	1	4	4	4	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	59	4.6	8	1	1	4	6	9	11	13
20-34	566	3.8	4	1	1	4	5	6	7	11
35-49	114	3.4	4	<1	1	3	5	6	6	11
50-64	5	5.0	10	1	1	5	7	9	9	9
65+	3	6.0	9	3	3	6	8	9	9	9
TOT. SINGLE DX	278	2.6	3	<1	<1	2	4	5	5	8
" MULTIPLE DX	747	3.8	5	1	1	4	5	6	8	11
TOTAL 0-19 YRS	109	3.8	6	1	1	3	5	8	9	12
20-34	756	3.5	4	<1	1	4	5	6	7	11
35-49	149	3.1	4	<1	<1	3	5	6	6	11
50-64	6	5.0	8	1	1	5	7	9	9	9
65+	5	5.6	5	3	3	5	7	9	9	9
GRAND TOTAL	1025	3.5	5	<1	1	3	5	6	7	11

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	870	1.1		<1	<1	<1	1	1	1	3
35-49	521	1.1		<1	<1	<1	1	1	1	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	412	1.8	23	<1	<1	1	2	3	4	6
35-49	259	1.4	2	<1	<1	<1	1	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
TOT. SINGLE DX	1394	1.1		<1	<1	<1	1	1	1	2
" MULTIPLE DX	676	1.6	15	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	1282	1.3	8	<1	<1	<1	1	2	2	5
35-49	780	1.2	1	<1	<1	<1	1	1	2	4
50-64	2	1.0		1	1	1	1	1	1	1
65+										
GRAND TOTAL	2070	1.2	5	<1	<1	<1	1	2	2	5

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0	2	<1	<1	1	3	4	4	4
20-34	971	1.6	1	<1	<1	1	2	3	4	6
35-49	410	1.6	1	<1	<1	1	2	3	4	5
50-64	2	3.5	13	1	1	3	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	16	2.8	2	1	1	3	4	5	6	6
20-34	2064	2.7	2	1	1	3	3	4	5	8
35-49	554	2.6	2	<1	1	2	3	4	5	8
50-64	2	6.0	2	5	5	6	7	7	7	7
65+										
TOT. SINGLE DX	1390	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2636	2.7	3	1	1	3	3	4	5	8
TOTAL 0-19 YRS	23	2.6	2	<1	<1	2	4	5	5	6
20-34	3035	2.4	2	<1	<1	2	3	4	5	7
35-49	964	2.2	2	<1	<1	2	3	4	5	7
50-64	4	4.8	7	1	1	5	6	7	7	7
65+										
GRAND TOTAL	4026	2.3	2	<1	<1	2	3	4	5	7

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	3.6	1	2	2	4	4	5	5	7
20-34	1615	3.8	1	2	2	4	4	5	6	7
35-49	227	3.8	1	2	2	4	5	5	6	8
50-64										
65+	4	4.5	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	112	4.4	3	2	3	4	5	6	7	11
20-34	2140	4.1	2	2	3	4	5	6	6	9
35-49	381	4.3	3	1	2	4	5	6	7	10
50-64	2	7.0	2	6	6	7	8	8	8	8
65+										
TOT. SINGLE DX	1940	3.8	2	2	2	4	4	5	6	7
" MULTIPLE DX	2635	4.1	3	2	3	4	5	6	6	10
TOTAL 0-19 YRS	206	4.0	2	2	3	4	5	6	6	11
20-34	3755	4.0	2	2	2	4	5	5	6	8
35-49	608	4.1	3	1	2	4	5	6	6	10
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	4	4.5	2	3	3	4	5	6	6	6
GRAND TOTAL	4575	4.0	2	2	2	4	5	5	6	9

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	362	1.3		<1	<1	1	1	2	3	5
35-49	183	1.3		<1	<1	1	1	2	3	5
50-64	63	1.3		<1	<1	1	2	2	2	3
65+	19	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	247	1.5	1	<1	<1	1	1	2	4	7
35-49	170	2.1	12	<1	<1	1	2	3	5	22
50-64	63	2.0	3	<1	<1	1	2	5	7	10
65+	46	2.9	6	<1	1	2	3	8	10	10
TOT. SINGLE DX	638	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	537	1.8	6	<1	<1	1	2	3	6	10
TOTAL 0-19 YRS	22	1.3		<1	<1	1	2	2	2	2
20-34	609	1.4	1	<1	<1	1	1	2	3	6
35-49	353	1.7	6	<1	<1	1	2	2	4	9
50-64	126	1.7	2	<1	<1	1	2	2	5	10
65+	65	2.4	5	<1	1	2	2	6	9	10
GRAND TOTAL	1175	1.5	3	<1	<1	1	2	2	4	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	71	1.5	1	<1	<1	1	2	2	3	7
35-49	49	1.8	4	<1	<1	1	2	3	5	13
50-64	28	2.9	8	<1	<1	1	4	8	9	13
65+	28	3.6	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	7	1.6		<1	<1	1	2	3	3	3
20-34	98	2.9	16	<1	<1	1	3	6	9	26
35-49	106	3.1	18	<1	<1	2	3	7	9	25
50-64	91	4.6	39	<1	1	2	6	11	15	37
65+	138	5.7	29	<1	1	5	7	10	14	26
TOT. SINGLE DX	179	2.2	5	<1	<1	1	2	5	7	12
" MULTIPLE DX	440	4.2	27	<1	<1	2	6	9	13	26
TOTAL 0-19 YRS	10	2.3	6	<1	<1	1	2	6	9	9
20-34	169	2.3	10	<1	<1	1	2	5	6	23
35-49	155	2.7	14	<1	<1	1	2	6	9	18
50-64	119	4.2	33	<1	<1	2	6	10	13	28
65+	166	5.4	26	<1	1	4	7	10	13	23
GRAND TOTAL	619	3.6	21	<1	<1	2	5	8	11	22

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.3	1	1	1	2	3	5	5	5
20-34	464	1.8	1	<1	1	1	2	3	4	8
35-49	60	1.6		<1	1	1	2	3	3	4
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	4.2	8	2	2	3	4	9	10	10
20-34	161	3.3	43	1	1	2	4	6	8	74
35-49	27	4.5	95	<1	1	2	2	6	28	48
50-64										
65+										
TOT. SINGLE DX	546	1.8	2	<1	1	1	2	3	4	7
" MULTIPLE DX	194	3.5	50	1	1	2	3	6	9	67
TOTAL 0-19 YRS	24	2.8	4	1	1	2	3	5	7	10
20-34	625	2.2	13	<1	1	2	2	4	5	10
35-49	87	2.5	31	<1	1	2	2	3	4	39
50-64	3	1.3		1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	740	2.2	15	<1	1	2	2	4	5	11

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.0	4	<1	<1	3	4	6	6	6
20-34	175	4.2	3	<1	1	5	5	6	7	9
35-49	44	3.9	2	<1	1	4	5	6	6	7
50-64	10	2.2	3	<1	<1	2	2	5	7	7
65+	7	2.9	5	<1	<1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	10	3.7	4	<1	<1	4	5	6	7	7
20-34	366	4.4	6	<1	1	4	5	6	8	12
35-49	175	4.4	7	<1	1	4	6	7	8	12
50-64	30	3.7	21	<1	<1	2	4	12	15	18
65+	33	5.1	27	<1	1	3	8	11	17	24
TOT. SINGLE DX	242	4.0	4	<1	1	4	5	6	7	8
" MULTIPLE DX	614	4.4	9	<1	1	4	5	7	9	17
TOTAL 0-19 YRS	16	3.4	4	<1	<1	4	5	6	7	7
20-34	541	4.3	6	<1	1	4	5	6	8	11
35-49	219	4.3	7	<1	1	4	5	6	7	11
50-64	40	3.4	17	<1	<1	2	3	11	13	18
65+	40	4.7	24	<1	1	2	7	10	15	24
GRAND TOTAL	856	4.3	7	<1	1	4	5	7	8	12

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	3	3	3	5	6	8	8	8
20-34	593	5.3	2	3	4	5	6	7	8	11
35-49	1080	5.4	2	4	4	5	6	7	8	10
50-64	375	5.9	3	4	4	6	7	7	9	12
65+	212	6.4	4	4	5	6	7	8	10	15
2. MULTIPLE DX										
0-19 YRS	54	6.4	17	4	4	6	7	8	11	32
20-34	5337	5.7	4	4	4	5	6	7	9	13
35-49	11853	5.9	4	4	4	6	6	8	9	13
50-64	3137	6.5	11	4	4	6	7	9	10	19
65+	1363	8.3	29	5	5	7	9	12	16	32
TOT. SINGLE DX	2266	5.5	3	4	4	5	6	7	8	11
" MULTIPLE DX	21744	6.1	8	4	4	6	7	8	10	16
TOTAL 0-19 YRS	60	6.3	16	3	4	6	7	8	11	31
20-34	5930	5.7	4	4	4	5	6	7	9	13
35-49	12933	5.8	5	4	4	6	6	8	9	13
50-64	3512	6.4	10	4	4	6	7	9	10	19
65+	1575	8.1	26	5	5	7	9	12	16	31
GRAND TOTAL	24010	6.0	7	4	4	6	7	8	9	15

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	518	4.5	1	3	3	4	5	6	7	8
35-49	537	4.5	1	3	3	4	5	6	7	8
50-64	192	5.7	3	3	4	5	7	8	9	12
65+	153	6.0	2	4	4	6	7	8	9	10
2. MULTIPLE DX										
0-19 YRS	12	4.9	3	2	3	5	6	7	8	8
20-34	2373	4.8	2	3	3	5	5	6	7	10
35-49	4622	5.0	3	3	3	5	6	7	8	10
50-64	1181	5.8	3	3	4	6	7	8	9	11
65+	893	6.8	12	4	4	6	8	9	11	16
TOT. SINGLE DX	1401	4.9	2	3	3	5	6	7	7	10
" MULTIPLE DX	9081	5.2	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	13	4.8	3	2	3	5	6	7	8	8
20-34	2891	4.7	2	3	3	5	5	6	7	9
35-49	5159	5.0	3	3	3	5	6	7	8	10
50-64	1373	5.8	3	3	4	6	7	8	9	11
65+	1046	6.7	11	4	4	6	7	9	10	16
GRAND TOTAL	10482	5.2	4	3	3	5	6	7	8	11

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	8.9	8	5	5	9	11	13	14	14
35-49	19	9.6	5	6	7	9	11	13	14	14
50-64	2	13.0	18	10	10	13	16	16	16	16
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS										
20-34	24	10.6	27	4	6	9	12	19	22	26
35-49	34	15.8	257	5	7	11	13	31	54	82
50-64	28	15.9	108	6	6	11	20	34	38	43
65+	32	15.8	47	8	9	15	19	24	28	37
TOT. SINGLE DX	32	9.7	7	6	7	9	11	14	14	16
" MULTIPLE DX	118	14.8	120	6	7	11	17	27	36	64
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	33	10.2	22	5	6	9	12	15	21	26
35-49	53	13.6	174	6	7	10	13	20	45	81
50-64	30	15.7	102	6	7	11	18	33	37	43
65+	33	15.6	46	8	9	15	19	24	28	37
GRAND TOTAL	150	13.7	100	6	7	11	15	24	30	55

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	1.6	2	<1	<1	1	1	3	4	9
20-34	257	1.2		<1	<1	1	1	2	2	5
35-49	30	1.5	3	<1	<1	1	1	2	3	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	41	2.0	2	<1	<1	1	2	5	6	7
20-34	213	2.2	8	<1	<1	1	2	5	7	13
35-49	62	2.5	15	<1	<1	1	3	5	8	25
50-64										
65+										
TOT. SINGLE DX	335	1.3	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	316	2.3	9	<1	<1	1	2	5	7	16
TOTAL 0-19 YRS	89	1.8	2	<1	<1	1	2	4	6	8
20-34	470	1.7	4	<1	<1	1	1	3	5	9
35-49	92	2.2	11	<1	<1	1	2	4	7	22
50-64										
65+										
GRAND TOTAL	651	1.8	5	<1	<1	1	2	4	5	10

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	775	1.3		<1	<1	1	1	2	3	4
20-34	5259	1.3		<1	<1	1	1	2	2	5
35-49	1768	1.2		<1	<1	1	1	2	2	5
50-64	616	1.2		<1	<1	<1	1	2	2	4
65+	218	1.5	2	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
0-19 YRS	345	2.1	4	<1	<1	1	2	4	5	9
20-34	2772	2.2	7	<1	<1	1	2	4	6	12
35-49	2148	1.9	7	<1	<1	1	2	3	5	12
50-64	954	2.1	9	<1	<1	1	2	4	7	16
65+	653	3.0	20	<1	<1	2	2	7	11	21
TOT. SINGLE DX	8636	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	6872	2.1	9	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	1120	1.5	2	<1	<1	1	2	3	4	6
20-34	8031	1.6	3	<1	<1	1	1	3	4	8
35-49	3916	1.5	5	<1	<1	1	1	2	4	9
50-64	1570	1.7	6	<1	<1	1	1	2	5	13
65+	871	2.6	17	<1	<1	1	2	6	9	17
GRAND TOTAL	15508	1.6	5	<1	<1	1	1	3	4	9

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	1.1		<1	<1	1	1	1	1	2
20-34	564	1.1		<1	<1	1	1	1	2	4
35-49	82	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	2.8	6	<1	1	2	4	5	7	14
20-34	230	3.4	54	<1	<1	1	3	6	10	47
35-49	71	2.4	14	<1	<1	1	2	5	6	23
50-64										
65+										
TOT. SINGLE DX	839	1.1		<1	<1	1	1	1	2	4
" MULTIPLE DX	338	3.1	41	<1	<1	1	3	6	9	29
TOTAL 0-19 YRS	230	1.3	1	<1	<1	1	1	2	3	7
20-34	794	1.8	17	<1	<1	1	1	2	4	15
35-49	153	1.7	7	<1	<1	1	1	2	5	22
50-64										
65+										
GRAND TOTAL	1177	1.7	13	<1	<1	1	1	2	4	13

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	1.2		<1	<1	1	1	2	3	4
20-34	1096	1.1		<1	<1	1	1	2	2	4
35-49	178	1.2		<1	<1	1	1	2	2	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	47	2.1	2	<1	<1	1	3	4	5	9
20-34	282	1.9	3	<1	<1	1	2	4	5	10
35-49	71	2.3	5	<1	<1	1	3	5	7	12
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	6	6.5	32	<1	<1	6	7	16	17	17
TOT. SINGLE DX	1448	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	407	2.0	4	<1	<1	1	2	4	6	11
TOTAL 0-19 YRS	219	1.4	1	<1	<1	1	1	3	4	5
20-34	1378	1.3	1	<1	<1	1	1	2	3	5
35-49	249	1.5	2	<1	<1	1	1	3	4	9
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	7	5.9	30	<1	<1	5	7	15	17	17
GRAND TOTAL	1855	1.4	1	<1	<1	1	1	2	3	6

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	4.3	4	<1	1	5	5	7	8	8
35-49	4	5.8	34	<1	<1	4	10	13	13	13
50-64	3	6.3	1	5	5	7	7	7	7	7
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	6	5.0	4	4	4	4	5	9	9	9
20-34	130	4.6	4	2	3	5	5	6	7	12
35-49	16	3.9	3	<1	1	4	5	7	7	7
50-64	3	4.3	1	3	3	5	5	5	5	5
65+	9	8.6	3	6	6	8	9	11	12	12
TOT. SINGLE DX	27	5.0	10	<1	<1	5	7	8	13	13
" MULTIPLE DX	164	4.8	5	2	3	5	6	7	9	12
TOTAL 0-19 YRS	6	5.0	4	4	4	4	5	9	9	9
20-34	149	4.6	4	1	3	5	5	6	8	10
35-49	20	4.3	9	<1	<1	4	6	8	10	13
50-64	6	5.3	2	3	3	5	7	7	7	7
65+	10	9.0	5	6	6	9	10	12	13	13
GRAND TOTAL	191	4.8	5	1	2	5	6	7	9	13

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	1.5	3	<1	1	1	1	3	5	13
20-34	186	1.8	1	<1	<1	1	2	4	5	6
35-49	35	2.1	1	<1	<1	1	3	4	5	6
50-64	16	3.4	2	1	2	3	4	5	7	8
65+	12	3.7	3	2	2	3	5	6	8	8
2. MULTIPLE DX										
0-19 YRS	23	2.8	2	<1	1	2	4	5	6	6
20-34	215	3.3	4	<1	1	3	5	6	7	9
35-49	67	3.4	6	<1	<1	3	4	7	9	12
50-64	21	4.7	12	2	2	4	5	6	12	19
65+	31	5.9	106	1	2	4	4	8	18	59
TOT. SINGLE DX	324	1.9	3	<1	<1	1	3	4	5	7
" MULTIPLE DX	357	3.6	14	<1	1	3	5	6	7	13
TOTAL 0-19 YRS	98	1.8	4	<1	1	1	2	4	5	11
20-34	401	2.6	4	<1	<1	2	4	5	6	8
35-49	102	3.0	5	<1	<1	2	4	6	8	11
50-64	37	4.1	8	2	2	4	4	6	7	19
65+	43	5.3	78	1	2	4	4	7	13	59
GRAND TOTAL	681	2.8	9	<1	<1	2	4	5	6	11

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	38	3.2	2	1	1	3	4	5	7	8
35-49	160	4.2	3	1	2	4	6	7	8	9
50-64	276	4.9	2	2	3	5	6	7	8	11
65+	183	5.3	4	3	3	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS										
20-34	78	5.1	6	2	2	5	6	8	10	14
35-49	380	5.7	7	2	3	5	7	9	10	13
50-64	616	5.9	15	3	3	5	7	8	9	15
65+	628	6.3	13	3	4	6	7	9	10	14
TOT. SINGLE DX	659	4.7	4	2	3	5	6	7	8	10
" MULTIPLE DX	1702	5.9	13	3	3	6	7	9	10	14
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	116	4.5	6	1	2	4	5	8	9	13
35-49	540	5.3	6	2	3	5	6	8	9	12
50-64	892	5.6	12	3	3	5	6	8	9	13
65+	811	6.0	11	3	4	6	7	9	10	14
GRAND TOTAL	2361	5.6	10	2	3	5	7	8	9	13

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.0	11	<1	<1	1	3	8	12	12
20-34	118	2.7	3	<1	<1	2	4	5	6	8
35-49	56	3.3	5	<1	1	3	5	6	9	10
50-64	23	4.8	8	<1	1	5	7	9	10	11
65+	18	6.7	26	1	1	6	9	11	19	23
2. MULTIPLE DX										
0-19 YRS	35	5.1	25	<1	1	3	8	11	15	21
20-34	70	3.5	8	1	1	3	5	6	7	17
35-49	51	4.0	12	1	1	3	5	7	10	22
50-64	69	8.4	83	1	2	6	9	14	23	57
65+	86	8.3	58	2	3	6	9	15	24	43
TOT. SINGLE DX	240	3.3	8	<1	<1	3	5	7	9	12
" MULTIPLE DX	311	6.2	46	1	1	5	7	11	17	40
TOTAL 0-19 YRS	60	4.2	20	<1	<1	2	6	11	13	20
20-34	188	3.0	5	<1	1	2	4	6	6	12
35-49	107	3.6	9	<1	1	3	5	7	9	15
50-64	92	7.5	67	1	2	6	8	12	18	53
65+	104	8.0	53	1	3	6	9	13	23	42
GRAND TOTAL	551	4.9	31	<1	1	4	6	9	12	33

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.5	6	<1	<1	1	3	6	9	12
20-34	203	2.8	8	<1	<1	2	4	6	8	12
35-49	81	2.9	8	<1	<1	2	4	6	10	14
50-64	55	3.3	4	<1	<1	3	5	6	7	9
65+	63	3.9	4	<1	1	4	6	7	7	8
2. MULTIPLE DX										
0-19 YRS	93	4.5	62	<1	1	2	5	8	12	54
20-34	289	4.2	14	<1	1	3	5	8	10	22
35-49	113	5.7	29	<1	1	5	7	13	15	30
50-64	140	6.4	42	1	1	5	7	12	19	47
65+	218	7.3	60	2	2	5	8	14	22	42
TOT. SINGLE DX	471	3.0	7	<1	<1	2	4	6	8	12
" MULTIPLE DX	853	5.6	39	<1	1	4	7	11	15	36
TOTAL 0-19 YRS	162	3.7	39	<1	<1	2	4	7	11	41
20-34	492	3.7	12	<1	<1	3	5	7	10	20
35-49	194	4.6	23	<1	<1	3	6	11	14	24
50-64	195	5.5	34	<1	1	4	7	10	16	41
65+	281	6.6	50	1	2	5	7	12	19	39
GRAND TOTAL	1324	4.7	29	<1	<1	3	6	9	13	31

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	1.6	1	<1	<1	1	2	3	4	6
20-34	204	1.6	1	<1	<1	1	2	3	4	6
35-49	114	1.5	1	<1	<1	1	2	2	4	7
50-64	49	1.6		<1	<1	1	2	3	4	5
65+	25	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	31	2.7	4	<1	<1	2	4	6	7	7
20-34	118	2.8	17	<1	<1	2	3	5	7	19
35-49	80	3.5	16	<1	<1	2	4	8	10	24
50-64	63	5.3	58	<1	1	3	6	11	15	50
65+	62	5.7	50	1	1	3	7	13	17	38
TOT. SINGLE DX	451	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	354	3.9	30	<1	<1	2	5	7	11	37
TOTAL 0-19 YRS	90	2.0	2	<1	<1	1	2	4	6	7
20-34	322	2.0	7	<1	<1	1	2	4	5	7
35-49	194	2.3	9	<1	<1	1	2	5	7	17
50-64	112	3.7	36	<1	<1	2	4	7	13	36
65+	87	4.6	39	1	1	3	5	10	16	38
GRAND TOTAL	805	2.6	15	<1	<1	1	3	5	7	17

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	5.3	13	<1	1	4	8	11	12	12
50-64	12	3.3	5	<1	1	3	4	7	8	8
65+	21	6.9	182	<1	1	3	5	11	38	64
2. MULTIPLE DX										
0-19 YRS										
20-34	7	7.7	75	1	1	2	15	21	22	22
35-49	10	6.6	21	1	1	6	8	14	16	16
50-64	9	9.1	44	2	2	9	13	19	22	22
65+	43	10.3	73	2	3	9	15	19	21	51
TOT. SINGLE DX	46	5.4	88	<1	1	3	5	10	13	64
" MULTIPLE DX	69	9.4	62	1	2	7	14	19	22	46
TOTAL 0-19 YRS										
20-34	8	6.9	70	1	1	2	13	20	22	22
35-49	22	5.9	17	<1	1	5	8	12	14	16
50-64	21	5.8	29	1	1	3	8	14	18	22
65+	64	9.2	110	1	2	6	12	18	21	62
GRAND TOTAL	115	7.8	76	1	1	5	11	16	20	56

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.6	1	<1	<1	1	2	4	4	5
20-34	41	2.1	1	<1	<1	2	3	3	4	6
35-49	10	2.3	1	<1	<1	2	3	4	4	4
50-64	7	1.9	1	<1	<1	2	2	4	4	4
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	18	1.3		<1	<1	1	1	3	3	3
20-34	40	3.8	49	1	1	2	4	6	7	46
35-49	15	3.5	21	<1	2	2	3	4	16	20
50-64	12	2.6	9	<1	<1	1	3	7	10	11
65+	7	3.0	1	1	1	3	4	4	4	4
TOT. SINGLE DX	88	2.0	1	<1	<1	2	2	4	4	6
" MULTIPLE DX	92	3.0	27	<1	1	2	3	5	7	35
TOTAL 0-19 YRS	46	1.5	1	<1	<1	1	2	3	4	5
20-34	81	2.9	26	<1	1	2	3	5	6	34
35-49	25	3.0	13	<1	1	2	3	4	8	20
50-64	19	2.3	6	<1	<1	1	2	5	9	11
65+	9	3.1	2	1	1	3	4	5	5	5
GRAND TOTAL	180	2.5	15	<1	1	2	3	4	5	17

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	8	3.5	27	<1	<1	1	3	13	16	16
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	10	17.1	839	2	2	7	13	59	98	98
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64										
65+	5	9.4	145	1	1	4	15	30	30	30
TOT. SINGLE DX	15	2.3	15	<1	<1	1	1	5	13	16
" MULTIPLE DX	23	10.3	416	<1	<1	5	9	23	54	98
TOTAL 0-19 YRS	11	1.1		<1	<1	<1	1	2	2	2
20-34	18	11.1	504	<1	1	5	10	19	67	98
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	9.4	145	1	1	4	15	30	30	30
GRAND TOTAL	38	7.1	268	<1	<1	2	6	15	26	98

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	2.1	1	1	1	2	3	3	3	4
20-34	5761	2.3	1	1	1	2	3	3	4	5
35-49	319	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1002	2.5	1	1	1	2	3	4	4	6
20-34	7031	2.7	2	1	1	3	3	4	4	7
35-49	589	3.0	5	1	2	3	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	6997	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	8622	2.7	2	1	1	3	3	4	5	7
TOTAL 0-19 YRS	1919	2.3	2	1	1	2	3	3	4	6
20-34	12792	2.5	2	1	1	2	3	4	4	6
35-49	908	2.8	4	1	1	3	3	4	4	7
50-64										
65+										
GRAND TOTAL	15619	2.5	2	1	1	2	3	4	4	6

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	1.6		1	1	1	2	3	3	3
20-34	128	2.0		1	1	2	3	3	3	5
35-49	6	1.8		<1	<1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	33	1.8		1	1	2	2	3	4	4
20-34	285	2.3	2	1	1	2	3	4	4	9
35-49	28	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
TOT. SINGLE DX	143	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	346	2.3	2	1	1	2	3	4	4	8
TOTAL 0-19 YRS	42	1.8	1	1	1	2	2	3	4	4
20-34	413	2.2	2	1	1	2	3	4	4	7
35-49	34	2.4	1	1	1	2	3	4	5	6
50-64										
65+										
GRAND TOTAL	489	2.2	2	1	1	2	3	4	4	6

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.0		1	1	2	2	3	3	4
20-34	1918	2.2		1	1	2	3	3	4	5
35-49	137	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	495	2.5	2	1	1	2	3	4	4	7
20-34	3611	2.7	2	1	1	2	3	4	5	7
35-49	346	2.9	2	1	2	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	2291	2.2	1	1	1	2	3	3	4	5
" MULTIPLE DX	4452	2.7	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	731	2.4	2	1	1	2	3	3	4	6
20-34	5529	2.5	2	1	1	2	3	4	4	6
35-49	483	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	6743	2.5	2	1	1	2	3	4	4	6

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9289	1.9		1	1	2	2	3	3	4
20-34	65378	1.9	1	1	1	2	2	3	3	4
35-49	4235	2.1	1	1	1	2	3	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3078	2.3	1	1	1	2	3	4	4	7
20-34	24643	2.4	3	1	1	2	3	4	4	7
35-49	2572	2.8	5	1	1	3	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	78902	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	30293	2.4	3	1	1	2	3	4	4	7
TOTAL 0-19 YRS	12367	2.0	1	1	1	2	2	3	3	5
20-34	90021	2.1	2	1	1	2	3	3	4	5
35-49	6807	2.3	3	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	109195	2.1	2	1	1	2	3	3	4	5

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	936	4.1	1	3	3	4	5	5	6	7
20-34	10456	4.2	2	3	3	4	5	5	6	7
35-49	769	4.5	2	3	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2446	5.0	9	3	3	4	5	7	9	15
20-34	25097	4.8	6	3	3	4	5	6	7	13
35-49	3068	5.2	12	3	3	5	6	7	8	18
50-64										
65+										
TOT. SINGLE DX	12161	4.2	2	3	3	4	5	5	6	7
" MULTIPLE DX	30611	4.8	7	3	3	4	5	6	7	14
TOTAL 0-19 YRS	3382	4.7	7	3	3	4	5	6	8	14
20-34	35553	4.6	5	3	3	4	5	6	7	12
35-49	3837	5.1	11	3	3	5	5	6	8	16
50-64										
65+										
GRAND TOTAL	42772	4.6	6	3	3	4	5	6	7	12

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	4.6	2	3	3	4	5	6	7	12
20-34	422	4.3	7	3	3	4	5	6	6	8
35-49	34	4.6	1	3	3	5	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	97	4.6	2	3	3	4	5	6	7	11
20-34	816	5.2	8	3	3	5	5	7	9	21
35-49	121	5.2	3	3	3	5	6	8	9	11
50-64										
65+										
TOT. SINGLE DX	498	4.3	7	3	3	4	5	6	6	8
" MULTIPLE DX	1034	5.1	7	3	3	5	5	7	9	19
TOTAL 0-19 YRS	139	4.6	3	3	3	4	5	6	7	11
20-34	1238	4.9	8	3	3	4	5	7	8	19
35-49	155	5.1	3	3	3	5	6	7	9	11
50-64										
65+										
GRAND TOTAL	1532	4.9	7	3	3	4	5	7	8	17

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.1		2	2	3	4	4	4	4
20-34	90	3.5	2	2	2	3	4	5	5	11
35-49	4	3.5		3	3	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	10	3.7	1	2	2	4	4	5	6	6
20-34	105	4.3	3	2	3	4	5	6	7	14
35-49	7	6.3	18	3	3	4	9	13	14	14
50-64										
65+										
TOT. SINGLE DX	101	3.4	2	2	2	3	4	5	5	10
" MULTIPLE DX	122	4.4	4	2	3	4	5	6	7	15
TOTAL 0-19 YRS	17	3.5	1	2	2	3	4	4	5	6
20-34	195	3.9	3	2	2	4	4	6	6	13
35-49	11	5.3	13	3	3	4	6	12	14	14
50-64										
65+										
GRAND TOTAL	223	4.0	4	2	2	4	4	6	7	14

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	134	1.3		<1	<1	1	1	2	2	3
20-34	166	1.2		<1	<1	1	1	2	2	4
35-49	15	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	35	1.2		<1	<1	1	1	1	3	4
20-34	73	1.9	4	<1	<1	1	2	3	8	12
35-49	14	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
TOT. SINGLE DX	315	1.3		<1	<1	1	1	2	2	3
" MULTIPLE DX	122	1.6	3	<1	<1	1	2	3	4	11
TOTAL 0-19 YRS	169	1.2		<1	<1	1	1	2	2	3
20-34	239	1.5	2	<1	<1	1	1	2	3	10
35-49	29	1.3		<1	1	1	2	2	2	2
50-64										
65+										
GRAND TOTAL	437	1.4	1	<1	<1	1	1	2	3	5

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.0	7	<1	1	2	4	6	8	16
20-34	268	2.9	7	<1	<1	2	4	6	7	11
35-49	18	2.6	12	<1	<1	1	3	7	12	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	43	4.2	21	1	1	3	5	10	15	24
20-34	285	5.1	45	<1	1	3	6	12	16	32
35-49	28	4.9	20	1	1	4	6	9	19	19
50-64										
65+										
TOT. SINGLE DX	342	2.9	8	<1	<1	2	4	6	7	12
" MULTIPLE DX	356	5.0	41	1	1	3	6	11	16	31
TOTAL 0-19 YRS	99	3.5	13	1	1	2	4	7	11	20
20-34	553	4.0	28	<1	1	3	5	8	13	27
35-49	46	4.0	18	<1	1	3	5	8	16	19
50-64										
65+										
GRAND TOTAL	698	4.0	26	<1	1	3	4	8	13	25

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	660	1.5		<1	<1	1	2	3	3	4
20-34	4372	1.8		<1	<1	2	2	3	3	5
35-49	336	2.0		<1	<1	2	3	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	318	2.2	1	<1	<1	2	3	3	4	7
20-34	2210	2.3	3	<1	1	2	3	4	4	7
35-49	225	2.4	1	<1	1	2	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	5368	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	2753	2.3	3	<1	1	2	3	4	4	7
TOTAL 0-19 YRS	978	1.7	1	<1	<1	1	2	3	3	5
20-34	6582	2.0	2	<1	<1	2	2	3	4	6
35-49	561	2.2	1	<1	<1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	8121	2.0	2	<1	<1	2	2	3	4	6

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1496	1.9		1	1	2	2	3	3	4
20-34	11256	1.9		1	1	2	2	3	3	4
35-49	811	2.0		1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1674	2.2	2	1	1	2	3	3	4	7
20-34	12123	2.2	2	1	1	2	3	3	4	6
35-49	1185	2.4	5	1	1	2	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	13563	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	14982	2.2	3	1	1	2	3	3	4	6
TOTAL 0-19 YRS	3170	2.1	2	1	1	2	2	3	4	6
20-34	23379	2.0	2	1	1	2	2	3	4	5
35-49	1996	2.2	3	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	28545	2.1	2	1	1	2	3	3	4	5

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.5	2	<1	1	2	4	5	6	6
20-34	22	3.0	4	<1	<1	3	4	5	8	10
35-49	26	3.6	3	1	2	3	5	7	7	7
50-64	26	4.0	11	<1	1	3	7	10	11	12
65+	15	5.9	53	<1	1	4	8	9	25	30
2. MULTIPLE DX										
0-19 YRS	18	3.5	2	<1	1	4	4	5	7	8
20-34	32	3.2	1	1	1	3	4	5	6	6
35-49	34	6.6	94	1	1	4	6	12	29	50
50-64	47	9.5	129	1	2	5	13	21	41	44
65+	47	7.9	92	2	2	6	10	13	20	63
TOT. SINGLE DX	112	3.7	13	<1	1	3	5	7	9	19
" MULTIPLE DX	178	6.8	82	1	2	4	7	14	21	48
TOTAL 0-19 YRS	41	3.0	3	<1	1	3	4	5	6	8
20-34	54	3.1	3	<1	1	3	4	5	6	10
35-49	60	5.3	57	1	1	3	6	9	15	48
50-64	73	7.6	94	1	1	4	9	16	38	44
65+	62	7.4	82	1	2	5	9	13	20	59
GRAND TOTAL	290	5.6	57	1	1	3	6	11	16	43

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	334	3.0	1	1	2	3	4	4	5	6
20-34	705	3.1	1	1	2	3	4	4	5	7
35-49	279	3.2	2	1	2	3	4	5	6	7
50-64	56	2.6	2	1	1	2	4	4	6	6
65+	23	3.0	3	<1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	338	3.7	5	2	2	3	4	5	6	9
20-34	571	3.7	4	1	2	3	4	5	6	10
35-49	244	3.8	4	2	2	3	4	5	7	16
50-64	109	4.8	36	1	1	4	4	7	19	34
65+	37	3.6	4	1	2	3	5	7	10	99+
TOT. SINGLE DX	1397	3.1	2	1	2	3	4	4	5	7
" MULTIPLE DX	1299	3.8	8	1	2	3	4	5	6	17
TOTAL 0-19 YRS	672	3.4	3	1	2	3	4	5	5	8
20-34	1276	3.3	3	1	2	3	4	5	5	7
35-49	523	3.5	3	1	2	3	4	5	6	12
50-64	165	4.1	26	1	1	3	4	6	9	23
65+	60	3.4	4	1	1	3	4	6	8	90
GRAND TOTAL	2696	3.4	5	1	2	3	4	5	6	10

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	1.9	1	<1	1	2	2	3	4	7
20-34	146	2.2	3	1	1	2	3	4	5	11
35-49	42	2.1	1	1	1	2	3	4	4	5
50-64	10	1.6	1	1	1	1	2	3	4	4
65+	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	157	4.3	77	1	1	3	4	7	9	45
20-34	225	3.7	13	1	1	3	5	7	9	23
35-49	40	5.9	82	1	1	4	7	9	14	58
50-64	18	4.6	14	1	1	3	6	11	13	14
65+	14	5.9	53	1	2	3	5	17	25	27
TOT. SINGLE DX	300	2.1	2	1	1	2	3	4	4	8
" MULTIPLE DX	454	4.2	43	1	1	3	5	8	10	31
TOTAL 0-19 YRS	256	3.4	50	1	1	2	3	6	7	30
20-34	371	3.1	10	1	1	2	4	6	8	18
35-49	82	3.9	44	1	1	3	4	7	9	45
50-64	28	3.5	12	1	1	2	4	9	11	14
65+	17	5.3	46	1	1	2	5	15	23	27
GRAND TOTAL	754	3.3	28	1	1	2	4	6	8	23

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	2.2	2	1	1	2	3	4	5	9
20-34	282	2.3	2	<1	1	2	3	4	6	10
35-49	102	2.4	2	<1	1	2	3	4	7	8
50-64	35	2.8	3	<1	<1	2	4	5	7	8
65+	14	2.9	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	224	5.0	45	1	1	3	5	10	15	34
20-34	503	5.1	41	1	1	3	6	10	14	39
35-49	201	6.6	104	1	1	4	7	13	20	62
50-64	89	9.3	216	1	2	4	11	19	33	81
65+	57	8.0	113	1	2	5	10	14	16	70
TOT. SINGLE DX	560	2.3	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1074	5.9	74	1	1	3	6	12	17	46
TOTAL 0-19 YRS	351	4.0	31	1	1	3	4	7	12	24
20-34	785	4.1	30	1	1	3	5	8	12	35
35-49	303	5.2	74	1	1	3	5	10	14	41
50-64	124	7.5	165	<1	1	3	7	17	23	79
65+	71	7.0	95	1	2	4	9	13	16	65
GRAND TOTAL	1634	4.7	52	1	1	3	5	9	13	40

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.7	7	<1	<1	2	3	5	7	14
20-34	22	3.0	4	<1	1	2	4	6	7	8
35-49	24	3.2	3	1	1	3	4	6	7	8
50-64	29	2.2	1	1	1	2	3	4	5	5
65+	6	2.5	1	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	23	4.9	34	1	1	3	4	12	21	24
20-34	43	5.8	81	1	1	4	7	9	15	59
35-49	27	6.6	85	1	1	3	6	19	25	44
50-64	35	3.9	12	1	1	3	4	9	11	16
65+	30	6.8	37	<1	<1	5	10	12	21	27
TOT. SINGLE DX	106	2.7	4	<1	1	2	3	5	6	11
" MULTIPLE DX	158	5.6	51	1	1	3	7	11	18	43
TOTAL 0-19 YRS	48	3.8	21	<1	1	3	4	8	15	24
20-34	65	4.8	57	1	1	3	6	8	12	53
35-49	51	5.0	49	1	1	3	5	8	20	44
50-64	64	3.2	8	1	1	2	3	7	9	15
65+	36	6.1	34	<1	<1	4	9	12	19	27
GRAND TOTAL	264	4.4	34	1	1	3	5	9	13	27

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	3.7	20	<1	1	3	4	7	8	31
20-34	236	3.7	18	<1	1	2	4	7	10	24
35-49	178	4.5	13	1	1	4	6	8	10	21
50-64	213	4.9	14	1	1	4	6	8	11	23
65+	72	6.5	31	1	2	5	8	13	18	32
2. MULTIPLE DX										
0-19 YRS	352	5.6	34	1	2	4	6	10	18	31
20-34	269	6.0	48	1	1	4	7	11	18	43
35-49	234	6.5	63	1	1	4	7	13	19	43
50-64	333	7.0	76	1	2	4	7	14	20	51
65+	226	7.9	67	1	2	6	9	17	23	42
TOT. SINGLE DX	988	4.3	19	1	1	3	5	8	10	23
" MULTIPLE DX	1414	6.5	57	1	1	4	7	13	19	43
TOTAL 0-19 YRS	641	4.8	29	1	1	3	5	8	14	31
20-34	505	4.9	36	<1	1	3	6	10	14	37
35-49	412	5.6	43	1	1	4	6	10	15	34
50-64	546	6.2	53	1	1	4	7	11	17	44
65+	298	7.6	59	1	2	5	9	16	22	40
GRAND TOTAL	2402	5.6	43	1	1	4	6	10	16	38

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	124	2.2	1	<1	1	2	3	4	4	6
20-34	287	2.4	1	<1	1	2	3	4	5	6
35-49	317	2.8	2	1	1	2	4	5	5	7
50-64	361	2.7	1	1	1	2	4	5	5	7
65+	142	2.7	1	1	1	3	4	4	5	6
2. MULTIPLE DX										
0-19 YRS	188	2.8	2	1	1	3	4	5	5	7
20-34	499	2.7	2	1	1	2	3	5	5	9
35-49	778	3.0	4	1	1	3	4	5	7	10
50-64	1225	3.2	4	1	1	3	4	5	6	10
65+	915	3.5	10	1	1	3	4	6	7	10
TOT. SINGLE DX	1231	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	3605	3.2	6	1	1	3	4	5	6	10
TOTAL 0-19 YRS	312	2.6	2	1	1	2	3	4	5	6
20-34	786	2.6	2	1	1	2	3	4	5	7
35-49	1095	2.9	4	1	1	3	4	5	6	9
50-64	1586	3.1	4	1	1	3	4	5	6	9
65+	1057	3.4	10	1	1	3	4	5	7	10
GRAND TOTAL	4836	3.0	5	1	1	3	4	5	6	9

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1011	2.6	7	<1	1	2	3	5	7	15
20-34	1348	2.9	8	<1	<1	2	3	6	8	14
35-49	907	2.9	7	<1	<1	2	4	5	7	14
50-64	587	3.2	13	<1	1	2	4	6	8	19
65+	277	3.5	10	<1	1	3	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	574	6.4	83	1	1	3	7	18	28	53
20-34	1320	6.3	105	<1	1	3	6	15	27	59
35-49	1186	5.6	75	<1	1	3	5	11	23	48
50-64	1157	6.7	95	1	1	3	7	15	27	53
65+	1004	10.1	135	1	2	6	13	24	33	64
TOT. SINGLE DX	4130	2.9	9	<1	1	2	4	6	8	15
" MULTIPLE DX	5241	7.0	102	1	1	3	7	17	27	55
TOTAL 0-19 YRS	1585	4.0	38	<1	1	2	4	8	15	35
20-34	2668	4.6	59	<1	1	2	5	9	15	44
35-49	2093	4.4	48	<1	1	3	4	8	14	41
50-64	1744	5.5	71	<1	1	3	5	12	19	45
65+	1281	8.6	116	1	1	5	10	22	31	53
GRAND TOTAL	9371	5.2	65	<1	1	3	5	11	19	45

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	5.0	35	1	1	3	5	10	18	31
20-34	305	3.6	18	1	1	3	4	6	8	15
35-49	141	4.6	21	1	1	3	6	9	12	27
50-64	125	6.1	42	1	1	5	8	10	13	36
65+	118	8.5	23	2	4	8	11	15	17	26
2. MULTIPLE DX										
0-19 YRS	278	7.9	118	1	1	4	7	21	31	54
20-34	285	7.6	103	1	1	4	9	16	27	51
35-49	176	9.0	139	1	1	5	10	21	31	69
50-64	198	11.2	164	2	2	7	14	22	31	78
65+	525	12.5	82	3	5	10	15	22	28	47
TOT. SINGLE DX	1065	5.1	30	1	1	4	6	10	14	28
" MULTIPLE DX	1462	10.1	115	1	2	7	12	21	29	52
TOTAL 0-19 YRS	654	6.2	73	1	1	4	6	14	25	44
20-34	590	5.5	63	1	1	3	6	10	16	45
35-49	317	7.1	91	1	1	4	8	14	24	40
50-64	323	9.2	123	1	2	6	11	17	26	72
65+	643	11.8	74	3	4	10	14	21	25	45
GRAND TOTAL	2527	8.0	86	1	1	5	10	17	24	46

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	1.7	2	<1	<1	1	2	3	4	7
20-34	1086	2.1	8	<1	<1	1	2	4	5	9
35-49	499	2.2	5	<1	<1	1	3	4	6	12
50-64	373	2.4	6	<1	<1	2	3	5	7	15
65+	250	3.3	15	<1	<1	2	4	7	10	18
2. MULTIPLE DX										
0-19 YRS	283	4.1	49	<1	<1	2	3	8	18	40
20-34	472	4.5	50	<1	1	3	5	10	14	44
35-49	290	5.3	64	<1	1	3	6	10	19	45
50-64	300	5.9	71	<1	1	3	6	12	24	49
65+	446	7.8	80	1	1	4	10	18	25	42
TOT. SINGLE DX	2825	2.2	7	<1	<1	1	2	4	6	13
" MULTIPLE DX	1791	5.6	65	<1	1	3	6	12	21	44
TOTAL 0-19 YRS	900	2.5	18	<1	<1	1	2	4	7	23
20-34	1558	2.8	22	<1	<1	2	3	5	8	24
35-49	789	3.3	29	<1	<1	2	3	7	10	25
50-64	673	3.9	38	<1	<1	2	4	7	13	38
65+	696	6.2	62	<1	1	3	7	15	22	38
GRAND TOTAL	4616	3.5	32	<1	<1	2	3	7	12	32

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	14.0	146	2	3	10	21	26	32	65
20-34	40	10.8	123	2	3	7	11	21	44	50
35-49	28	9.4	100	3	3	6	11	17	23	55
50-64	50	9.1	41	4	4	7	11	16	21	37
65+	125	10.1	17	4	6	10	13	15	18	25
2. MULTIPLE DX										
0-19 YRS	93	17.1	116	6	7	13	22	34	40	52
20-34	82	13.5	138	5	6	10	16	21	26	76
35-49	31	12.1	45	4	4	10	16	22	25	30
50-64	90	13.4	75	5	5	12	15	22	38	43
65+	574	14.2	80	5	7	12	16	23	31	55
TOT. SINGLE DX	321	10.9	75	3	4	9	13	19	26	51
" MULTIPLE DX	870	14.3	89	5	7	12	16	24	34	54
TOTAL 0-19 YRS	171	15.7	132	3	4	12	21	31	37	54
20-34	122	12.6	134	4	5	9	13	21	31	76
35-49	59	10.8	72	3	4	8	14	19	25	53
50-64	140	11.9	67	4	5	10	14	21	35	42
65+	699	13.5	72	5	7	11	15	22	29	54
GRAND TOTAL	1191	13.4	87	4	5	11	16	23	32	54

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	7.1	23	2	2	6	9	12	14	26
20-34	111	9.2	60	3	4	7	10	18	23	43
35-49	87	10.3	72	4	5	8	11	18	25	54
50-64	208	9.2	22	4	5	8	11	15	17	27
65+	927	11.0	22	5	6	10	13	16	19	25
2. MULTIPLE DX										
0-19 YRS	197	13.4	112	3	5	10	17	24	39	60
20-34	315	14.5	120	5	6	12	17	26	37	89
35-49	203	14.6	176	4	6	10	17	29	45	91
50-64	527	14.3	115	5	6	11	17	27	36	85
65+	4490	14.5	80	6	7	12	16	23	31	62
TOT. SINGLE DX	1451	10.2	29	4	5	9	13	16	19	27
" MULTIPLE DX	5732	14.4	90	6	7	12	17	24	32	64
TOTAL 0-19 YRS	315	11.0	88	2	3	9	13	21	27	57
20-34	426	13.1	110	4	5	10	16	24	33	71
35-49	290	13.3	149	4	5	9	15	26	37	81
50-64	735	12.9	95	5	6	10	15	24	32	70
65+	5417	13.9	72	6	7	12	16	22	29	57
GRAND TOTAL	7183	13.6	81	5	6	12	16	22	29	50

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	8.8	99	1	1	4	15	22	29	41
20-34	19	10.8	161	1	2	6	12	32	41	48
35-49	7	9.0	283	1	1	3	5	39	47	47
50-64	14	6.5	30	1	1	5	10	14	19	21
65+	24	7.9	61	<1	1	7	10	15	25	36
2. MULTIPLE DX										
0-19 YRS	117	15.7	144	1	2	13	23	35	36	48
20-34	34	17.2	209	2	4	12	28	38	47	59
35-49	14	11.7	111	1	1	10	19	41	85	99+
50-64	33	18.6	239	3	5	13	24	47	53	56
65+	99	17.3	282	2	3	12	19	41	52	87
TOT. SINGLE DX	294	8.8	100	1	1	4	13	22	31	46
" MULTIPLE DX	297	16.5	207	2	3	13	22	36	46	72
TOTAL 0-19 YRS	347	11.1	125	1	1	6	19	28	35	46
20-34	53	14.9	198	2	3	9	20	34	47	59
35-49	21	10.8	159	1	1	7	15	43	68	99+
50-64	47	15.0	206	1	3	10	20	42	51	56
65+	123	15.5	253	1	2	11	18	36	47	83
GRAND TOTAL	591	12.7	168	1	1	8	19	31	39	58

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	3.3	24	<1	1	2	3	7	15	21
20-34	262	2.8	6	<1	<1	2	4	6	8	15
35-49	155	2.8	6	<1	1	2	3	6	9	13
50-64	142	2.9	12	1	1	2	3	6	9	16
65+	118	3.6	19	<1	1	3	4	7	11	27
2. MULTIPLE DX										
0-19 YRS	100	7.2	64	1	1	4	10	17	21	41
20-34	129	7.3	76	1	1	5	8	16	26	52
35-49	109	5.7	54	<1	1	3	7	13	20	43
50-64	112	6.3	58	1	1	4	8	14	18	47
65+	148	7.9	115	1	1	5	10	15	38	99+
TOT. SINGLE DX	1000	3.0	15	<1	1	2	3	6	10	18
" MULTIPLE DX	598	7.0	77	1	1	4	9	15	22	60
TOTAL 0-19 YRS	423	4.2	37	<1	1	2	4	12	16	23
20-34	391	4.3	34	<1	1	3	5	9	13	29
35-49	264	4.0	28	<1	1	2	4	9	13	29
50-64	254	4.4	36	1	1	2	5	9	14	34
65+	266	6.0	77	1	1	3	7	13	18	95
GRAND TOTAL	1598	4.5	42	<1	1	2	5	10	15	38

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1807	2.5	3	<1	1	2	3	5	6	9
20-34	2486	3.1	6	<1	1	3	4	6	7	13
35-49	1484	3.6	9	1	1	3	5	7	8	13
50-64	1020	4.1	7	1	1	4	5	7	9	14
65+	546	5.2	13	1	2	4	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	791	5.0	39	1	1	3	5	11	17	32
20-34	1853	6.0	66	1	1	4	7	12	17	47
35-49	1156	6.2	44	1	2	4	7	12	18	31
50-64	1000	7.5	65	1	2	5	8	14	21	44
65+	1232	8.8	69	2	3	7	10	16	22	45
TOT. SINGLE DX	7343	3.3	7	1	1	3	4	6	8	13
" MULTIPLE DX	6032	6.7	61	1	1	4	8	13	19	44
TOTAL 0-19 YRS	2598	3.2	16	1	1	2	4	6	8	20
20-34	4339	4.4	34	1	1	3	5	8	12	29
35-49	2640	4.7	27	1	1	3	6	9	12	26
50-64	2020	5.8	39	1	2	4	6	11	15	35
65+	1778	7.7	55	1	2	6	9	14	19	42
GRAND TOTAL	13375	4.9	34	1	1	3	6	9	13	30

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2257	1.8	4	<1	<1	1	2	3	5	12
20-34	609	2.8	5	<1	1	2	4	6	7	12
35-49	349	2.7	5	<1	1	2	4	5	7	11
50-64	343	3.1	14	<1	1	2	4	6	8	19
65+	328	3.0	7	<1	1	2	4	7	9	12
2. MULTIPLE DX										
0-19 YRS	614	3.9	36	1	1	2	4	8	13	31
20-34	512	6.2	64	1	1	4	7	13	20	45
35-49	303	7.3	90	1	1	4	8	14	25	51
50-64	367	7.0	79	1	1	5	8	14	20	48
65+	761	6.6	73	1	1	4	8	13	19	53
TOT. SINGLE DX	3886	2.2	6	<1	1	1	3	5	7	12
" MULTIPLE DX	2557	6.0	67	1	1	3	7	12	19	48
TOTAL 0-19 YRS	2871	2.2	12	<1	1	1	2	4	7	17
20-34	1121	4.3	35	<1	1	3	5	9	13	30
35-49	652	4.8	50	1	1	3	5	11	14	47
50-64	710	5.1	52	1	1	3	6	11	15	42
65+	1089	5.5	56	1	1	3	7	11	16	45
GRAND TOTAL	**6443**	**3.7**	**34**	**<1**	**1**	**2**	**4**	**8**	**12**	**29**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	2.8	20	<1	<1	1	2	8	9	24
20-34	149	2.4	10	<1	<1	1	2	5	6	18
35-49	83	1.8	1	<1	<1	1	2	4	5	7
50-64	85	3.1	14	<1	<1	2	3	6	11	20
65+	173	3.9	33	1	1	2	5	8	13	36
2. MULTIPLE DX										
0-19 YRS	94	6.9	84	<1	1	3	8	18	30	44
20-34	157	5.7	46	1	1	4	7	12	19	38
35-49	93	7.2	160	<1	1	3	6	18	24	76
50-64	108	6.5	49	1	1	3	9	17	22	31
65+	287	7.3	77	1	1	4	9	19	24	58
TOT. SINGLE DX	680	2.9	19	<1	<1	1	3	6	10	20
" MULTIPLE DX	739	6.8	78	1	1	4	8	18	24	46
TOTAL 0-19 YRS	284	4.2	45	<1	<1	1	4	10	16	33
20-34	306	4.1	32	<1	1	2	5	9	14	32
35-49	176	4.7	93	<1	<1	2	4	9	19	57
50-64	193	5.0	37	<1	1	2	5	13	20	28
65+	460	6.1	64	1	1	3	7	16	21	48
GRAND TOTAL	**1419**	**4.9**	**54**	**<1**	**1**	**2**	**6**	**12**	**19**	**37**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	2.5	4	1	1	2	3	4	5	13
20-34	280	2.3	2	<1	1	2	3	4	6	9
35-49	100	2.6	2	1	1	2	3	5	6	9
50-64	54	3.5	14	1	1	3	4	6	11	24
65+	24	7.2	54	1	1	5	9	18	23	33
2. MULTIPLE DX										
0-19 YRS	64	6.6	78	1	1	4	6	17	23	54
20-34	121	4.3	27	1	1	3	5	8	12	25
35-49	81	4.4	28	1	1	3	5	8	14	34
50-64	52	5.3	34	1	1	4	6	10	14	38
65+	69	11.1	117	2	2	10	14	21	28	68
TOT. SINGLE DX	599	2.7	7	1	1	2	3	5	7	14
" MULTIPLE DX	387	6.1	59	1	1	4	7	14	19	39
TOTAL 0-19 YRS	205	3.8	31	1	1	2	4	6	13	26
20-34	401	2.9	11	<1	1	2	3	6	8	13
35-49	181	3.4	15	1	1	3	4	6	8	19
50-64	106	4.4	25	1	1	3	5	9	12	31
65+	93	10.1	103	1	2	8	14	20	27	58
GRAND TOTAL	**986**	**4.0**	**30**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	621	2.6	8	<1	<1	2	3	5	8	16
20-34	635	2.7	9	<1	<1	2	3	5	7	19
35-49	296	2.6	10	<1	<1	2	3	5	6	16
50-64	167	3.9	28	<1	1	2	4	8	11	23
65+	76	6.5	66	1	1	4	7	14	23	44
2. MULTIPLE DX										
0-19 YRS	485	4.8	37	<1	1	3	5	13	20	33
20-34	701	4.1	37	<1	1	2	4	8	13	30
35-49	432	5.0	54	<1	1	3	5	11	16	42
50-64	332	9.1	137	1	1	4	12	24	37	55
65+	367	14.4	208	1	2	10	19	36	46	67
TOT. SINGLE DX	1795	2.9	14	<1	<1	2	3	5	8	19
" MULTIPLE DX	2317	6.8	95	<1	1	3	7	18	26	54
TOTAL 0-19 YRS	1106	3.6	23	<1	1	2	4	8	13	26
20-34	1336	3.4	25	<1	1	2	4	6	11	25
35-49	728	4.0	38	<1	1	2	4	8	14	34
50-64	499	7.4	107	<1	1	3	8	20	31	52
65+	443	13.0	192	1	2	8	18	34	45	65
GRAND TOTAL	**4112**	**5.1**	**63**	**<1**	**1**	**2**	**5**	**12**	**20**	**45**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.8	13	2	2	5	7	11	13	19
20-34	2383	6.3	14	2	3	5	8	11	14	19
35-49	3424	6.6	15	2	3	6	8	11	14	21
50-64	1564	7.3	19	2	3	6	9	13	15	23
65+	406	8.6	27	3	4	8	10	15	18	27
2. MULTIPLE DX										
0-19 YRS	41	9.7	192	2	3	7	9	16	24	89
20-34	919	8.9	42	3	4	7	10	16	20	32
35-49	1896	9.0	40	3	4	7	11	16	20	29
50-64	1609	10.2	52	3	4	8	12	18	24	38
65+	1011	12.7	87	4	5	10	15	22	28	54
TOT. SINGLE DX	7871	6.7	17	2	3	6	8	12	15	22
" MULTIPLE DX	5476	10.0	56	3	4	8	12	18	23	40
TOTAL 0-19 YRS	135	7.0	70	2	2	5	8	12	16	41
20-34	3302	7.0	23	2	3	6	8	13	16	25
35-49	5320	7.5	25	2	3	6	9	13	16	25
50-64	3173	8.8	38	3	4	7	10	15	20	34
65+	1417	11.5	74	4	5	9	14	20	26	48
GRAND TOTAL	13347	8.1	35	2	3	7	10	14	18	29

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	436	1.6		<1	<1	1	2	3	4	5
20-34	1393	1.8	1	<1	<1	1	2	4	5	7
35-49	873	1.7	1	<1	<1	1	2	3	4	6
50-64	555	1.8	1	<1	<1	1	2	3	4	7
65+	179	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	447	2.3	2	<1	<1	2	3	4	5	8
20-34	1590	2.3	4	<1	<1	2	3	5	5	9
35-49	1127	2.2	4	<1	<1	1	3	4	6	11
50-64	1263	2.4	5	<1	<1	2	3	5	6	11
65+	803	2.9	8	<1	1	2	3	6	8	16
TOT. SINGLE DX	3436	1.8	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	5230	2.4	5	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	883	1.9	2	<1	<1	1	2	4	5	7
20-34	2983	2.0	3	<1	<1	1	3	4	5	8
35-49	2000	2.0	4	<1	<1	1	2	4	5	9
50-64	1818	2.2	4	<1	<1	2	3	4	5	10
65+	982	2.8	7	<1	1	2	3	5	7	15
GRAND TOTAL	8666	2.1	4	<1	<1	1	3	4	5	9

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	706	1.6	3	<1	<1	1	2	3	4	8
20-34	1429	1.8	3	<1	<1	1	2	3	5	8
35-49	762	2.0	8	<1	<1	1	2	3	5	12
50-64	463	2.3	7	<1	<1	2	2	4	6	13
65+	180	2.4	7	<1	<1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	441	2.6	18	<1	<1	1	2	4	8	22
20-34	1149	2.8	15	<1	<1	2	3	5	8	23
35-49	819	3.0	19	<1	<1	2	3	6	10	24
50-64	696	4.2	63	<1	1	2	4	7	16	40
65+	484	6.5	94	<1	1	3	7	16	25	49
TOT. SINGLE DX	3540	1.9	5	<1	<1	1	2	3	5	9
" MULTIPLE DX	3589	3.6	39	<1	<1	2	3	7	12	32
TOTAL 0-19 YRS	1147	2.0	9	<1	<1	1	2	3	5	15
20-34	2578	2.2	9	<1	<1	1	2	4	6	15
35-49	1581	2.6	14	<1	<1	2	3	4	7	20
50-64	1159	3.4	42	<1	<1	2	3	6	10	33
65+	664	5.4	74	<1	1	2	5	12	22	45
GRAND TOTAL	7129	2.7	23	<1	<1	1	3	5	8	25

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	9.0	14	4	5	8	10	13	16	24
20-34	235	8.9	17	4	5	8	10	13	16	24
35-49	317	8.1	16	3	4	7	10	13	15	25
50-64	152	8.1	24	4	4	7	9	12	15	29
65+	28	7.8	12	4	4	7	10	13	15	15
2. MULTIPLE DX										
0-19 YRS	168	13.0	84	4	6	10	15	24	33	49
20-34	353	12.9	135	4	5	9	14	24	34	71
35-49	466	10.9	78	4	5	8	12	20	28	67
50-64	313	11.8	103	4	4	9	14	23	33	85
65+	129	15.5	142	5	6	12	18	30	45	61
TOT. SINGLE DX	894	8.4	18	4	4	8	10	13	15	25
" MULTIPLE DX	1429	12.2	106	4	5	9	13	23	33	67
TOTAL 0-19 YRS	330	11.0	54	4	5	9	12	19	25	46
20-34	588	11.3	92	4	5	9	12	19	27	63
35-49	783	9.7	56	4	4	8	11	16	24	48
50-64	465	10.6	81	4	4	8	12	20	27	53
65+	157	14.2	128	4	5	11	15	26	38	59
GRAND TOTAL	2323	10.8	76	4	5	8	12	19	26	53

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	3.2	3	1	1	3	4	6	7	9
20-34	234	3.2	5	<1	1	3	4	6	7	11
35-49	220	3.6	5	1	1	3	5	6	8	13
50-64	239	3.4	6	<1	1	3	4	6	8	13
65+	126	3.1	5	<1	<1	2	4	6	9	12
2. MULTIPLE DX										
0-19 YRS	116	4.4	20	1	1	4	5	7	10	63
20-34	239	4.6	18	1	1	4	6	8	11	21
35-49	251	5.0	21	1	2	4	6	9	12	21
50-64	303	4.8	17	1	1	4	6	9	13	23
65+	241	5.6	36	1	1	4	6	10	15	37
TOT. SINGLE DX	911	3.3	6	<1	1	3	4	6	8	12
" MULTIPLE DX	1150	4.9	23	1	1	4	6	9	12	25
TOTAL 0-19 YRS	208	3.9	13	1	1	4	5	6	8	28
20-34	473	3.9	12	<1	1	3	5	7	9	18
35-49	471	4.3	14	1	1	4	5	8	10	15
50-64	542	4.2	13	1	1	3	5	8	10	19
65+	367	4.7	27	<1	1	3	6	9	12	34
GRAND TOTAL	2061	4.2	16	1	1	3	5	8	10	20

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	12.5	7	10	10	12	14	16	16	16
20-34	47	9.9	12	4	7	9	12	14	15	22
35-49	125	10.2	11	6	6	10	12	15	17	20
50-64	595	10.5	13	6	7	10	12	15	17	23
65+	1096	11.2	14	7	7	11	13	15	18	25
2. MULTIPLE DX										
0-19 YRS	13	15.8	169	5	7	13	20	29	50	55
20-34	95	11.4	35	7	7	9	13	18	23	39
35-49	257	12.0	40	6	7	10	14	18	24	44
50-64	909	12.7	51	7	8	11	14	19	24	45
65+	3029	14.0	58	7	8	12	16	21	27	48
TOT. SINGLE DX	1867	10.9	14	6	7	10	13	15	17	24
" MULTIPLE DX	4303	13.6	56	7	8	12	15	21	27	46
TOTAL 0-19 YRS	17	15.0	130	6	7	13	17	22	44	55
20-34	142	10.9	28	6	7	9	13	17	19	33
35-49	382	11.4	32	6	7	10	13	17	21	36
50-64	1504	11.9	38	6	7	11	13	17	21	40
65+	4125	13.3	48	7	8	12	15	20	25	43
GRAND TOTAL	6170	12.8	45	7	8	11	15	19	24	42

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	7.1	14	2	2	8	11	12	12	12
20-34	9	6.8	4	3	4	6	8	9	10	10
35-49	27	8.9	14	4	4	9	11	15	17	18
50-64	128	10.7	12	6	7	10	13	16	16	20
65+	513	11.2	15	6	7	11	13	16	18	24
2. MULTIPLE DX										
0-19 YRS	10	7.0	17	1	2	6	9	13	15	15
20-34	27	11.8	76	3	4	9	14	24	34	38
35-49	58	14.4	199	3	6	10	15	25	46	78
50-64	265	14.1	80	6	7	12	15	25	34	62
65+	2709	14.4	63	7	8	13	17	22	29	51
TOT. SINGLE DX	688	10.9	16	6	7	10	13	16	18	23
" MULTIPLE DX	3069	14.4	67	7	8	12	16	22	29	53
TOTAL 0-19 YRS	21	7.0	15	2	2	6	10	12	13	15
20-34	36	10.5	63	3	4	8	13	21	31	38
35-49	85	12.6	147	4	5	9	13	18	34	75
50-64	393	13.0	61	6	7	11	15	20	28	52
65+	3222	13.9	57	7	8	12	16	21	27	48
GRAND TOTAL	3757	13.7	60	6	7	12	16	21	27	49

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	574	3.3	2	1	1	3	4	5	6	8
20-34	1146	3.7	4	1	1	4	4	6	7	12
35-49	412	5.0	20	1	1	4	6	10	13	25
50-64	493	9.7	24	2	4	9	12	15	18	27
65+	976	11.2	15	6	7	11	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	605	3.8	3	1	2	4	5	6	7	11
20-34	1452	4.2	7	1	2	4	5	7	8	14
35-49	679	5.2	19	1	1	4	6	10	13	19
50-64	800	10.9	51	2	3	10	14	18	22	34
65+	2285	13.1	38	6	8	12	15	19	23	39
TOT. SINGLE DX	3601	6.6	23	1	2	5	10	13	16	21
" MULTIPLE DX	5821	8.7	44	2	2	7	12	16	19	32
TOTAL 0-19 YRS	1179	3.6	3	1	1	3	4	6	6	11
20-34	2598	4.0	7	1	2	4	5	6	8	14
35-49	1091	5.1	20	1	1	4	6	10	13	23
50-64	1293	10.4	41	2	3	10	13	17	20	31
65+	3261	12.5	33	6	7	12	15	18	22	36
GRAND TOTAL	9422	7.9	37	1	2	6	11	15	18	28

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	601	2.4	1	1	1	2	3	4	5	6
20-34	1623	2.6	1	1	1	2	3	4	5	7
35-49	693	2.7	2	<1	1	2	3	5	6	7
50-64	502	3.3	15	1	1	3	4	5	7	16
65+	231	4.3	23	1	1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	188	2.9	4	1	1	3	4	5	6	13
20-34	599	3.2	10	1	1	3	4	5	7	18
35-49	510	3.5	7	1	1	3	4	6	8	18
50-64	744	3.8	7	1	1	3	5	7	8	14
65+	548	5.3	31	1	2	4	6	10	13	27
TOT. SINGLE DX	3650	2.8	6	1	1	2	3	5	6	9
" MULTIPLE DX	2589	3.9	14	1	1	3	4	7	9	19
TOTAL 0-19 YRS	789	2.5	3	1	1	2	3	4	5	7
20-34	2222	2.8	4	1	1	2	3	5	6	8
35-49	1203	3.0	5	1	1	3	4	5	6	11
50-64	1246	3.6	11	1	1	3	4	6	8	15
65+	779	5.0	29	1	1	4	6	10	12	26
GRAND TOTAL	**6239**	**3.2**	**9**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.3	4	<1	<1	1	3	5	7	10
20-34	265	2.7	6	<1	<1	2	3	5	7	12
35-49	225	2.7	8	<1	<1	2	3	6	8	17
50-64	188	2.4	14	<1	<1	1	3	5	7	20
65+	72	3.3	27	<1	<1	1	3	8	12	34
2. MULTIPLE DX										
0-19 YRS	250	4.7	47	<1	1	3	5	9	15	23
20-34	268	6.2	45	<1	1	4	8	13	17	39
35-49	228	6.6	83	1	1	4	7	13	24	45
50-64	197	6.6	77	<1	1	4	9	14	21	32
65+	186	10.3	111	<1	1	7	13	23	34	53
TOT. SINGLE DX	986	2.6	9	<1	<1	1	3	5	8	15
" MULTIPLE DX	1129	6.7	73	<1	1	4	8	14	21	42
TOTAL 0-19 YRS	486	3.5	28	<1	<1	2	4	7	10	20
20-34	533	4.5	29	<1	<1	3	6	10	14	34
35-49	453	4.7	50	<1	<1	2	5	10	15	39
50-64	385	4.6	51	<1	<1	2	5	10	14	27
65+	258	8.4	98	<1	<1	5	11	19	32	49
GRAND TOTAL	**2115**	**4.8**	**48**	**<1**	**<1**	**3**	**5**	**11**	**16**	**37**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	277	1.5	2	<1	<1	1	1	3	4	10
20-34	478	1.6	1	<1	<1	1	2	3	4	8
35-49	322	1.8	3	<1	<1	1	2	3	5	11
50-64	249	2.0	2	<1	<1	1	2	4	5	8
65+	135	2.4	6	<1	<1	2	3	4	7	15
2. MULTIPLE DX										
0-19 YRS	79	5.1	60	<1	<1	2	6	11	19	44
20-34	167	4.6	38	<1	<1	2	5	12	21	29
35-49	189	4.7	35	<1	1	3	5	11	19	29
50-64	248	5.1	32	<1	<1	3	6	14	18	27
65+	249	7.5	61	<1	1	5	10	18	23	58
TOT. SINGLE DX	1461	1.8	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	932	5.6	46	<1	<1	3	7	14	21	30
TOTAL 0-19 YRS	356	2.3	18	<1	<1	1	2	4	9	24
20-34	645	2.4	13	<1	<1	1	2	4	8	21
35-49	511	2.9	17	<1	<1	1	3	6	10	22
50-64	497	3.5	20	<1	<1	2	4	8	14	25
65+	384	5.7	48	<1	<1	3	7	15	21	44
GRAND TOTAL	**2393**	**3.2**	**23**	**<1**	**<1**	**1**	**3**	**7**	**13**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	1.7	1	<1	<1	1	2	4	4	4
20-34	37	2.2	3	<1	<1	1	3	5	5	8
35-49	67	1.4		<1	<1	1	2	2	3	4
50-64	213	1.7	4	<1	<1	1	2	2	3	7
65+	195	1.7	1	<1	<1	1	2	3	3	8
2. MULTIPLE DX										
0-19 YRS	13	3.5	26	<1	<1	2	3	8	18	20
20-34	30	3.8	19	<1	<1	2	4	10	12	21
35-49	56	2.9	10	<1	1	2	3	6	10	18
50-64	140	2.3	6	<1	1	2	3	4	5	13
65+	141	2.3	5	1	1	2	3	4	5	13
TOT. SINGLE DX	521	1.7	3	<1	<1	1	2	3	3	7
" MULTIPLE DX	380	2.6	8	<1	1	2	3	4	6	19
TOTAL 0-19 YRS	22	2.7	16	<1	<1	1	3	4	11	20
20-34	67	2.9	11	<1	<1	2	4	6	9	19
35-49	123	2.1	5	<1	<1	1	2	3	5	14
50-64	353	2.0	6	<1	<1	2	2	3	4	10
65+	336	2.0	3	<1	<1	2	2	3	4	10
GRAND TOTAL	**901**	**2.1**	**5**	**<1**	**<1**	**2**	**2**	**3**	**5**	**12**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	272	1.5	1	<1	<1	1	2	2	3	7
20-34	477	1.6	1	<1	<1	1	2	3	4	6
35-49	204	1.6	1	<1	<1	1	2	3	4	6
50-64	96	1.6		<1	<1	1	2	3	3	6
65+	40	2.0	2	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
0-19 YRS	223	1.9	2	<1	<1	1	2	3	5	10
20-34	515	2.1	4	<1	<1	1	2	4	5	13
35-49	210	2.3	6	<1	<1	2	2	4	6	14
50-64	130	2.9	24	<1	1	2	3	5	9	22
65+	66	2.6	5	<1	<1	2	3	6	7	12
TOT. SINGLE DX	1089	1.6	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	1144	2.2	7	<1	<1	2	2	4	5	12
TOTAL 0-19 YRS	495	1.7	2	<1	<1	1	2	3	4	9
20-34	992	1.9	3	<1	<1	1	2	4	4	9
35-49	414	1.9	4	<1	<1	1	2	3	5	9
50-64	226	2.3	15	<1	<1	1	2	4	6	13
65+	106	2.4	4	<1	<1	2	3	5	7	11
GRAND TOTAL	2233	1.9	4	<1	<1	1	2	3	5	9

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	2.0	2	<1	<1	1	2	4	5	9
20-34	473	2.3	3	<1	1	2	3	4	5	9
35-49	438	2.9	10	<1	1	2	4	5	6	9
50-64	477	3.2	3	1	1	3	4	5	6	9
65+	234	3.9	5	1	1	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	106	3.7	46	1	1	2	4	6	8	47
20-34	327	4.0	50	1	1	2	4	7	9	41
35-49	293	3.9	17	1	1	3	4	8	10	26
50-64	447	4.7	52	1	1	3	5	7	10	29
65+	326	6.6	79	1	2	4	7	12	18	53
TOT. SINGLE DX	1771	2.9	6	<1	1	2	4	5	6	10
" MULTIPLE DX	1499	4.7	52	1	1	3	5	8	12	38
TOTAL 0-19 YRS	255	2.7	21	<1	1	2	3	5	6	18
20-34	800	3.0	23	<1	1	2	3	5	7	18
35-49	731	3.3	14	1	1	3	4	6	7	17
50-64	924	3.9	27	1	1	3	4	6	8	16
65+	560	5.4	50	1	2	4	6	9	13	40
GRAND TOTAL	3270	3.7	27	1	1	3	4	6	9	20

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	2.4	1	<1	1	2	3	4	5	7
20-34	351	2.8	5	<1	1	2	3	5	6	10
35-49	254	2.6	4	1	1	2	3	4	6	9
50-64	137	2.7	3	<1	1	2	4	5	5	9
65+	44	4.0	9	<1	1	3	5	7	10	17
2. MULTIPLE DX										
0-19 YRS	405	3.2	11	<1	1	3	4	5	7	20
20-34	251	5.0	58	1	1	3	5	8	12	51
35-49	140	5.0	49	1	1	3	5	9	15	42
50-64	130	6.0	83	1	1	4	6	9	21	54
65+	97	9.7	179	1	2	5	9	25	44	87
TOT. SINGLE DX	1123	2.7	4	<1	1	2	3	5	6	9
" MULTIPLE DX	1023	4.9	56	1	1	3	5	8	14	48
TOTAL 0-19 YRS	742	2.8	7	<1	1	2	3	5	6	9
20-34	602	3.7	29	1	1	3	4	6	9	30
35-49	394	3.4	22	1	1	2	4	6	8	28
50-64	267	4.3	45	1	1	3	4	6	10	42
65+	141	7.9	134	1	1	4	8	18	33	75
GRAND TOTAL	2146	3.7	30	1	1	3	4	6	8	32

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.0	3	<1	1	1	2	5	6	12
20-34	104	2.4	4	<1	<1	2	3	5	6	13
35-49	63	1.9	1	<1	<1	1	3	4	4	7
50-64	43	1.7	2	<1	<1	1	2	3	5	8
65+	24	1.9	1	<1	<1	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	39	3.1	10	<1	<1	2	4	7	11	15
20-34	127	4.1	39	<1	1	2	4	8	17	36
35-49	76	3.5	20	<1	<1	2	4	6	12	28
50-64	59	3.2	12	<1	<1	2	4	8	12	18
65+	54	5.4	54	1	1	2	5	16	23	38
TOT. SINGLE DX	291	2.1	3	<1	<1	1	3	4	6	10
" MULTIPLE DX	355	3.9	30	<1	1	2	4	8	15	30
TOTAL 0-19 YRS	96	2.5	7	<1	<1	1	3	5	8	14
20-34	231	3.3	24	<1	1	2	3	6	12	23
35-49	139	2.8	13	<1	<1	2	3	5	7	22
50-64	102	2.6	9	<1	<1	1	3	6	9	16
65+	78	4.3	41	<1	1	2	4	11	19	35
GRAND TOTAL	646	3.1	19	<1	1	2	3	6	10	21

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	3	<1	<1	2	4	5	5	5
20-34	4	3.5	9	1	1	3	6	7	7	7
35-49	3	2.7		2	2	3	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	5	5.6	45	<1	<1	3	9	17	17	17
2. MULTIPLE DX										
0-19 YRS	5	12.2	317	3	3	5	15	44	44	44
20-34	14	4.3	9	1	1	5	7	10	77	99+
35-49	7	18.1	362	3	3	6	30	49	53	53
50-64	7	11.9	50	2	3	12	18	21	22	22
65+	16	15.9	379	2	3	8	18	34	65	79
TOT. SINGLE DX	18	3.7	15	<1	<1	2	5	7	13	17
" MULTIPLE DX	49	12.0	227	1	2	6	14	33	53	99+
TOTAL 0-19 YRS	9	7.9	186	<1	1	3	5	29	44	44
20-34	18	4.1	9	1	1	5	7	10	59	99+
35-49	10	13.5	297	2	2	5	22	43	53	53
50-64	9	9.9	54	1	1	8	15	21	22	22
65+	21	13.5	314	<1	1	6	15	33	54	79
GRAND TOTAL	67	9.7	183	1	1	5	11	29	45	96

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	2.4	4	<1	<1	2	3	4	9	9
20-34	15	4.9	53	<1	<1	3	6	8	24	30
35-49	18	6.6	66	<1	1	4	6	23	28	28
50-64	25	4.0	6	<1	1	4	5	8	9	9
65+	37	5.6	64	<1	<1	4	6	9	14	49
2. MULTIPLE DX										
0-19 YRS	15	6.3	39	1	1	4	9	16	21	23
20-34	61	9.1	110	<1	1	6	11	21	36	51
35-49	125	12.1	108	1	2	10	17	25	35	73
50-64	290	14.7	178	1	3	11	19	29	44	67
65+	451	12.7	127	2	3	10	17	27	38	66
TOT. SINGLE DX	123	4.6	39	<1	<1	3	5	8	12	35
" MULTIPLE DX	942	12.9	140	1	2	10	17	27	38	65
TOTAL 0-19 YRS	43	3.7	20	<1	<1	2	4	9	13	23
20-34	76	8.3	101	<1	1	5	10	20	32	49
35-49	143	11.4	106	1	2	9	16	25	33	67
50-64	315	13.8	174	1	2	10	18	27	43	65
65+	488	12.2	126	1	2	9	16	26	37	63
GRAND TOTAL	1065	11.9	136	1	2	9	16	25	36	63

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	8.2	12	5	5	6	12	12	12	12
35-49	5	8.4	7	5	5	9	10	12	12	12
50-64	3	9.0	31	3	3	10	13	14	14	14
65+	8	11.5	50	6	6	9	12	24	28	28
2. MULTIPLE DX										
0-19 YRS	4	25.3	213	16	16	19	33	47	47	47
20-34	33	21.4	326	4	5	14	28	54	59	72
35-49	75	21.0	302	4	6	16	29	44	65	99+
50-64	206	19.9	197	6	7	15	27	41	52	69
65+	551	19.9	211	6	7	16	25	41	52	82
TOT. SINGLE DX	21	9.6	27	4	5	9	12	14	20	28
" MULTIPLE DX	869	20.1	220	5	7	15	26	42	53	82
TOTAL 0-19 YRS	4	25.3	213	16	16	19	33	47	47	47
20-34	38	19.6	304	4	5	13	25	51	59	72
35-49	80	20.2	293	4	6	15	26	43	60	99
50-64	209	19.8	197	6	7	15	27	41	51	69
65+	559	19.8	210	6	7	15	25	41	52	82
GRAND TOTAL	890	19.9	218	5	7	15	26	42	52	82

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.4	3	5	5	7	9	9	9	9
20-34	4	10.0	28	4	4	9	13	17	17	17
35-49										
50-64	6	14.3	22	8	8	14	19	20	20	20
65+	16	7.3	23	4	4	6	7	8	20	25
2. MULTIPLE DX										
0-19 YRS	14	13.4	69	2	3	11	20	24	29	31
20-34	10	14.6	113	4	4	14	18	30	40	40
35-49	26	23.8	340	3	5	23	37	74	99+	99+
50-64	76	20.9	363	5	6	14	24	50	67	99+
65+	508	17.4	207	5	6	13	21	36	51	83
TOT. SINGLE DX	31	9.0	27	4	5	7	10	18	20	25
" MULTIPLE DX	634	17.9	229	4	6	13	22	40	55	99+
TOTAL 0-19 YRS	19	11.8	58	2	4	9	16	23	28	31
20-34	14	13.3	90	4	4	11	17	22	36	40
35-49	26	23.8	340	3	5	23	37	74	99+	99+
50-64	82	20.4	341	5	6	14	23	49	65	99
65+	524	17.1	205	5	6	12	21	36	49	82
GRAND TOTAL	665	17.5	224	4	6	13	22	38	54	99

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.0	4	2	2	3	6	7	7	7
20-34	7	8.3	16	5	5	7	9	15	17	17
35-49	4	8.3	23	<1	<1	10	11	11	11	11
50-64	3	5.0	19	2	2	3	8	10	10	10
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	7	9.7	116	<1	1	7	10	29	33	33
20-34	14	21.7	571	4	4	17	30	97	99	99+
35-49	40	20.2	235	3	5	15	28	45	53	60
50-64	63	17.6	99	5	8	15	24	30	34	54
65+	157	18.1	202	4	4	14	23	38	48	70
TOT. SINGLE DX	22	6.5	16	1	2	6	10	11	14	17
" MULTIPLE DX	281	18.3	200	4	5	15	24	34	50	71
TOTAL 0-19 YRS	13	7.1	69	<1	1	4	7	15	30	33
20-34	21	17.2	418	4	5	9	23	53	98	99+
35-49	44	19.1	227	2	5	13	25	39	53	60
50-64	66	17.0	102	3	7	15	21	30	33	53
65+	159	18.0	202	4	4	14	23	37	48	70
GRAND TOTAL	**303**	**17.4**	**196**	**3**	**4**	**14**	**23**	**34**	**48**	**71**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	3.4	9	<1	1	2	4	8	9	13
20-34	25	5.2	15	1	1	3	8	10	13	16
35-49	21	5.6	7	2	2	6	7	10	11	12
50-64	3	5.0	1	4	4	5	6	6	6	6
65+	3	7.0	76	<1	<1	3	13	17	17	17
2. MULTIPLE DX										
0-19 YRS	15	7.0	151	1	1	3	8	9	40	50
20-34	21	8.1	20	2	4	7	11	15	17	18
35-49	18	12.0	97	2	3	8	15	28	35	37
50-64	9	5.0	16	1	1	4	6	12	14	14
65+	3	3.3	1	2	2	4	4	4	4	4
TOT. SINGLE DX	84	4.7	13	1	1	3	7	9	12	17
" MULTIPLE DX	66	8.3	73	1	1	6	10	17	23	48
TOTAL 0-19 YRS	47	4.5	55	<1	1	2	6	9	10	50
20-34	46	6.5	19	1	1	6	9	13	16	18
35-49	39	8.6	58	2	2	6	11	18	27	37
50-64	12	5.0	12	1	2	4	6	10	13	14
65+	6	5.2	35	<1	<1	3	4	16	17	17
GRAND TOTAL	**150**	**6.3**	**42**	**1**	**1**	**5**	**8**	**13**	**17**	**37**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.5		<1	<1	1	2	2	3	4
20-34	45	4.2	183	<1	<1	1	3	5	9	92
35-49	32	3.5	23	<1	<1	2	3	7	17	23
50-64	19	6.2	100	1	1	3	4	18	33	42
65+	13	10.2	172	<1	<1	4	16	32	40	42
2. MULTIPLE DX										
0-19 YRS	16	2.9	5	<1	<1	2	4	7	8	9
20-34	45	8.8	208	<1	1	4	9	22	41	71
35-49	33	12.2	210	2	2	6	14	30	51	60
50-64	75	10.0	132	1	2	6	12	24	33	62
65+	104	10.9	81	2	3	8	15	23	31	70
TOT. SINGLE DX	128	4.5	105	<1	<1	2	3	8	21	53
" MULTIPLE DX	273	10.0	130	1	2	6	12	23	33	65
TOTAL 0-19 YRS	35	2.1	3	<1	<1	1	2	4	6	9
20-34	90	6.5	199	<1	<1	2	5	12	22	84
35-49	65	7.9	136	<1	1	3	8	23	30	59
50-64	94	9.2	127	1	1	5	11	23	34	61
65+	117	10.8	90	1	2	7	15	24	32	63
GRAND TOTAL	**401**	**8.2**	**128**	**<1**	**1**	**4**	**10**	**20**	**30**	**64**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	5.0	12	3	3	3	8	9	9	9
50-64	3	6.0	61	1	1	2	12	15	15	15
65+	4	7.0	24	3	3	5	10	14	14	14
2. MULTIPLE DX										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	6.2	45	1	1	3	7	18	21	21
65+	7	15.6	94	3	4	13	23	30	31	31
TOT. SINGLE DX	10	6.1	25	1	1	4	9	14	15	15
" MULTIPLE DX	21	10.8	163	1	1	4	15	27	40	52
TOTAL 0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	4	4.0	12	1	1	3	6	9	9	9
50-64	12	6.2	44	1	1	3	9	17	20	21
65+	11	12.5	82	3	3	12	16	27	31	31
GRAND TOTAL	**31**	**9.3**	**121**	**1**	**1**	**4**	**14**	**23**	**31**	**52**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	1.3		<1	<1	1	1	2	2	4
20-34	429	1.4		<1	<1	1	2	2	3	5
35-49	1005	1.5	1	<1	<1	1	2	2	3	6
50-64	807	1.6	1	<1	<1	1	2	3	4	7
65+	522	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	19	3.4	70	<1	<1	1	2	3	23	38
20-34	236	3.0	71	<1	<1	1	2	5	8	37
35-49	730	2.6	18	<1	<1	1	2	5	7	18
50-64	826	3.1	25	<1	<1	2	3	6	9	20
65+	880	4.1	21	<1	<1	2	5	9	14	24
TOT. SINGLE DX	2851	1.6	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	2691	3.3	27	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	107	1.6	13	<1	<1	1	1	2	3	19
20-34	665	2.0	27	<1	<1	1	2	3	5	10
35-49	1735	2.0	9	<1	<1	1	2	3	5	12
50-64	1633	2.3	14	<1	<1	1	2	4	7	14
65+	1402	3.3	16	<1	<1	2	4	8	11	22
GRAND TOTAL	**5542**	**2.4**	**15**	**<1**	**<1**	**1**	**2**	**5**	**7**	**17**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.3		<1	<1	1	2	2	2	2
20-34	27	2.3	4	<1	<1	1	3	5	7	10
35-49	43	3.6	4	1	1	3	5	6	7	11
50-64	44	3.3	4	<1	1	3	5	6	8	9
65+	80	4.4	6	1	2	4	6	8	8	14
2. MULTIPLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	23	4.1	5	1	1	4	6	7	8	10
35-49	100	5.4	12	2	3	4	6	10	13	20
50-64	129	4.9	14	1	2	4	6	8	11	24
65+	234	6.4	23	2	2	5	8	12	16	23
TOT. SINGLE DX	213	3.5	6	<1	1	3	5	7	8	11
" MULTIPLE DX	491	5.6	19	2	2	5	7	10	14	23
TOTAL 0-19 YRS	24	1.4		<1	<1	1	2	2	3	3
20-34	50	3.1	6	<1	<1	2	4	7	7	10
35-49	143	4.9	11	1	2	4	6	8	12	18
50-64	173	4.5	13	1	2	4	5	7	9	23
65+	314	5.9	20	2	2	5	7	10	15	23
GRAND TOTAL	**704**	**5.0**	**16**	**1**	**1**	**4**	**6**	**8**	**12**	**22**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	2.5	1	1	1	2	3	4	4	4
20-34	54	4.1	4	1	2	4	5	6	8	12
35-49	413	5.0	4	2	3	5	6	7	9	14
50-64	690	5.1	3	2	3	5	6	7	9	11
65+	594	5.4	4	3	3	5	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	109	5.1	4	2	3	5	6	8	9	13
35-49	628	5.4	7	2	3	5	6	8	10	13
50-64	1210	5.8	8	2	3	5	7	9	10	16
65+	1665	6.7	13	3	3	6	8	11	13	22
TOT. SINGLE DX	1755	5.1	4	2	3	5	6	8	9	12
" MULTIPLE DX	3615	6.1	11	3	3	5	7	9	12	19
TOTAL 0-19 YRS	7	2.7	1	1	1	3	4	4	4	4
20-34	163	4.8	5	2	2	4	6	8	9	13
35-49	1041	5.2	6	2	3	5	6	8	9	13
50-64	1900	5.5	7	2	3	5	7	8	10	15
65+	2259	6.3	12	3	3	6	7	10	12	20
GRAND TOTAL	**5370**	**5.8**	**9**	**3**	**3**	**5**	**7**	**9**	**11**	**16**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	180	2.5	1	<1	1	2	3	4	5	6
20-34	606	2.4	2	<1	<1	2	3	4	5	7
35-49	531	2.7	2	<1	<1	3	4	5	6	7
50-64	273	3.0	3	<1	1	3	4	5	6	8
65+	65	2.6	1	<1	<1	3	4	4	5	5
2. MULTIPLE DX										
0-19 YRS	72	2.9	2	1	1	3	4	5	6	7
20-34	433	3.2	3	<1	1	3	4	5	6	10
35-49	964	3.5	5	1	1	3	4	6	7	12
50-64	628	3.8	15	1	1	3	4	6	8	17
65+	186	3.7	5	1	1	3	4	6	8	13
TOT. SINGLE DX	1655	2.6	3	<1	<1	2	3	5	5	7
" MULTIPLE DX	2283	3.5	8	1	1	3	4	6	7	13
TOTAL 0-19 YRS	252	2.6	2	<1	1	2	3	4	5	7
20-34	1039	2.7	3	<1	<1	3	4	5	6	8
35-49	1495	3.2	5	<1	1	3	4	6	7	11
50-64	901	3.6	12	1	1	3	4	6	7	16
65+	251	3.4	5	1	1	3	4	5	7	11
GRAND TOTAL	3938	3.1	6	<1	1	3	4	5	6	11

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	2.1	1	<1	1	2	3	4	5	6
20-34	550	2.2	2	<1	1	2	3	4	5	7
35-49	83	2.6	5	<1	1	2	3	4	6	15
50-64	21	2.7	8	<1	<1	2	3	6	10	13
65+	6	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	39	2.6	3	1	1	2	3	4	7	8
20-34	101	3.1	5	1	1	3	4	5	8	13
35-49	32	4.1	40	1	1	3	4	7	9	37
50-64	22	4.0	4	<1	1	4	6	7	8	8
65+	12	9.3	184	1	1	4	6	37	40	40
TOT. SINGLE DX	959	2.2	2	<1	1	2	3	4	5	7
" MULTIPLE DX	206	3.6	22	1	1	3	4	6	8	36
TOTAL 0-19 YRS	338	2.1	2	<1	1	2	3	4	5	7
20-34	651	2.4	3	1	1	2	3	4	5	9
35-49	115	3.0	16	1	1	2	3	5	8	25
50-64	43	3.4	7	<1	1	3	5	7	8	13
65+	18	7.2	130	1	1	3	5	27	38	40
GRAND TOTAL	1165	2.5	6	<1	1	2	3	4	5	10

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	494	1.7	3	<1	<1	1	2	3	4	10
20-34	428	2.1	5	<1	<1	1	2	4	7	11
35-49	448	1.9	2	<1	<1	1	2	4	5	10
50-64	393	2.1	5	<1	<1	1	2	4	6	13
65+	240	2.3	5	<1	<1	1	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	329	5.2	104	<1	<1	2	4	11	21	62
20-34	424	7.3	119	<1	<1	3	8	21	29	52
35-49	486	7.2	110	<1	1	4	8	19	28	62
50-64	600	6.6	68	<1	1	4	8	16	25	45
65+	970	9.3	130	1	1	6	11	20	32	74
TOT. SINGLE DX	2003	2.0	4	<1	<1	1	2	4	6	11
" MULTIPLE DX	2809	7.6	111	<1	1	4	9	18	28	62
TOTAL 0-19 YRS	823	3.1	47	<1	<1	1	2	5	10	43
20-34	852	4.7	69	<1	<1	2	4	11	21	39
35-49	934	4.7	66	<1	<1	2	4	10	19	44
50-64	993	4.8	48	<1	<1	2	5	12	18	40
65+	1210	7.9	114	<1	1	4	10	18	27	64
GRAND TOTAL	4812	5.2	74	<1	<1	2	6	13	21	49

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	826	3.2	13	<1	<1	2	4	7	9	18
20-34	1070	3.8	18	<1	1	2	5	8	10	21
35-49	624	4.1	20	<1	1	3	5	9	13	24
50-64	443	4.4	29	<1	<1	3	5	10	14	29
65+	338	5.0	25	<1	1	3	6	11	15	23
2. MULTIPLE DX										
0-19 YRS	1801	5.2	78	<1	1	2	5	11	19	49
20-34	2973	6.4	85	<1	1	3	7	15	24	49
35-49	1846	8.5	123	1	1	5	10	20	30	61
50-64	1794	10.4	160	1	1	6	13	24	36	72
65+	3048	12.0	174	1	2	8	15	26	40	78
TOT. SINGLE DX	3301	3.9	20	<1	<1	2	5	8	12	23
" MULTIPLE DX	11462	8.7	132	1	1	5	10	21	31	65
TOTAL 0-19 YRS	2627	4.6	59	<1	1	2	5	9	15	43
20-34	4043	5.7	69	<1	1	3	6	12	20	46
35-49	2470	7.4	102	1	1	4	9	17	27	54
50-64	2237	9.2	140	1	1	5	11	21	33	66
65+	3386	11.3	164	1	2	7	14	25	38	73
GRAND TOTAL	14763	7.6	111	1	1	4	9	18	28	59

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	4.5	24	<1	1	2	6	9	12	20
20-34	209	5.6	43	<1	<1	4	7	13	16	39
35-49	113	4.2	17	<1	<1	3	5	9	13	20
50-64	77	6.4	59	<1	1	4	8	14	22	43
65+	86	8.5	84	<1	1	6	11	21	29	41
2. MULTIPLE DX										
0-19 YRS	203	9.2	118	1	1	6	12	21	32	55
20-34	310	12.4	167	1	1	9	17	26	41	60
35-49	199	14.2	180	1	2	9	20	34	44	92
50-64	244	14.7	177	1	2	11	21	32	43	68
65+	434	17.4	212	2	3	14	24	36	48	79
TOT. SINGLE DX	654	5.5	43	<1	<1	3	7	12	18	37
" MULTIPLE DX	1390	14.1	185	1	2	10	20	32	43	73
TOTAL 0-19 YRS	372	7.0	81	<1	1	4	9	16	24	53
20-34	519	9.7	128	<1	1	6	13	22	31	52
35-49	312	10.6	144	<1	1	6	15	26	36	77
50-64	321	12.7	161	1	1	9	19	30	39	60
65+	520	15.9	202	1	2	13	22	34	43	76
GRAND TOTAL	2044	11.4	156	1	1	7	16	27	38	65

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	2.7	13	<1	<1	1	2	6	9	21
20-34	109	4.2	44	<1	<1	2	4	8	13	40
35-49	51	4.7	52	<1	<1	2	4	13	17	44
50-64	38	5.4	72	<1	<1	2	6	16	19	45
65+	19	4.8	29	<1	<1	3	6	9	17	24
2. MULTIPLE DX										
0-19 YRS	59	7.7	144	<1	1	3	8	22	29	62
20-34	148	12.9	249	<1	1	5	18	37	52	76
35-49	96	15.5	258	1	2	9	24	40	54	63
50-64	100	14.4	412	<1	1	5	18	47	58	90
65+	127	16.1	290	1	2	9	21	42	56	81
TOT. SINGLE DX	284	4.1	42	<1	<1	2	4	9	16	41
" MULTIPLE DX	530	13.8	284	<1	1	7	19	39	54	77
TOTAL 0-19 YRS	126	5.0	81	<1	<1	2	5	10	22	57
20-34	257	9.2	181	<1	1	3	11	29	42	63
35-49	147	11.7	213	<1	1	5	16	32	45	61
50-64	138	11.9	334	<1	1	4	12	38	54	90
65+	146	14.6	270	1	1	8	20	39	54	77
GRAND TOTAL	814	10.5	221	<1	1	4	13	30	47	69

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.1	6	<1	<1	1	2	3	5	13
20-34	153	1.9	3	<1	<1	1	2	4	5	7
35-49	160	2.1	5	<1	<1	1	2	5	6	15
50-64	125	1.9	2	<1	<1	1	2	4	5	9
65+	68	1.7	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	171	4.5	83	<1	<1	2	5	9	12	50
20-34	193	4.8	53	<1	1	3	5	9	12	31
35-49	215	5.2	46	<1	1	3	6	10	16	37
50-64	229	4.0	48	<1	1	2	4	7	11	41
65+	177	6.9	72	1	1	4	8	17	25	46
TOT. SINGLE DX	691	2.0	5	<1	<1	1	2	4	5	11
" MULTIPLE DX	985	5.0	60	<1	1	3	5	10	16	40
TOTAL 0-19 YRS	356	3.3	45	<1	<1	2	3	7	9	26
20-34	346	3.5	33	<1	<1	2	4	6	9	27
35-49	375	3.9	31	<1	<1	2	5	8	12	32
50-64	354	3.3	33	<1	<1	2	4	6	9	25
65+	245	5.4	59	<1	1	3	6	12	23	39
GRAND TOTAL	1676	3.8	39	<1	<1	2	4	8	12	32

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.6		1	1	1	2	3	3	3
20-34	7	2.4	8	1	1	1	2	8	9	9
35-49	13	3.6	8	<1	1	2	5	8	10	10
50-64	14	5.6	60	1	1	3	4	21	25	26
65+	14	2.8	4	1	1	3	3	5	8	9
2. MULTIPLE DX										
0-19 YRS	20	9.9	189	1	1	6	8	29	45	56
20-34	34	5.6	59	1	1	3	7	11	17	43
35-49	39	6.4	115	1	1	3	5	12	29	57
50-64	72	8.0	70	1	2	5	11	17	27	41
65+	79	9.6	110	1	2	5	12	19	32	58
TOT. SINGLE DX	56	3.5	20	1	1	2	4	7	10	26
" MULTIPLE DX	244	8.1	99	1	1	5	10	17	27	56
TOTAL 0-19 YRS	28	7.5	148	1	1	3	7	22	36	56
20-34	41	5.1	52	1	1	3	6	10	16	43
35-49	52	5.7	89	1	1	3	5	10	14	57
50-64	86	7.6	69	1	1	4	10	18	26	41
65+	93	8.5	100	1	1	5	11	17	26	56
GRAND TOTAL	**300**	**7.2**	**88**	**1**	**1**	**4**	**8**	**16**	**26**	**52**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	2.7	12	1	1	2	3	6	8	23
20-34	2715	2.7	11	1	1	1	3	6	9	14
35-49	3530	2.5	8	1	1	1	2	6	9	15
50-64	1924	2.4	7	1	1	1	2	5	8	14
65+	588	2.5	8	1	1	1	3	5	8	15
2. MULTIPLE DX										
0-19 YRS	137	3.8	23	1	1	2	4	8	14	25
20-34	1523	4.2	29	1	1	2	5	9	12	25
35-49	2420	4.1	21	1	1	2	5	10	13	22
50-64	2198	4.5	30	1	1	2	6	11	15	27
65+	1517	5.6	40	1	1	3	8	13	18	33
TOT. SINGLE DX	8915	2.5	9	1	1	1	3	6	9	15
" MULTIPLE DX	7795	4.5	29	1	1	2	6	11	14	27
TOTAL 0-19 YRS	295	3.2	18	1	1	2	3	7	11	24
20-34	4238	3.2	19	1	1	2	4	8	10	17
35-49	5950	3.2	14	1	1	2	3	8	11	18
50-64	4122	3.5	21	1	1	2	4	9	12	21
65+	2105	4.8	34	1	1	2	6	12	16	29
GRAND TOTAL	**16710**	**3.5**	**20**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.5	7	1	1	2	2	5	10	14
20-34	182	2.6	9	1	1	2	3	4	8	21
35-49	249	2.8	9	1	1	2	3	6	8	15
50-64	475	2.4	12	<1	1	2	2	4	6	14
65+	642	2.5	16	1	1	2	2	5	7	16
2. MULTIPLE DX										
0-19 YRS	55	5.1	51	1	1	2	5	15	21	37
20-34	239	5.1	39	1	1	3	6	14	21	31
35-49	451	5.3	51	1	1	3	6	11	18	41
50-64	1462	5.0	38	1	1	3	6	11	15	28
65+	2905	5.4	44	1	1	3	7	11	15	36
TOT. SINGLE DX	1600	2.5	13	1	1	2	2	5	7	15
" MULTIPLE DX	5112	5.2	43	1	1	3	6	11	16	34
TOTAL 0-19 YRS	107	3.8	31	1	1	2	3	10	15	31
20-34	421	4.0	28	1	1	2	4	10	16	27
35-49	700	4.4	38	1	1	2	5	9	15	35
50-64	1937	4.4	33	1	1	2	5	9	14	27
65+	3547	4.8	41	1	1	3	6	10	14	33
GRAND TOTAL	**6712**	**4.6**	**37**	**1**	**1**	**2**	**6**	**10**	**14**	**30**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	9	3.0	5	1	1	2	3	7	9	9
35-49	90	2.5	7	1	1	2	2	5	8	15
50-64	118	2.6	4	1	1	2	3	6	8	10
65+	65	2.0	2	<1	1	2	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	12	2.9	10	1	1	2	2	9	11	11
20-34	24	3.9	11	1	1	2	6	9	11	12
35-49	252	3.7	11	1	1	2	5	8	9	21
50-64	584	3.9	13	1	1	2	5	9	11	19
65+	493	4.6	23	<1	<1	3	6	11	13	24
TOT. SINGLE DX	285	2.5	5	1	1	2	2	5	7	13
" MULTIPLE DX	1365	4.1	17	<1	1	2	5	9	12	20
TOTAL 0-19 YRS	15	2.8	9	1	1	2	2	8	10	11
20-34	33	3.7	10	1	1	2	6	9	11	12
35-49	342	3.4	11	1	1	2	4	8	9	16
50-64	702	3.7	13	1	1	2	5	8	11	18
65+	558	4.3	22	<1	<1	2	6	11	12	22
GRAND TOTAL	**1650**	**3.8**	**15**	**<1**	**1**	**2**	**5**	**9**	**11**	**19**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.0	8	<1	<1	2	4	7	9	13
20-34	421	4.1	14	1	1	2	6	9	11	17
35-49	451	4.0	13	1	1	2	7	9	10	16
50-64	699	3.5	13	<1	1	2	5	9	10	14
65+	645	3.3	12	<1	1	2	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	189	4.6	34	1	1	2	6	10	15	33
20-34	636	6.1	57	1	1	4	8	12	15	31
35-49	1001	6.3	45	1	1	4	9	12	16	34
50-64	2299	5.7	30	1	1	4	8	12	16	25
65+	4036	6.3	36	1	1	5	9	13	17	29
TOT. SINGLE DX	2304	3.6	13	1	1	2	5	9	10	15
" MULTIPLE DX	8161	6.1	38	1	1	4	8	13	16	29
TOTAL 0-19 YRS	277	4.1	26	<1	1	2	5	9	12	26
20-34	1057	5.3	41	1	1	4	8	11	13	25
35-49	1452	5.6	36	1	1	4	8	11	14	30
50-64	2998	5.2	28	1	1	3	8	11	15	25
65+	4681	5.9	34	1	1	4	8	13	16	28
GRAND TOTAL	**10465**	**5.5**	**33**	**1**	**1**	**4**	**8**	**12**	**15**	**27**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4250	2.9	12	1	1	2	3	5	8	18
20-34	7471	3.4	17	<1	1	2	4	7	9	19
35-49	5221	3.7	15	1	1	3	5	7	10	20
50-64	4046	4.0	16	1	1	3	5	8	11	21
65+	3443	4.6	18	1	1	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	7979	5.2	67	1	1	3	5	10	16	49
20-34	13276	5.0	42	1	1	3	6	10	15	35
35-49	14022	5.6	36	1	1	4	7	11	16	31
50-64	22991	6.4	41	1	2	5	8	12	17	33
65+	56318	7.3	42	2	2	6	9	14	19	35
TOT. SINGLE DX	24431	3.7	17	1	1	3	4	7	10	20
" MULTIPLE DX	114586	6.5	44	1	2	5	8	13	18	35
TOTAL 0-19 YRS	12229	4.4	49	1	1	3	4	8	13	42
20-34	20747	4.4	34	1	1	3	5	9	13	30
35-49	19243	5.1	32	1	1	4	6	10	14	30
50-64	27037	6.0	39	1	2	4	7	12	16	32
65+	59761	7.2	41	2	2	5	9	14	18	34
GRAND TOTAL	**139017**	**6.0**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**33**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3408	4.1	28	1	1	3	4	7	16	28
20-34	1553	5.3	31	1	1	4	6	11	16	26
35-49	1538	5.5	20	1	1	4	7	11	14	24
50-64	1206	5.3	27	1	1	4	7	10	14	25
65+	1038	5.7	30	1	1	4	7	11	14	26
2. MULTIPLE DX										
0-19 YRS	5033	5.6	71	1	1	3	5	11	21	54
20-34	2591	7.8	89	1	2	5	9	18	26	53
35-49	3141	7.7	72	1	2	5	9	17	24	45
50-64	5697	7.3	58	1	2	5	9	14	21	43
65+	15024	8.1	58	2	2	6	10	15	22	42
TOT. SINGLE DX	8743	4.9	28	1	1	3	6	10	15	26
" MULTIPLE DX	31486	7.5	65	1	2	5	9	15	22	45
TOTAL 0-19 YRS	8441	5.0	55	1	1	3	5	10	18	44
20-34	4144	6.9	69	1	1	4	8	15	23	46
35-49	4679	6.9	56	1	2	5	8	14	21	38
50-64	6903	7.0	53	1	2	5	8	14	20	40
65+	16062	8.0	57	2	2	6	9	15	21	41
GRAND TOTAL	**40229**	**6.9**	**58**	**1**	**2**	**5**	**8**	**14**	**21**	**42**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2843	2.7	18	<1	<1	2	3	5	6	15
20-34	2854	2.8	16	<1	<1	2	3	5	8	22
35-49	1763	3.5	12	<1	1	2	4	7	10	16
50-64	1801	4.1	15	1	1	3	5	8	11	18
65+	1798	4.4	15	1	1	3	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	7023	5.3	71	1	1	3	5	10	19	52
20-34	5583	5.0	48	<1	1	3	5	10	17	39
35-49	6710	5.3	44	1	1	3	6	11	15	35
50-64	13795	5.8	32	1	2	4	7	11	15	30
65+	33813	6.9	39	1	2	5	8	13	17	33
TOT. SINGLE DX	11059	3.4	16	<1	<1	2	4	7	9	18
" MULTIPLE DX	66924	6.2	43	1	2	4	8	12	17	35
TOTAL 0-19 YRS	9866	4.6	58	<1	1	3	4	8	15	48
20-34	8437	4.2	39	<1	<1	2	4	8	14	35
35-49	8473	4.9	38	1	1	3	6	10	14	32
50-64	15596	5.6	31	1	1	4	7	11	14	29
65+	35611	6.7	39	1	2	5	8	13	17	33
GRAND TOTAL	**77983**	**5.8**	**41**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number **Title**

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number **Title**

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number **Title**

Reduction (continued)
    Femur
710   Closed, except with internal fixation
708   With internal fixation
710   Open, except with internal fixation
709   With internal fixation
701   Mandible, except closed reduction
700   Closed reduction
701   Maxillofacial, except closed reduction
700   Closed reduction
544   Nose
619 Hemorrhoids
  Hernia – *see also Herniorrhaphy*
764   Manual
601 Intestinal torsion
601 Intussusception, intestine
745 Mammoplasty
601 Volvulus, intestine
Release
  Adhesions – *see Lysis, adhesions*
728 Dupuytren's contracture
749 Scar contracture, skin
642 Urethral stricture
Removal
  Calculus
617   Biliary tract
638   Bladder
632   Kidney, except transurethral approach
635   Transurethral approach
519   Lacrimal tract (by incision)
533   Without incision
633   Ureter, except transurethral approach
635   Transurethral approach
764 Catheter, nonoperatively
764 Cholecystotomy tube
693 Ectopic fetus
707 Fixation device, internal
  Foreign body
762   Bronchus, except with incision
563   With incision
532   Eye, except as below
524   Anterior chamber
520   Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin